

DRILLOUT ASSAYS BUILD MOMENTUM FOR RESOURCE GROWTH

- **Assays received for the first 6 drillholes** from the ongoing London-Victoria infill drilling continue to deliver strong potential for resource growth, below the existing London-Victoria Open Pit validating the systematic resource expansion drilling strategy.
- **First 6 drillholes represents only 1,338m of 5,594m drilled** in the current campaign, another 20 drillholes for 4,256m are in the lab, drilling continues with 2 rigs.
- Highlights from the first 6 holes include:

Northern Area

- **6m @ 2.96g/t Au from 219m** (0.5g/t Au cut-off) (**ALRC028**) including **4m @ 4.18g/t Au from 219m** (1.0g/t Au cut-off)
- **10m @ 2.11g/t Au from 180m** (0.5g/t Au cut-off) (**ALRC031**) including **7m @ 2.86g/t Au from 172m** (1.0g/t Au cut-off)

Southern Area

- **31m @ 0.91g/t Au from 147m** (0.5g/t Au cut-off) (**ALRC034**); and
- **8m @ 0.89g/t Au from 130m** (0.5g/t Au cut-off) **within** **54m @ 0.75g/t Au from 124m** (0.3g/t Au cut-off)
- **4m @ 1.21g/t Au from 140m** (0.5g/t Au cut-off) (**ALRC035**); and
- **8m @ 0.97g/t Au from 149m** (0.5g/t Au cut-off); and
- **5m @ 0.86g/t Au from 163m** (0.5g/t Au cut-off); and
- **9m @ 1.03g/t Au from 175m** (0.5g/t Au cut-off) **within** **52m @ 0.64g/t Au from 149m** (0.3g/t Au cut-off)
- **Drilling is continuing with 2 rigs at site.**



Adavale Resources Managing Director, Mr. David Ward, commented:

"Initial results from the London-Victoria infill program are revealing a distinct distribution of mineralisation styles, with drilling in the north returning higher-grade intercepts, while the southern area is characterised by broader zones of consistent mineralisation. This is highly encouraging, as it highlights the potential for a combination of high-grade lodes in the north, alongside bulk-tonnage resource growth in the south. Importantly, both domains remain open and largely untested at depth, positioning the Company well to deliver meaningful additions to the existing Mineral Resource as drilling progresses."

Directors & Officers

ALLAN RITCHIE
Executive Chairman & CEO

DAVID WARD
Managing Director

NIC MATICH
Non-Executive Director

LEONARD MATH
CFO & Company Secretary



Adavaleresources



Adavale_ASXADD



Investor@adavaleresources.com



+61 2 9127 9852

www.adavaleresources.com

Adavale Resources Limited
Level 2, 49 Oxford Close
West Leederville, WA, 6007

Adavale Resources Limited (ASX:ADD) (“Adavale” or the “Company”), an Australian junior explorer/developer focused on gold and copper in the Lachlan Fold Belt of New South Wales, is pleased to announce the results from the first 6 holes (1,338m) of the current ongoing drilling program at The London-Victoria Gold Mine.




Figure 1: Cross Section Displaying position and gold results for ALRC034 (on the same section as previously reported hole ALRC023)
Drillholes with assays pending are shown in blue in the long section above




Figure 2: Cross Section Displaying position and gold results for ALRC028 (on the same section as historic hole LVD203)

Assays are pending for ALRC027 on the same section

Drillholes with assays pending are shown in blue in the long section above




Figure 3: Cross Section Displaying position and gold results for ALRC035 (on the same section as previously reported hole ALRC015 and ALRC024)

Drillholes with assays pending are shown in blue in the long section above




Figure 4: Cross Section Displaying position and gold results for ALRC031 and ALRC032
Drillholes with assays pending are shown in blue in the long section above

Results have been received for the first 6 holes of the ongoing resource drillout at the London-Victoria Gold Mine (ALRC028, ALRC031, ALRC032 ALRC033, ALRC034 and ALRC035).

Another 20 holes have been completed and submitted for analysis in multiple batches and at the assay laboratory, it is anticipated batches of samples will be completed and released every 3-4 weeks.

2 of the 6 holes received (ALRC034 and ALRC035) are from the southern portion of the pit and have the widest intercepts received to date while the 4 other holes (ALRC028, ALRC031, ALRC032, ALRC033) were drilled in the northern portion of the pit, 3 of which display higher-grade gold intercepts. The high-grade intercepts in the northern portion of the pit include peak result of 12.1g/t Au highlighting potential for both open pit and underground mining into the future.

Northern Area

ALRC028 intercepted the mineralised zone 110m down dip below the pit floor, at a 2.0g/t cutoff the intercept has a higher-grade core of 2m @ 6.58g/t Au within 6m @ 2.96g/t Au and along with ALRC031 137m to the south along strike provides opportunity to entertain future underground mining options below the open pit.

- **6m @ 2.96g/t Au from 219m** (0.5g/t Au cut-off) including
 - **4m @ 4.18g/t Au from 219m** (1.0g/t Au cut-off)

ALRC031 is approximately 137m south of ALRC028 and intersected the mineralised zone 73m below the bottom of the open pit. The ALRC031 intercept of 10m @ 2.11g/t Au from 180m contains the single highest gold grade received by Adavale to date returning 1m @ 12.1g/t from 183m

- **10m @ 2.11g/t Au from 180m** (0.5g/t Au cut-off) including
 - **7m @ 2.86g/t Au from 172m** (1.0g/t Au cut-off)

ALRC032 and ALRC033 did not return significant gold results. Highlights that the high-grade mineralisation in the northern part of the pit is structurally controlled and presents as plunging lodes which will be targeted in updates to the structural geology model assisted by systematic collection of optical downhole televiewer data.

Southern Area

ALRC034 and ALRC035 intersected strong wide zones of gold mineralisation both 110m below the open pit each hole and extends the known mineralisation from Phase 2 drilling by another 30-35m deeper and both well outside of the existing JORC 2012 Inferred Resource of 115koz and in turn will add significantly to the resource inventory.

ALRC034

- **31m @ 0.91g/t Au from 147m** (0.5g/t Au cut-off); and
- **8m @ 0.89g/t Au from 130m** (0.5g/t Au cut-off) within
 - **54m @ 0.75g/t Au from 124m** (0.3g/t Au cut-off)

ALRC035

- **4m @ 1.21g/t Au from 140m** (0.5g/t Au cut-off); and
- **8m @ 0.97g/t Au from 149m** (0.5g/t Au cut-off); and
- **5m @ 0.86g/t Au from 163m** (0.5g/t Au cut-off); and
- **9m @ 1.03g/t Au from 175m** (0.5g/t Au cut-off) within
 - **52m @ 0.64g/t Au from 132m** (0.3g/t Au cut-off, 4m internal dilution)

London-Victoria Gold Mine – Next Steps

- ***Brownfields drilling***
 - Systematic “drill out” underway to expand and upgrade existing mineralisation and support ongoing Mineral Resource growth.
 - 2 rigs at site with assay results expected every month.
- ***Metallurgical testing***
 - Preliminary metallurgical sighter test work to assess recoveries and support future development studies.
- ***Preliminary scoping studies***
 - Early-stage technical and economic assessments to evaluate development pathways and inform project prioritisation.
- ***Geophysical surveys***
 - High-resolution airborne geophysics to refine structural interpretation, improve targeting accuracy and prioritise follow-up drilling.
- ***MRE Update***
 - Expect to complete an update to the MRE by mid-2026.

Greenfields Exploration – Regional Targets -Next Steps

- **Geophysical surveys**
 - Extension of high-resolution magnetics at Ashes, into the newly acquired exploration tenure to assist target generation associated with the IP anomalism and high-grade surface sampling.
- **Surface geochemistry**
 - Extension of systematic soil and rock-chip programs at Ashes, into the newly acquired exploration tenure to generate new anomalies and rank targets for drilling.
- **First-pass drilling**
 - Initial drill testing of priority greenfield targets generated from geophysics and geochemistry to pursue new discoveries.




Figure 5: Gantt Chart illustrating Adavale's planned exploration work across its Parkes Gold-Copper Project, located in the Lachlan Fold Belt, NSW.

This announcement is authorised for release by the Board of Adavale Resources Limited.

Further information:

Allan Ritchie

Executive Chairman and CEO
Adavale Resources
E: investor@adavaleresources.com
P: +61 2 9127 9852

David Ward

Managing Director
Adavale Resources
E: investor@adavaleresources.com
P: +61 2 9127 9852

Forward Looking Statements

Certain statements in this announcement are or may be “forward-looking statements” and represent Adavale’s intentions, projections, expectations, or beliefs concerning among other things, future exploration activities. The projections, estimates and beliefs contained in such forward-looking statements don’t necessarily involve known and unknown risks, uncertainties, and other factors, many of which are beyond the control of Adavale Resources, and which may cause Adavale Resources actual performance in future periods to differ materially from any express or implied estimates or projections. Nothing in this announcement is a promise or representation as to the future. Statements or assumptions in this announcement as to future matters may prove to be incorrect and differences may be material. Adavale Resources does not make any representation or warranty as to the accuracy of such statements or assumptions.

ASX Announcement References

- 5 May 2025 “Maiden JORC Resource at London-Victoria Project”
- 24 September 2025 “Wide Intercepts Confirm Open Mineralisation Beneath Pit Floor”
- 20 Jan 2026 “Highest Grade Intercept at London Victoria”

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person’s findings are presented have not been materially modified from the original market announcement.

Information on the Mineral Resources presented on the London-Victoria deposit is contained in the ASX announcement dated 5 May 2025. Where the Company refers to Mineral Resource in this presentation, it confirms that it is not aware of any new information or data that materially affects the information included in that announcement and all material assumptions and technical parameters underpinning the Mineral Resource estimate with that announcement continue to apply and have not materially changed. The Company confirms that the form and context their with JORC Table 1 in which the Competent Person’s findings are presented have not materially changed from the original announcement.

Competent Persons Statement

The information in this document that relates to exploration results is based on information compiled by David Ward BSc, a Competent Person who is a Member of the Australasian Institute of Mining and Metallurgy (AUSIMM), (Member 228604). David Ward has over 25 years of experience in metallic minerals mining, exploration and development and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a 'Competent Person' as defined under the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Ward consents to the inclusion in this report of the matters based on his information in the form and context in which it appears

Overview of The Parkes Project: A World-Class Geological Setting

The Parkes Project comprises 9 granted exploration licences (EL's) that cover a total area of ~489.4 km² strategically located within the Macquarie Arc of the Lachlan Fold Belt – a Tier-1 mining jurisdiction. The region hosts world-class operations such as **Cadia Ridgeway (35.1Moz Au & 7.9Mt Cu)** and **Northparkes (5.2Moz Au & 4.4Mt Cu)**, adjacent and directly west of the Parkes Project.





Figure 6: Map of the central New South Wales Lachlan Fold Belt

ABOUT ADAVALE RESOURCES

Exploring for Gold and Copper in the NSW Lachlan Fold Belt, Uranium in South Australia, and Nickel Sulphide in Tanzania.


The Parkes Project

Adavale Resources Limited (ASX:ADD) tenements span ~489.4km² including 100% of EL9785, EL9829, EL9178, EL9741, ELA7017 and a 72.5% interest in EL7242, EL8830, EL8831, EL9711, consisting of 9 granted exploration licences that are highly prospective for Au-Cu, adjacent to the giant Northparkes copper-gold porphyry and Parkes Thrust Hosted orogenic deposits at London-Victoria, and Tomingley. The project area encompass' the highly prospective Ordovician-aged rocks of the Macquarie Arc, which also host the massive Cadia copper-gold porphyry.




South Australian Uranium Portfolio

Adavale also holds 11 granted exploration licences that are prospective for their sedimentary uranium potential. 7 are held within the northern part of the highly-prospective Northern outwash from the Flinders Ranges in South Australia, as well as 4 granted exploration licence east of Ceduna on the Eyre Peninsula, increasing Adavale's uranium tenement holdings to 4,959km².



The Kabanga Jirani Nickel Project

Adavale also holds the Kabanga Jirani Nickel Project, a portfolio of 13 highly prospective granted licences along the East African Nickel belt in Tanzania. The nine southernmost licences are proximal to the world class Kabanga Nickel Deposit (87.6Mt @ 2.63% Ni Eq). Adavale holds 100% of all licences except for two licences that are known as the Luhuma-Farm-in, which are held at 65%, adding a further 99km² and bringing the portfolio to 1,315km². Adavale's licences were selected based on their strong geochemical and geophysical signatures from the previous exploration undertaken by BHP.



Appendix 1 – Collar Summary (Entire Program)

HOLE_ID	X (GDA94)	Y (GDA94)	RL	DEPTH	Dip	Azimuth (GDA94)	Status
ALRC027	605301	6329991	333.5	201	-50.5	280.19	Assays Pending
ALRC028	605302	6329991	333.5	231	-60	275	This Announcement
ALRC029	605288	6329922	333.3	231	-50.5	276.35	Assays Pending
ALRC030	605289	6329922	333.3	231	-60.3	275.52	Assays Pending
ALRC031	605274	6329878	333	213	-50.3	279.91	This Announcement
ALRC032	605275	6329878	333	231	-60.2	279.86	This Announcement
ALRC033	605243	6329809	333.2	201	-49.1	296.66	This Announcement
ALRC034	604978	6329216	323.8	231	-69.8	278.59	This Announcement
ALRC035	604969	6329191	323.9	231	-68.7	283.37	This Announcement
ALRC036	604966	6329160	322.6	201	-60.2	279.51	Assays Pending
ALRC037	605231	6329791	333.2	201	-49.5	278.26	Assays Pending
ALRC038	605232	6329791	333.2	231	-59.3	279.64	Assays Pending
ALRC039	605203	6329744	334.2	201	-50.5	277.71	Assays Pending
ALRC040	605204	6329744	334.2	183	-59.6	276.3	Assays Pending
ALRC041	605185	6329698	335.3	201	-50.1	277.69	Assays Pending
ALRC042	605186	6329698	335.3	234	-60.1	278.68	Assays Pending
ALRC043	605171	6329650	336.4	198	-47.9	280.31	Assays Pending
ALRC044	605172	6329650	336.4	234	-59.7	279.32	Assays Pending
ALRC045	605158	6329601	336.9	204	-49.6	276.69	Assays Pending
ALRC046	605159	6329601	336.9	234	-60.33	275.86	Assays Pending
ALRC047	605146	6329557	337	162	-48.12	278.46	Assays Pending
ALRC048	605147	6329557	337	234	-59.81	278.1	Assays Pending
ALRC049	605106	6329511	335.6	210	-59.97	276.94	Assays Pending
ALRC050	605107	6329512	335.6	234	-69.59	275.79	Assays Pending
ALRC051	605087	6329462	335.6	204	-55.1	274.22	Assays Pending
ALRC052	605087	6329462	335.6	227	-65.59	273.33	Assays Pending

Appendix 2 – Assay Results (ALRC028, ALRC031, ALRC032, ALRC033, ALRC034, ALRC035)

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC028	0	1	1	0.01
ALRC028	1	2	1	0.01
ALRC028	2	3	1	0.01
ALRC028	3	4	1	-0.01
ALRC028	4	5	1	-0.01
ALRC028	5	6	1	-0.01
ALRC028	6	7	1	0.01
ALRC028	7	8	1	-0.01
ALRC028	8	9	1	-0.01
ALRC028	9	10	1	0.01
ALRC028	10	11	1	-0.01
ALRC028	11	12	1	-0.01
ALRC028	12	13	1	0.01
ALRC028	13	14	1	-0.01
ALRC028	14	15	1	-0.01
ALRC028	15	16	1	-0.01
ALRC028	16	17	1	-0.01
ALRC028	17	18	1	-0.01
ALRC028	18	19	1	-0.01
ALRC028	19	20	1	-0.01
ALRC028	20	21	1	-0.01
ALRC028	21	22	1	-0.01
ALRC028	22	23	1	0.01
ALRC028	23	24	1	0.01
ALRC028	24	25	1	-0.01
ALRC028	25	26	1	-0.01
ALRC028	26	27	1	0.01
ALRC028	27	28	1	0.01
ALRC028	28	29	1	-0.01
ALRC028	29	30	1	-0.01
ALRC028	30	31	1	-0.01
ALRC028	31	32	1	0.01
ALRC028	32	33	1	0.01
ALRC028	33	34	1	0.01
ALRC028	34	35	1	0.01
ALRC028	35	36	1	-0.01
ALRC028	36	37	1	-0.01
ALRC028	37	38	1	-0.01
ALRC028	38	39	1	-0.01
ALRC028	39	40	1	-0.01
ALRC028	40	41	1	-0.01
ALRC028	41	42	1	-0.01
ALRC028	42	43	1	0.01
ALRC028	43	44	1	0.02
ALRC028	44	45	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC028	45	46	1	-0.01
ALRC028	46	47	1	-0.01
ALRC028	47	48	1	-0.01
ALRC028	48	49	1	0.01
ALRC028	49	50	1	0.01
ALRC028	50	51	1	-0.01
ALRC028	51	52	1	-0.01
ALRC028	52	53	1	0.01
ALRC028	53	54	1	0.01
ALRC028	54	55	1	0.01
ALRC028	55	56	1	0.01
ALRC028	56	57	1	-0.01
ALRC028	57	58	1	-0.01
ALRC028	58	59	1	-0.01
ALRC028	59	60	1	0
ALRC028	60	61	1	-0.01
ALRC028	61	62	1	0.01
ALRC028	62	63	1	0.01
ALRC028	63	64	1	-0.01
ALRC028	64	65	1	-0.01
ALRC028	65	66	1	-0.01
ALRC028	66	67	1	0.01
ALRC028	67	68	1	-0.01
ALRC028	68	69	1	-0.01
ALRC028	69	70	1	-0.01
ALRC028	70	71	1	-0.01
ALRC028	71	72	1	0.01
ALRC028	72	73	1	-0.01
ALRC028	73	74	1	0.01
ALRC028	74	75	1	0.01
ALRC028	75	76	1	0.01
ALRC028	76	77	1	-0.01
ALRC028	77	78	1	-0.01
ALRC028	78	79	1	0.01
ALRC028	79	80	1	-0.01
ALRC028	80	81	1	-0.01
ALRC028	81	82	1	-0.01
ALRC028	82	83	1	-0.01
ALRC028	83	84	1	0.01
ALRC028	84	85	1	0.01
ALRC028	85	86	1	-0.01
ALRC028	86	87	1	-0.01
ALRC028	87	88	1	-0.01
ALRC028	88	89	1	0.01
ALRC028	89	90	1	0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC028	90	91	1	-0.01
ALRC028	91	92	1	0.01
ALRC028	92	93	1	-0.01
ALRC028	93	94	1	0.01
ALRC028	94	95	1	0.01
ALRC028	95	96	1	-0.01
ALRC028	96	97	1	-0.01
ALRC028	97	98	1	-0.01
ALRC028	98	99	1	-0.01
ALRC028	99	100	1	-0.01
ALRC028	100	101	1	-0.01
ALRC028	101	102	1	0.01
ALRC028	102	103	1	0.01
ALRC028	103	104	1	0.01
ALRC028	104	105	1	-0.01
ALRC028	105	106	1	0.01
ALRC028	106	107	1	0.01
ALRC028	107	108	1	0.01
ALRC028	108	109	1	0.01
ALRC028	109	110	1	0.01
ALRC028	110	111	1	-0.01
ALRC028	111	112	1	-0.01
ALRC028	112	113	1	-0.01
ALRC028	113	114	1	-0.01
ALRC028	114	115	1	-0.01
ALRC028	115	116	1	-0.01
ALRC028	116	117	1	-0.01
ALRC028	117	118	1	-0.01
ALRC028	118	119	1	-0.01
ALRC028	119	120	1	-0.01
ALRC028	120	121	1	-0.01
ALRC028	121	122	1	-0.01
ALRC028	122	123	1	-0.01
ALRC028	123	124	1	-0.01
ALRC028	124	125	1	0.01
ALRC028	125	126	1	0.01
ALRC028	126	127	1	-0.01
ALRC028	127	128	1	-0.01
ALRC028	128	129	1	-0.01
ALRC028	129	130	1	-0.01
ALRC028	130	131	1	-0.01
ALRC028	131	132	1	-0.01
ALRC028	132	133	1	-0.01
ALRC028	133	134	1	-0.01
ALRC028	134	135	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC028	135	136	1	-0.01
ALRC028	136	137	1	-0.01
ALRC028	137	138	1	-0.01
ALRC028	138	139	1	-0.01
ALRC028	139	140	1	-0.01
ALRC028	140	141	1	-0.01
ALRC028	141	142	1	-0.01
ALRC028	142	143	1	-0.01
ALRC028	143	144	1	-0.01
ALRC028	144	145	1	-0.01
ALRC028	145	146	1	-0.01
ALRC028	146	147	1	-0.01
ALRC028	147	148	1	-0.01
ALRC028	148	149	1	-0.01
ALRC028	149	150	1	-0.01
ALRC028	150	151	1	0.01
ALRC028	151	152	1	-0.01
ALRC028	152	153	1	-0.01
ALRC028	153	154	1	-0.01
ALRC028	154	155	1	-0.01
ALRC028	155	156	1	-0.01
ALRC028	156	157	1	0.01
ALRC028	157	158	1	0.01
ALRC028	158	159	1	0.01
ALRC028	159	160	1	-0.01
ALRC028	160	161	1	0.01
ALRC028	161	162	1	-0.01
ALRC028	162	163	1	-0.01
ALRC028	163	164	1	-0.01
ALRC028	164	165	1	0.01
ALRC028	165	166	1	0.01
ALRC028	166	167	1	0.01
ALRC028	167	168	1	0.01
ALRC028	168	169	1	0.01
ALRC028	169	170	1	0.02
ALRC028	170	171	1	0.02
ALRC028	171	172	1	0.01
ALRC028	172	173	1	-0.01
ALRC028	173	174	1	0.01
ALRC028	174	175	1	0.01
ALRC028	175	176	1	0.02
ALRC028	176	177	1	0.01
ALRC028	177	178	1	0.01
ALRC028	178	179	1	0.01
ALRC028	179	180	1	0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC028	180	181	1	0.01
ALRC028	181	182	1	-0.01
ALRC028	182	183	1	0.01
ALRC028	183	184	1	0.01
ALRC028	184	185	1	-0.01
ALRC028	185	186	1	-0.01
ALRC028	186	187	1	0.01
ALRC028	187	188	1	0.01
ALRC028	188	189	1	0.01
ALRC028	189	190	1	0.01
ALRC028	190	191	1	0.01
ALRC028	191	192	1	-0.01
ALRC028	192	193	1	0.01
ALRC028	193	194	1	-0.01
ALRC028	194	195	1	-0.01
ALRC028	195	196	1	-0.01
ALRC028	196	197	1	0.01
ALRC028	197	198	1	-0.01
ALRC028	198	199	1	-0.01
ALRC028	199	200	1	0.01
ALRC028	200	201	1	0.01
ALRC028	201	202	1	0.01
ALRC028	202	203	1	0.01
ALRC028	203	204	1	-0.01
ALRC028	204	205	1	0.01
ALRC028	205	206	1	0.01
ALRC028	206	207	1	0.01
ALRC028	207	208	1	0.01
ALRC028	208	209	1	-0.01
ALRC028	209	210	1	0.01
ALRC028	210	211	1	-0.01
ALRC028	211	212	1	-0.01
ALRC028	212	213	1	0.01
ALRC028	213	214	1	-0.01
ALRC028	214	215	1	-0.01
ALRC028	215	216	1	-0.01
ALRC028	216	217	1	-0.01
ALRC028	217	218	1	-0.01
ALRC028	218	219	1	-0.01
ALRC028	219	220	1	1.72
ALRC028	220	221	1	8.98
ALRC028	221	222	1	4.18
ALRC028	222	223	1	1.82
ALRC028	223	224	1	0.15
ALRC028	224	225	1	0.9

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC028	225	226	1	0.15
ALRC028	226	227	1	0.12
ALRC028	227	228	1	0.06
ALRC028	228	229	1	0.02
ALRC028	229	230	1	0.03
ALRC028	230	231	1	0.01
ALRC031	0	1	1	0.01
ALRC031	1	2	1	0.02
ALRC031	2	3	1	0.02
ALRC031	3	4	1	0.01
ALRC031	4	5	1	0.01
ALRC031	5	6	1	0.01
ALRC031	6	7	1	0.01
ALRC031	7	8	1	-0.01
ALRC031	8	9	1	-0.01
ALRC031	9	10	1	0.01
ALRC031	10	11	1	-0.01
ALRC031	11	12	1	-0.01
ALRC031	12	13	1	0.01
ALRC031	13	14	1	-0.01
ALRC031	14	15	1	0.02
ALRC031	15	16	1	0.02
ALRC031	16	17	1	0.01
ALRC031	17	18	1	-0.01
ALRC031	18	19	1	0.01
ALRC031	19	20	1	0.01
ALRC031	20	21	1	-0.01
ALRC031	21	22	1	0.01
ALRC031	22	23	1	-0.01
ALRC031	23	24	1	0.01
ALRC031	24	25	1	0.01
ALRC031	25	26	1	0.01
ALRC031	26	27	1	-0.01
ALRC031	27	28	1	0.01
ALRC031	28	29	1	0.02
ALRC031	29	30	1	-0.01
ALRC031	30	31	1	-0.01
ALRC031	31	32	1	0.01
ALRC031	32	33	1	-0.01
ALRC031	33	34	1	0.01
ALRC031	34	35	1	-0.01
ALRC031	35	36	1	0.01
ALRC031	36	37	1	0.01
ALRC031	37	38	1	0.01
ALRC031	38	39	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC031	39	40	1	0.01
ALRC031	40	41	1	0.01
ALRC031	41	42	1	-0.01
ALRC031	42	43	1	0.01
ALRC031	43	44	1	0.01
ALRC031	44	45	1	-0.01
ALRC031	45	46	1	-0.01
ALRC031	46	47	1	-0.01
ALRC031	47	48	1	-0.01
ALRC031	48	49	1	0.01
ALRC031	49	50	1	-0.01
ALRC031	50	51	1	0.01
ALRC031	51	52	1	-0.01
ALRC031	52	53	1	-0.01
ALRC031	53	54	1	-0.01
ALRC031	54	55	1	-0.01
ALRC031	55	56	1	-0.01
ALRC031	56	57	1	-0.01
ALRC031	57	58	1	-0.01
ALRC031	58	59	1	-0.01
ALRC031	59	60	1	0.01
ALRC031	60	61	1	-0.01
ALRC031	61	62	1	-0.01
ALRC031	62	63	1	-0.01
ALRC031	63	64	1	-0.01
ALRC031	64	65	1	-0.01
ALRC031	65	66	1	-0.01
ALRC031	66	67	1	-0.01
ALRC031	67	68	1	-0.01
ALRC031	68	69	1	-0.01
ALRC031	69	70	1	-0.01
ALRC031	70	71	1	-0.01
ALRC031	71	72	1	-0.01
ALRC031	72	73	1	-0.01
ALRC031	73	74	1	-0.01
ALRC031	74	75	1	0.01
ALRC031	75	76	1	-0.01
ALRC031	76	77	1	-0.01
ALRC031	77	78	1	-0.01
ALRC031	78	79	1	-0.01
ALRC031	79	80	1	-0.01
ALRC031	80	81	1	-0.01
ALRC031	81	82	1	-0.01
ALRC031	82	83	1	-0.01
ALRC031	83	84	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC031	84	85	1	-0.01
ALRC031	85	86	1	-0.01
ALRC031	86	87	1	-0.01
ALRC031	87	88	1	-0.01
ALRC031	88	89	1	-0.01
ALRC031	89	90	1	-0.01
ALRC031	90	91	1	-0.01
ALRC031	91	92	1	-0.01
ALRC031	92	93	1	-0.01
ALRC031	93	94	1	-0.01
ALRC031	94	95	1	-0.01
ALRC031	95	96	1	-0.01
ALRC031	96	97	1	-0.01
ALRC031	97	98	1	-0.01
ALRC031	98	99	1	-0.01
ALRC031	99	100	1	-0.01
ALRC031	100	101	1	-0.01
ALRC031	101	102	1	-0.01
ALRC031	102	103	1	-0.01
ALRC031	103	104	1	-0.01
ALRC031	104	105	1	-0.01
ALRC031	105	106	1	-0.01
ALRC031	106	107	1	-0.01
ALRC031	107	108	1	-0.01
ALRC031	108	109	1	-0.01
ALRC031	109	110	1	-0.01
ALRC031	110	111	1	-0.01
ALRC031	111	112	1	-0.01
ALRC031	112	113	1	-0.01
ALRC031	113	114	1	-0.01
ALRC031	114	115	1	-0.01
ALRC031	115	116	1	-0.01
ALRC031	116	117	1	-0.01
ALRC031	117	118	1	-0.01
ALRC031	118	119	1	-0.01
ALRC031	119	120	1	-0.01
ALRC031	120	121	1	-0.01
ALRC031	121	122	1	-0.01
ALRC031	122	123	1	-0.01
ALRC031	123	124	1	-0.01
ALRC031	124	125	1	-0.01
ALRC031	125	126	1	-0.01
ALRC031	126	127	1	-0.01
ALRC031	127	128	1	-0.01
ALRC031	128	129	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC031	129	130	1	-0.01
ALRC031	130	131	1	-0.01
ALRC031	131	132	1	-0.01
ALRC031	132	133	1	-0.01
ALRC031	133	134	1	-0.01
ALRC031	134	135	1	-0.01
ALRC031	135	136	1	-0.01
ALRC031	136	137	1	-0.01
ALRC031	137	138	1	-0.01
ALRC031	138	139	1	-0.01
ALRC031	139	140	1	-0.01
ALRC031	140	141	1	-0.01
ALRC031	141	142	1	-0.01
ALRC031	142	143	1	-0.01
ALRC031	143	144	1	-0.01
ALRC031	144	145	1	-0.01
ALRC031	145	146	1	-0.01
ALRC031	146	147	1	-0.01
ALRC031	147	148	1	-0.01
ALRC031	148	149	1	-0.01
ALRC031	149	150	1	-0.01
ALRC031	150	151	1	-0.01
ALRC031	151	152	1	-0.01
ALRC031	152	153	1	-0.01
ALRC031	153	154	1	0.01
ALRC031	154	155	1	-0.01
ALRC031	155	156	1	0.01
ALRC031	156	157	1	-0.01
ALRC031	157	158	1	-0.01
ALRC031	158	159	1	-0.01
ALRC031	159	160	1	-0.01
ALRC031	160	161	1	0.01
ALRC031	161	162	1	-0.01
ALRC031	162	163	1	-0.01
ALRC031	163	164	1	-0.01
ALRC031	164	165	1	-0.01
ALRC031	165	166	1	-0.01
ALRC031	166	167	1	-0.01
ALRC031	167	168	1	-0.01
ALRC031	168	169	1	-0.01
ALRC031	169	170	1	-0.01
ALRC031	170	171	1	0.01
ALRC031	171	172	1	-0.01
ALRC031	172	173	1	-0.01
ALRC031	173	174	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC031	174	175	1	-0.01
ALRC031	175	176	1	-0.01
ALRC031	176	177	1	-0.01
ALRC031	177	178	1	-0.01
ALRC031	178	179	1	-0.01
ALRC031	179	180	1	0.08
ALRC031	180	181	1	1.78
ALRC031	181	182	1	1.34
ALRC031	182	183	1	1.59
ALRC031	183	184	1	12.1
ALRC031	184	185	1	1.02
ALRC031	185	186	1	0.48
ALRC031	186	187	1	1.73
ALRC031	187	188	1	0.31
ALRC031	188	189	1	0.17
ALRC031	189	190	1	0.53
ALRC031	190	191	1	0.07
ALRC031	191	192	1	-0.01
ALRC031	192	193	1	-0.01
ALRC031	193	194	1	-0.01
ALRC031	194	195	1	-0.01
ALRC031	195	196	1	0.02
ALRC031	196	197	1	-0.01
ALRC031	197	198	1	-0.01
ALRC031	198	199	1	-0.01
ALRC031	199	200	1	-0.01
ALRC031	200	201	1	-0.01
ALRC031	201	202	1	-0.01
ALRC031	202	203	1	-0.01
ALRC031	203	204	1	-0.01
ALRC031	204	205	1	-0.01
ALRC031	205	206	1	0.02
ALRC031	206	207	1	0.02
ALRC031	207	208	1	0.01
ALRC031	208	209	1	-0.01
ALRC031	209	210	1	0.02
ALRC031	210	211	1	-0.01
ALRC031	211	212	1	-0.01
ALRC031	212	213	1	-0.01
ALRC032	0	1	1	-0.01
ALRC032	1	2	1	0.01
ALRC032	2	3	1	-0.01
ALRC032	3	4	1	-0.01
ALRC032	4	5	1	-0.01
ALRC032	5	6	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC032	6	7	1	-0.01
ALRC032	7	8	1	-0.01
ALRC032	8	9	1	-0.01
ALRC032	9	10	1	-0.01
ALRC032	10	11	1	-0.01
ALRC032	11	12	1	-0.01
ALRC032	12	13	1	-0.01
ALRC032	13	14	1	-0.01
ALRC032	14	15	1	-0.01
ALRC032	15	16	1	-0.01
ALRC032	16	17	1	-0.01
ALRC032	17	18	1	-0.01
ALRC032	18	19	1	-0.01
ALRC032	19	20	1	-0.01
ALRC032	20	21	1	-0.01
ALRC032	21	22	1	0.01
ALRC032	22	23	1	-0.01
ALRC032	23	24	1	-0.01
ALRC032	24	25	1	-0.01
ALRC032	25	26	1	-0.01
ALRC032	26	27	1	-0.01
ALRC032	27	28	1	-0.01
ALRC032	28	29	1	-0.01
ALRC032	29	30	1	-0.01
ALRC032	30	31	1	-0.01
ALRC032	31	32	1	-0.01
ALRC032	32	33	1	-0.01
ALRC032	33	34	1	-0.01
ALRC032	34	35	1	-0.01
ALRC032	35	36	1	-0.01
ALRC032	36	37	1	-0.01
ALRC032	37	38	1	-0.01
ALRC032	38	39	1	-0.01
ALRC032	39	40	1	-0.01
ALRC032	40	41	1	0.01
ALRC032	41	42	1	-0.01
ALRC032	42	43	1	-0.01
ALRC032	43	44	1	-0.01
ALRC032	44	45	1	-0.01
ALRC032	45	46	1	-0.01
ALRC032	46	47	1	-0.01
ALRC032	47	48	1	-0.01
ALRC032	48	49	1	-0.01
ALRC032	49	50	1	-0.01
ALRC032	50	51	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC032	51	52	1	-0.01
ALRC032	52	53	1	-0.01
ALRC032	53	54	1	-0.01
ALRC032	54	55	1	-0.01
ALRC032	55	56	1	-0.01
ALRC032	56	57	1	-0.01
ALRC032	57	58	1	-0.01
ALRC032	58	59	1	-0.01
ALRC032	59	60	1	-0.01
ALRC032	60	61	1	-0.01
ALRC032	61	62	1	-0.01
ALRC032	62	63	1	-0.01
ALRC032	63	64	1	-0.01
ALRC032	64	65	1	0.01
ALRC032	65	66	1	-0.01
ALRC032	66	67	1	-0.01
ALRC032	67	68	1	0.01
ALRC032	68	69	1	-0.01
ALRC032	69	70	1	0.01
ALRC032	70	71	1	-0.01
ALRC032	71	72	1	-0.01
ALRC032	72	73	1	-0.01
ALRC032	73	74	1	-0.01
ALRC032	74	75	1	-0.01
ALRC032	75	76	1	-0.01
ALRC032	76	77	1	-0.01
ALRC032	77	78	1	-0.01
ALRC032	78	79	1	-0.01
ALRC032	79	80	1	-0.01
ALRC032	80	81	1	-0.01
ALRC032	81	82	1	-0.01
ALRC032	82	83	1	-0.01
ALRC032	83	84	1	-0.01
ALRC032	84	85	1	-0.01
ALRC032	85	86	1	-0.01
ALRC032	86	87	1	-0.01
ALRC032	87	88	1	-0.01
ALRC032	88	89	1	-0.01
ALRC032	89	90	1	-0.01
ALRC032	90	91	1	-0.01
ALRC032	91	92	1	-0.01
ALRC032	92	93	1	-0.01
ALRC032	93	94	1	-0.01
ALRC032	94	95	1	-0.01
ALRC032	95	96	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC032	96	97	1	-0.01
ALRC032	97	98	1	-0.01
ALRC032	98	99	1	-0.01
ALRC032	99	100	1	-0.01
ALRC032	100	101	1	-0.01
ALRC032	101	102	1	-0.01
ALRC032	102	103	1	-0.01
ALRC032	103	104	1	-0.01
ALRC032	104	105	1	-0.01
ALRC032	105	106	1	-0.01
ALRC032	106	107	1	-0.01
ALRC032	107	108	1	-0.01
ALRC032	108	109	1	-0.01
ALRC032	109	110	1	-0.01
ALRC032	110	111	1	0.01
ALRC032	111	112	1	-0.01
ALRC032	112	113	1	-0.01
ALRC032	113	114	1	-0.01
ALRC032	114	115	1	-0.01
ALRC032	115	116	1	-0.01
ALRC032	116	117	1	-0.01
ALRC032	117	118	1	-0.01
ALRC032	118	119	1	-0.01
ALRC032	119	120	1	-0.01
ALRC032	120	121	1	-0.01
ALRC032	121	122	1	-0.01
ALRC032	122	123	1	-0.01
ALRC032	123	124	1	0.01
ALRC032	124	125	1	-0.01
ALRC032	125	126	1	-0.01
ALRC032	126	127	1	-0.01
ALRC032	127	128	1	-0.01
ALRC032	128	129	1	-0.01
ALRC032	129	130	1	-0.01
ALRC032	130	131	1	-0.01
ALRC032	131	132	1	-0.01
ALRC032	132	133	1	0.01
ALRC032	133	134	1	-0.01
ALRC032	134	135	1	-0.01
ALRC032	135	136	1	-0.01
ALRC032	136	137	1	-0.01
ALRC032	137	138	1	-0.01
ALRC032	138	139	1	-0.01
ALRC032	139	140	1	-0.01
ALRC032	140	141	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC032	141	142	1	-0.01
ALRC032	142	143	1	-0.01
ALRC032	143	144	1	-0.01
ALRC032	144	145	1	-0.01
ALRC032	145	146	1	-0.01
ALRC032	146	147	1	-0.01
ALRC032	147	148	1	-0.01
ALRC032	148	149	1	-0.01
ALRC032	149	150	1	-0.01
ALRC032	150	151	1	-0.01
ALRC032	151	152	1	-0.01
ALRC032	152	153	1	0.01
ALRC032	153	154	1	0.01
ALRC032	154	155	1	0.01
ALRC032	155	156	1	-0.01
ALRC032	156	157	1	0.02
ALRC032	157	158	1	0.01
ALRC032	158	159	1	-0.01
ALRC032	159	160	1	-0.01
ALRC032	160	161	1	-0.01
ALRC032	161	162	1	-0.01
ALRC032	162	163	1	-0.01
ALRC032	163	164	1	-0.01
ALRC032	164	165	1	-0.01
ALRC032	165	166	1	-0.01
ALRC032	166	167	1	0.01
ALRC032	167	168	1	-0.01
ALRC032	168	169	1	-0.01
ALRC032	169	170	1	-0.01
ALRC032	170	171	1	-0.01
ALRC032	171	172	1	-0.01
ALRC032	172	173	1	-0.01
ALRC032	173	174	1	0.01
ALRC032	174	175	1	-0.01
ALRC032	175	176	1	-0.01
ALRC032	176	177	1	-0.01
ALRC032	177	178	1	-0.01
ALRC032	178	179	1	-0.01
ALRC032	179	180	1	0.01
ALRC032	180	181	1	0.01
ALRC032	181	182	1	-0.01
ALRC032	182	183	1	-0.01
ALRC032	183	184	1	0.01
ALRC032	184	185	1	-0.01
ALRC032	185	186	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC032	186	187	1	-0.01
ALRC032	187	188	1	-0.01
ALRC032	188	189	1	-0.01
ALRC032	189	190	1	-0.01
ALRC032	190	191	1	-0.01
ALRC032	191	192	1	-0.01
ALRC032	192	193	1	-0.01
ALRC032	193	194	1	-0.01
ALRC032	194	195	1	-0.01
ALRC032	195	196	1	-0.01
ALRC032	196	197	1	-0.01
ALRC032	197	198	1	-0.01
ALRC032	198	199	1	-0.01
ALRC032	199	200	1	-0.01
ALRC032	200	201	1	-0.01
ALRC032	201	202	1	-0.01
ALRC032	202	203	1	-0.01
ALRC032	203	204	1	-0.01
ALRC032	204	205	1	-0.01
ALRC032	205	206	1	0.11
ALRC032	206	207	1	0.12
ALRC032	207	208	1	0.26
ALRC032	208	209	1	0.04
ALRC032	209	210	1	0.02
ALRC032	210	211	1	0.01
ALRC032	211	212	1	-0.01
ALRC032	212	213	1	-0.01
ALRC032	213	214	1	-0.01
ALRC032	214	215	1	-0.01
ALRC032	215	216	1	-0.01
ALRC032	216	217	1	-0.01
ALRC032	217	218	1	-0.01
ALRC032	218	219	1	-0.01
ALRC032	219	220	1	-0.01
ALRC032	220	221	1	-0.01
ALRC032	221	222	1	-0.01
ALRC032	222	223	1	-0.01
ALRC032	223	224	1	-0.01
ALRC032	224	225	1	-0.01
ALRC032	225	226	1	-0.01
ALRC032	226	227	1	-0.01
ALRC032	227	228	1	-0.01
ALRC032	228	229	1	-0.01
ALRC032	229	230	1	-0.01
ALRC032	230	231	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC033	0	1	1	0.02
ALRC033	1	2	1	0.03
ALRC033	2	3	1	0.04
ALRC033	3	4	1	0.01
ALRC033	4	5	1	0.01
ALRC033	5	6	1	-0.01
ALRC033	6	7	1	-0.01
ALRC033	7	8	1	0.01
ALRC033	8	9	1	-0.01
ALRC033	9	10	1	-0.01
ALRC033	10	11	1	0.01
ALRC033	11	12	1	-0.01
ALRC033	12	13	1	-0.01
ALRC033	13	14	1	-0.01
ALRC033	14	15	1	0.01
ALRC033	15	16	1	-0.01
ALRC033	16	17	1	-0.01
ALRC033	17	18	1	-0.01
ALRC033	18	19	1	-0.01
ALRC033	19	20	1	-0.01
ALRC033	20	21	1	-0.01
ALRC033	21	22	1	-0.01
ALRC033	22	23	1	-0.01
ALRC033	23	24	1	-0.01
ALRC033	24	25	1	-0.01
ALRC033	25	26	1	-0.01
ALRC033	26	27	1	-0.01
ALRC033	27	28	1	-0.01
ALRC033	28	29	1	-0.01
ALRC033	29	30	1	-0.01
ALRC033	30	31	1	-0.01
ALRC033	31	32	1	-0.01
ALRC033	32	33	1	-0.01
ALRC033	33	34	1	-0.01
ALRC033	34	35	1	-0.01
ALRC033	35	36	1	-0.01
ALRC033	36	37	1	-0.01
ALRC033	37	38	1	-0.01
ALRC033	38	39	1	-0.01
ALRC033	39	40	1	-0.01
ALRC033	40	41	1	-0.01
ALRC033	41	42	1	-0.01
ALRC033	42	43	1	-0.01
ALRC033	43	44	1	-0.01
ALRC033	44	45	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC033	45	46	1	-0.01
ALRC033	46	47	1	-0.01
ALRC033	47	48	1	-0.01
ALRC033	48	49	1	-0.01
ALRC033	49	50	1	-0.01
ALRC033	50	51	1	-0.01
ALRC033	51	52	1	-0.01
ALRC033	52	53	1	-0.01
ALRC033	53	54	1	-0.01
ALRC033	54	55	1	-0.01
ALRC033	55	56	1	-0.01
ALRC033	56	57	1	-0.01
ALRC033	57	58	1	-0.01
ALRC033	58	59	1	-0.01
ALRC033	59	60	1	-0.01
ALRC033	60	61	1	-0.01
ALRC033	61	62	1	-0.01
ALRC033	62	63	1	-0.01
ALRC033	63	64	1	-0.01
ALRC033	64	65	1	-0.01
ALRC033	65	66	1	-0.01
ALRC033	66	67	1	-0.01
ALRC033	67	68	1	-0.01
ALRC033	68	69	1	-0.01
ALRC033	69	70	1	-0.01
ALRC033	70	71	1	-0.01
ALRC033	71	72	1	-0.01
ALRC033	72	73	1	-0.01
ALRC033	73	74	1	-0.01
ALRC033	74	75	1	-0.01
ALRC033	75	76	1	-0.01
ALRC033	76	77	1	-0.01
ALRC033	77	78	1	-0.01
ALRC033	78	79	1	-0.01
ALRC033	79	80	1	-0.01
ALRC033	80	81	1	-0.01
ALRC033	81	82	1	-0.01
ALRC033	82	83	1	-0.01
ALRC033	83	84	1	-0.01
ALRC033	84	85	1	-0.01
ALRC033	85	86	1	-0.01
ALRC033	86	87	1	-0.01
ALRC033	87	88	1	-0.01
ALRC033	88	89	1	-0.01
ALRC033	89	90	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC033	90	91	1	-0.01
ALRC033	91	92	1	-0.01
ALRC033	92	93	1	-0.01
ALRC033	93	94	1	-0.01
ALRC033	94	95	1	-0.01
ALRC033	95	96	1	-0.01
ALRC033	96	97	1	-0.01
ALRC033	97	98	1	-0.01
ALRC033	98	99	1	-0.01
ALRC033	99	100	1	-0.01
ALRC033	100	101	1	-0.01
ALRC033	101	102	1	-0.01
ALRC033	102	103	1	-0.01
ALRC033	103	104	1	-0.01
ALRC033	104	105	1	0.01
ALRC033	105	106	1	0.01
ALRC033	106	107	1	-0.01
ALRC033	107	108	1	-0.01
ALRC033	108	109	1	-0.01
ALRC033	109	110	1	-0.01
ALRC033	110	111	1	0.01
ALRC033	111	112	1	0.02
ALRC033	112	113	1	0.02
ALRC033	113	114	1	0.01
ALRC033	114	115	1	-0.01
ALRC033	115	116	1	-0.01
ALRC033	116	117	1	0.01
ALRC033	117	118	1	-0.01
ALRC033	118	119	1	-0.01
ALRC033	119	120	1	-0.01
ALRC033	120	121	1	-0.01
ALRC033	121	122	1	0.01
ALRC033	122	123	1	-0.01
ALRC033	123	124	1	-0.01
ALRC033	124	125	1	-0.01
ALRC033	125	126	1	-0.01
ALRC033	126	127	1	-0.01
ALRC033	127	128	1	-0.01
ALRC033	128	129	1	-0.01
ALRC033	129	130	1	-0.01
ALRC033	130	131	1	-0.01
ALRC033	131	132	1	-0.01
ALRC033	132	133	1	-0.01
ALRC033	133	134	1	-0.01
ALRC033	134	135	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC033	135	136	1	-0.01
ALRC033	136	137	1	-0.01
ALRC033	137	138	1	-0.01
ALRC033	138	139	1	-0.01
ALRC033	139	140	1	-0.01
ALRC033	140	141	1	-0.01
ALRC033	141	142	1	-0.01
ALRC033	142	143	1	-0.01
ALRC033	143	144	1	-0.01
ALRC033	144	145	1	-0.01
ALRC033	145	146	1	0.01
ALRC033	146	147	1	-0.01
ALRC033	147	148	1	0.02
ALRC033	148	149	1	-0.01
ALRC033	149	150	1	-0.01
ALRC033	150	151	1	-0.01
ALRC033	151	152	1	-0.01
ALRC033	152	153	1	-0.01
ALRC033	153	154	1	-0.01
ALRC033	154	155	1	0.01
ALRC033	155	156	1	-0.01
ALRC033	156	157	1	-0.01
ALRC033	157	158	1	-0.01
ALRC033	158	159	1	0.02
ALRC033	159	160	1	-0.01
ALRC033	160	161	1	-0.01
ALRC033	161	162	1	-0.01
ALRC033	162	163	1	-0.01
ALRC033	163	164	1	-0.01
ALRC033	164	165	1	-0.01
ALRC033	165	166	1	-0.01
ALRC033	166	167	1	-0.01
ALRC033	167	168	1	-0.01
ALRC033	168	169	1	-0.01
ALRC033	169	170	1	0.32
ALRC033	170	171	1	0.03
ALRC033	171	172	1	-0.01
ALRC033	172	173	1	-0.01
ALRC033	173	174	1	-0.01
ALRC033	174	175	1	-0.01
ALRC033	175	176	1	-0.01
ALRC033	176	177	1	-0.01
ALRC033	177	178	1	-0.01
ALRC033	178	179	1	-0.01
ALRC033	179	180	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC033	180	181	1	-0.01
ALRC033	181	182	1	-0.01
ALRC033	182	183	1	-0.01
ALRC033	183	184	1	-0.01
ALRC033	184	185	1	-0.01
ALRC033	185	186	1	-0.01
ALRC033	186	187	1	-0.01
ALRC033	187	188	1	-0.01
ALRC033	188	189	1	-0.01
ALRC033	189	190	1	0.01
ALRC033	190	191	1	-0.01
ALRC033	191	192	1	-0.01
ALRC033	192	193	1	-0.01
ALRC033	193	194	1	-0.01
ALRC033	194	195	1	-0.01
ALRC033	195	196	1	-0.01
ALRC033	196	197	1	-0.01
ALRC033	197	198	1	-0.01
ALRC033	198	199	1	-0.01
ALRC033	199	200	1	-0.01
ALRC034	0	1	1	0.1
ALRC034	1	2	1	0.04
ALRC034	2	3	1	0.01
ALRC034	3	4	1	0.02
ALRC034	4	5	1	0.02
ALRC034	5	6	1	-0.01
ALRC034	6	7	1	0.02
ALRC034	7	8	1	-0.01
ALRC034	8	9	1	-0.01
ALRC034	9	10	1	0.01
ALRC034	10	11	1	-0.01
ALRC034	11	12	1	-0.01
ALRC034	12	13	1	-0.01
ALRC034	13	14	1	-0.01
ALRC034	14	15	1	-0.01
ALRC034	15	16	1	-0.01
ALRC034	16	17	1	-0.01
ALRC034	17	18	1	-0.01
ALRC034	18	19	1	-0.01
ALRC034	19	20	1	-0.01
ALRC034	20	21	1	-0.01
ALRC034	21	22	1	-0.01
ALRC034	22	23	1	-0.01
ALRC034	23	24	1	-0.01
ALRC034	24	25	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC034	25	26	1	-0.01
ALRC034	26	27	1	-0.01
ALRC034	27	28	1	-0.01
ALRC034	28	29	1	-0.01
ALRC034	29	30	1	-0.01
ALRC034	30	31	1	-0.01
ALRC034	31	32	1	-0.01
ALRC034	32	33	1	-0.01
ALRC034	33	34	1	-0.01
ALRC034	34	35	1	-0.01
ALRC034	35	36	1	-0.01
ALRC034	36	37	1	-0.01
ALRC034	37	38	1	-0.01
ALRC034	38	39	1	-0.01
ALRC034	39	40	1	-0.01
ALRC034	40	41	1	0.01
ALRC034	41	42	1	0.02
ALRC034	42	43	1	-0.01
ALRC034	43	44	1	-0.01
ALRC034	44	45	1	-0.01
ALRC034	45	46	1	-0.01
ALRC034	46	47	1	-0.01
ALRC034	47	48	1	-0.01
ALRC034	48	49	1	-0.01
ALRC034	49	50	1	-0.01
ALRC034	50	51	1	-0.01
ALRC034	51	52	1	-0.01
ALRC034	52	53	1	-0.01
ALRC034	53	54	1	-0.01
ALRC034	54	55	1	-0.01
ALRC034	55	56	1	-0.01
ALRC034	56	57	1	-0.01
ALRC034	57	58	1	-0.01
ALRC034	58	59	1	-0.01
ALRC034	59	60	1	-0.01
ALRC034	60	61	1	-0.01
ALRC034	61	62	1	-0.01
ALRC034	62	63	1	-0.01
ALRC034	63	64	1	-0.01
ALRC034	64	65	1	-0.01
ALRC034	65	66	1	-0.01
ALRC034	66	67	1	-0.01
ALRC034	67	68	1	-0.01
ALRC034	68	69	1	-0.01
ALRC034	69	70	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC034	70	71	1	-0.01
ALRC034	71	72	1	-0.01
ALRC034	72	73	1	-0.01
ALRC034	73	74	1	0.17
ALRC034	74	75	1	1.02
ALRC034	75	76	1	0.25
ALRC034	76	77	1	0.02
ALRC034	77	78	1	0.01
ALRC034	78	79	1	-0.01
ALRC034	79	80	1	-0.01
ALRC034	80	81	1	-0.01
ALRC034	81	82	1	-0.01
ALRC034	82	83	1	-0.01
ALRC034	83	84	1	-0.01
ALRC034	84	85	1	-0.01
ALRC034	85	86	1	-0.01
ALRC034	86	87	1	-0.01
ALRC034	87	88	1	0.07
ALRC034	88	89	1	0.28
ALRC034	89	90	1	0.18
ALRC034	90	91	1	-0.01
ALRC034	91	92	1	0.07
ALRC034	92	93	1	0.01
ALRC034	93	94	1	-0.01
ALRC034	94	95	1	0.02
ALRC034	95	96	1	-0.01
ALRC034	96	97	1	0.17
ALRC034	97	98	1	0.07
ALRC034	98	99	1	0.09
ALRC034	99	100	1	0.01
ALRC034	100	101	1	0.12
ALRC034	101	102	1	0.05
ALRC034	102	103	1	0.36
ALRC034	103	104	1	0.13
ALRC034	104	105	1	0.54
ALRC034	105	106	1	1.21
ALRC034	106	107	1	0.29
ALRC034	107	108	1	0.07
ALRC034	108	109	1	0.02
ALRC034	109	110	1	-0.01
ALRC034	110	111	1	-0.01
ALRC034	111	112	1	-0.01
ALRC034	112	113	1	-0.01
ALRC034	113	114	1	-0.01
ALRC034	114	115	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC034	115	116	1	-0.01
ALRC034	116	117	1	-0.01
ALRC034	117	118	1	-0.01
ALRC034	118	119	1	-0.01
ALRC034	119	120	1	-0.01
ALRC034	120	121	1	-0.01
ALRC034	121	122	1	-0.01
ALRC034	122	123	1	-0.01
ALRC034	123	124	1	0.03
ALRC034	124	125	1	0.31
ALRC034	125	126	1	0.04
ALRC034	126	127	1	-0.01
ALRC034	127	128	1	0.47
ALRC034	128	129	1	0.09
ALRC034	129	130	1	0.15
ALRC034	130	131	1	1.54
ALRC034	131	132	1	0.47
ALRC034	132	133	1	0.65
ALRC034	133	134	1	0.26
ALRC034	134	135	1	1.41
ALRC034	135	136	1	1.12
ALRC034	136	137	1	1.03
ALRC034	137	138	1	0.65
ALRC034	138	139	1	0.41
ALRC034	139	140	1	0.32
ALRC034	140	141	1	0.33
ALRC034	141	142	1	0.46
ALRC034	142	143	1	0.95
ALRC034	143	144	1	0.45
ALRC034	144	145	1	0.38
ALRC034	145	146	1	0.32
ALRC034	146	147	1	0.4
ALRC034	147	148	1	0.99
ALRC034	148	149	1	1.9
ALRC034	149	150	1	1.11
ALRC034	150	151	1	0.11
ALRC034	151	152	1	0.18
ALRC034	152	153	1	0.71
ALRC034	153	154	1	0.91
ALRC034	154	155	1	1.1
ALRC034	155	156	1	0.49
ALRC034	156	157	1	0.63
ALRC034	157	158	1	0.52
ALRC034	158	159	1	0.92
ALRC034	159	160	1	0.85

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC034	160	161	1	0.83
ALRC034	161	162	1	0.8
ALRC034	162	163	1	0.93
ALRC034	163	164	1	1.28
ALRC034	164	165	1	1.5
ALRC034	165	166	1	1.19
ALRC034	166	167	1	0.77
ALRC034	167	168	1	0.96
ALRC034	168	169	1	0.77
ALRC034	169	170	1	1.03
ALRC034	170	171	1	0.66
ALRC034	171	172	1	0.56
ALRC034	172	173	1	0.79
ALRC034	173	174	1	0.18
ALRC034	174	175	1	1.89
ALRC034	175	176	1	0.63
ALRC034	176	177	1	0.96
ALRC034	177	178	1	2
ALRC034	178	179	1	0.09
ALRC034	179	180	1	0.01
ALRC034	180	181	1	-0.01
ALRC034	181	182	1	0.07
ALRC034	182	183	1	-0.01
ALRC034	183	184	1	-0.01
ALRC034	184	185	1	-0.01
ALRC034	185	186	1	-0.01
ALRC034	186	187	1	-0.01
ALRC034	187	188	1	-0.01
ALRC034	188	189	1	-0.01
ALRC034	189	190	1	-0.01
ALRC034	190	191	1	-0.01
ALRC034	191	192	1	-0.01
ALRC034	192	193	1	-0.01
ALRC034	193	194	1	-0.01
ALRC034	194	195	1	-0.01
ALRC034	195	196	1	-0.01
ALRC034	196	197	1	-0.01
ALRC034	197	198	1	-0.01
ALRC034	198	199	1	-0.01
ALRC034	199	200	1	-0.01
ALRC034	200	201	1	-0.01
ALRC034	201	202	1	-0.01
ALRC034	202	203	1	-0.01
ALRC034	203	204	1	-0.01
ALRC034	204	205	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC034	205	206	1	-0.01
ALRC034	206	207	1	-0.01
ALRC034	207	208	1	-0.01
ALRC034	208	209	1	-0.01
ALRC034	209	210	1	-0.01
ALRC034	210	211	1	-0.01
ALRC034	211	212	1	-0.01
ALRC034	212	213	1	-0.01
ALRC034	213	214	1	-0.01
ALRC034	214	215	1	-0.01
ALRC034	215	216	1	-0.01
ALRC034	216	217	1	-0.01
ALRC034	217	218	1	-0.01
ALRC034	218	219	1	-0.01
ALRC035	0	1	1	0.05
ALRC035	1	2	1	0.03
ALRC035	2	3	1	-0.01
ALRC035	3	4	1	-0.01
ALRC035	4	5	1	-0.01
ALRC035	5	6	1	-0.01
ALRC035	6	7	1	-0.01
ALRC035	7	8	1	-0.01
ALRC035	8	9	1	-0.01
ALRC035	9	10	1	-0.01
ALRC035	10	11	1	-0.01
ALRC035	11	12	1	-0.01
ALRC035	12	13	1	-0.01
ALRC035	13	14	1	-0.01
ALRC035	14	15	1	-0.01
ALRC035	15	16	1	-0.01
ALRC035	16	17	1	-0.01
ALRC035	17	18	1	-0.01
ALRC035	18	19	1	-0.01
ALRC035	19	20	1	-0.01
ALRC035	20	21	1	-0.01
ALRC035	21	22	1	-0.01
ALRC035	22	23	1	-0.01
ALRC035	23	24	1	-0.01
ALRC035	24	25	1	-0.01
ALRC035	25	26	1	-0.01
ALRC035	26	27	1	-0.01
ALRC035	27	28	1	-0.01
ALRC035	28	29	1	-0.01
ALRC035	29	30	1	-0.01
ALRC035	30	31	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC035	31	32	1	-0.01
ALRC035	32	33	1	-0.01
ALRC035	33	34	1	-0.01
ALRC035	34	35	1	-0.01
ALRC035	35	36	1	-0.01
ALRC035	36	37	1	-0.01
ALRC035	37	38	1	-0.01
ALRC035	38	39	1	-0.01
ALRC035	39	40	1	-0.01
ALRC035	40	41	1	-0.01
ALRC035	41	42	1	-0.01
ALRC035	42	43	1	-0.01
ALRC035	43	44	1	-0.01
ALRC035	44	45	1	-0.01
ALRC035	45	46	1	-0.01
ALRC035	46	47	1	-0.01
ALRC035	47	48	1	-0.01
ALRC035	48	49	1	-0.01
ALRC035	49	50	1	-0.01
ALRC035	50	51	1	-0.01
ALRC035	51	52	1	-0.01
ALRC035	52	53	1	-0.01
ALRC035	53	54	1	-0.01
ALRC035	54	55	1	-0.01
ALRC035	55	56	1	-0.01
ALRC035	56	57	1	-0.01
ALRC035	57	58	1	-0.01
ALRC035	58	59	1	-0.01
ALRC035	59	60	1	-0.01
ALRC035	60	61	1	-0.01
ALRC035	61	62	1	-0.01
ALRC035	62	63	1	-0.01
ALRC035	63	64	1	-0.01
ALRC035	64	65	1	-0.01
ALRC035	65	66	1	-0.01
ALRC035	66	67	1	-0.01
ALRC035	67	68	1	-0.01
ALRC035	68	69	1	-0.01
ALRC035	69	70	1	-0.01
ALRC035	70	71	1	-0.01
ALRC035	71	72	1	-0.01
ALRC035	72	73	1	-0.01
ALRC035	73	74	1	-0.01
ALRC035	74	75	1	-0.01
ALRC035	75	76	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC035	76	77	1	-0.01
ALRC035	77	78	1	-0.01
ALRC035	78	79	1	-0.01
ALRC035	79	80	1	-0.01
ALRC035	80	81	1	-0.01
ALRC035	81	82	1	-0.01
ALRC035	82	83	1	-0.01
ALRC035	83	84	1	-0.01
ALRC035	84	85	1	-0.01
ALRC035	85	86	1	-0.01
ALRC035	86	87	1	-0.01
ALRC035	87	88	1	0.02
ALRC035	88	89	1	-0.01
ALRC035	89	90	1	-0.01
ALRC035	90	91	1	-0.01
ALRC035	91	92	1	-0.01
ALRC035	92	93	1	0.22
ALRC035	93	94	1	0.35
ALRC035	94	95	1	0.04
ALRC035	95	96	1	0.1
ALRC035	96	97	1	0.01
ALRC035	97	98	1	0.23
ALRC035	98	99	1	0.36
ALRC035	99	100	1	0.06
ALRC035	100	101	1	0.01
ALRC035	101	102	1	0.31
ALRC035	102	103	1	0.4
ALRC035	103	104	1	0.58
ALRC035	104	105	1	0.48
ALRC035	105	106	1	0.04
ALRC035	106	107	1	0.03
ALRC035	107	108	1	-0.01
ALRC035	108	109	1	0.05
ALRC035	109	110	1	0.47
ALRC035	110	111	1	0.44
ALRC035	111	112	1	0.04
ALRC035	112	113	1	0.07
ALRC035	113	114	1	0.05
ALRC035	114	115	1	0.08
ALRC035	115	116	1	0.15
ALRC035	116	117	1	0.31
ALRC035	117	118	1	0.27
ALRC035	118	119	1	-0.01
ALRC035	119	120	1	-0.01
ALRC035	120	121	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC035	121	122	1	0.01
ALRC035	122	123	1	0.01
ALRC035	123	124	1	-0.01
ALRC035	124	125	1	-0.01
ALRC035	125	126	1	-0.01
ALRC035	126	127	1	-0.01
ALRC035	127	128	1	-0.01
ALRC035	128	129	1	-0.01
ALRC035	129	130	1	-0.01
ALRC035	130	131	1	0.15
ALRC035	131	132	1	0.03
ALRC035	132	133	1	0.51
ALRC035	133	134	1	0.08
ALRC035	134	135	1	0.01
ALRC035	135	136	1	-0.01
ALRC035	136	137	1	0.31
ALRC035	137	138	1	0.04
ALRC035	138	139	1	0.1
ALRC035	139	140	1	0.31
ALRC035	140	141	1	1.52
ALRC035	141	142	1	0.88
ALRC035	142	143	1	0.84
ALRC035	143	144	1	1.58
ALRC035	144	145	1	0.41
ALRC035	145	146	1	0.01
ALRC035	146	147	1	0.23
ALRC035	147	148	1	0.1
ALRC035	148	149	1	0.14
ALRC035	149	150	1	1.65
ALRC035	150	151	1	1.11
ALRC035	151	152	1	1.31
ALRC035	152	153	1	0.65
ALRC035	153	154	1	0.47
ALRC035	154	155	1	0.35
ALRC035	155	156	1	1.3
ALRC035	156	157	1	0.94
ALRC035	157	158	1	0.41
ALRC035	158	159	1	0.45
ALRC035	159	160	1	0.2
ALRC035	160	161	1	0.21
ALRC035	161	162	1	0.47
ALRC035	162	163	1	0.37
ALRC035	163	164	1	0.71
ALRC035	164	165	1	1.43
ALRC035	165	166	1	0.91

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC035	166	167	1	0.51
ALRC035	167	168	1	0.74
ALRC035	168	169	1	0.29
ALRC035	169	170	1	0.39
ALRC035	170	171	1	0.39
ALRC035	171	172	1	0.47
ALRC035	172	173	1	0.42
ALRC035	173	174	1	0.45
ALRC035	174	175	1	0.18
ALRC035	175	176	1	1.6
ALRC035	176	177	1	0.66
ALRC035	177	178	1	1.41
ALRC035	178	179	1	1.34
ALRC035	179	180	1	0.5
ALRC035	180	181	1	0.61
ALRC035	181	182	1	0.78
ALRC035	182	183	1	1.53
ALRC035	183	184	1	0.86
ALRC035	184	185	1	0.09
ALRC035	185	186	1	-0.01
ALRC035	186	187	1	-0.01
ALRC035	187	188	1	-0.01
ALRC035	188	189	1	-0.01
ALRC035	189	190	1	0.06
ALRC035	190	191	1	-0.01
ALRC035	191	192	1	-0.01
ALRC035	192	193	1	-0.01
ALRC035	193	194	1	-0.01
ALRC035	194	195	1	-0.01
ALRC035	195	196	1	-0.01
ALRC035	196	197	1	-0.01
ALRC035	197	198	1	-0.01
ALRC035	198	199	1	-0.01
ALRC035	199	200	1	-0.01
ALRC035	200	201	1	-0.01
ALRC035	201	202	1	-0.01
ALRC035	202	203	1	-0.01
ALRC035	203	204	1	-0.01
ALRC035	204	205	1	-0.01
ALRC035	205	206	1	-0.01
ALRC035	206	207	1	-0.01
ALRC035	207	208	1	-0.01
ALRC035	208	209	1	0.01
ALRC035	209	210	1	-0.01
ALRC035	210	211	1	-0.01

Hole ID	Depth From (m)	Depth To (m)	Interval (m)	Au (g/t)
ALRC035	211	212	1	-0.01
ALRC035	212	213	1	-0.01
ALRC035	213	214	1	-0.01
ALRC035	214	215	1	-0.01
ALRC035	215	216	1	-0.01
ALRC035	216	217	1	-0.01
ALRC035	217	218	1	-0.01
ALRC035	218	219	1	-0.01
ALRC035	219	220	1	-0.01
ALRC035	220	221	1	-0.01
ALRC035	221	222	1	-0.01
ALRC035	222	223	1	-0.01
ALRC035	223	224	1	-0.01
ALRC035	224	225	1	-0.01
ALRC035	225	226	1	-0.01
ALRC035	226	227	1	0.01
ALRC035	227	228	1	-0.01
ALRC035	228	229	1	-0.01
ALRC035	229	230	1	-0.01
ALRC035	230	231	1	-0.01

Appendix 3 – JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria listed in the preceding section also apply to this section)

CRITERIA	JORC Code Explanation	Commentary
SAMPLING TECHNIQUES	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	- The quality of reverse circulation (RC) percussion drilling is generally medium-high because the method significantly reduces the potential of contamination, unless there is a lot of groundwater or badly broken ground. Consequently, these samples can be representative of the interval drilled and therefore can be used for Mineral Resource estimation. - RC drilling was used to obtain 1m samples collected through a rig mounted cyclone and then using a rig mounted cone splitter to produce an approximately 3kg sample split for assay. - The samples were then dispatched to the On Site Laboratory Services laboratory in Bendigo. The samples were then crushed and pulverised to produce a 50g charge for fire assay with an AAS (atomic absorption spectroscopy) finish for gold determination, with a 0.01ppm detection limit. - Drill chips were logged by a trained geologist. - Duplicate samples were collected approximately every 20 samples and submitted to the laboratory. Duplicates intervals were selected within zones of visual mineralisation by the onsite geologist.
DRILLING TECHNIQUES	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	RC drilling was completed using a 140mm face sampling bit and hammer.
DRILL SAMPLE RECOVERY	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- All samples were dry and RC drilling recoveries recorded. - Sample recoveries were considered to be good and within acceptable tolerance for RC drilling.

CRITERIA	JORC Code Explanation	Commentary
LOGGING	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	- Systematic geological logging was undertaken onsite at the time of RC drilling. Data includes: - Collar information including hole depth, coordinates, survey method, survey type, survey date, tenement number, tenement name, prospect name, hole status, date commenced drilling, date completed drilling, pre-collar depth, water depth, bottom of complete oxidation, top of fresh rock. - Nature and extent of weathering. - Nature and extent of lithologies. - Interpretation of relationship between lithologies. - Nature and extent of veining. - Amount and mode of occurrences of ore minerals. - Magnetic susceptibility measurements for every 1m sample. - Both qualitative and quantitative data was collected. - RC chips were retained in chip trays and stored at Adavale's yard in Parkes. - Chip trays were photographed.
SUB-SAMPLING TECHNIQUES AND SAMPLE PREPARATION	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality, and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- RC samples were collected using a rig mounted cone splitter. - All of samples collected were dry. - RC samples were dried, crushed, and pulverised to 90% passing 75 microns - RC drilling field duplicates were taken approximately every 20 samples. The samples were dried, crushed, and pulverised to 90% passing 75 microns.
QUALITY OF ASSAY DATA AND LABORATORY TESTS	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	- Gold (Au) was determined by 50g fire assay (method Au-PE01S) with a detection limit of 0.01ppm. - Field duplicates were sampled using the same rig mounted cone splitter as the primary samples. The results of the duplicates were within acceptable tolerance from original. - Drill data is compiled and collated and reviewed by senior Adavale staff. - No historic or current drillholes have been twinned. - The strong foliation in the host rocks caused significant deviation in some drillholes as a result some holes have intersected the mineralised horizon close to historic drillhole intersections. All legacy and new drillholes are displayed on the cross-sections and long-sections within the announcement.

CRITERIA	JORC Code Explanation	Commentary
VERIFICATION OF SAMPLING AND ASSAYING	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- Drill data is compiled and collated and reviewed by senior Adavale staff. - No historic or current drillholes have been twinned. - The strong foliation in the host rocks caused significant deviation in some drillholes as a result some holes have intersected the mineralised horizon close to historic drillhole intersections. All legacy and new drillholes are displayed on the cross-sections and long-sections within the announcement.
LOCATION OF DATA POINTS	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- Drill collar locations were initially pegged and surveyed using a handheld Garmin GPS with an accuracy of 3-5m. - Drillhole collar and downhole survey co-ordinates are recorded in UTM MGA94 Zone 55S. - All angled RC holes were downhole surveyed using Reflex GYRO survey tool to produce azimuth and dip readings. Readings were collected typically at a 5m spacing on open hole surveys post completion of drilling the holes. - Topography was determined via drone photogrammetry processed by Drone Deploy and cross checked with the legacy open pit survey.
DATA SPACING AND DISTRIBUTION	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillhole collar spacing is variable but designed to intersect the mineralised body approximately on 50m sections. - The London-Victoria deposit has an existing 2012 JORC Inferred Mineral Resource Estimate of 3.8Mt @ 0.95g/t Au for 115koz Au at a reporting cut-off of 0.25 g/t Au and 3.14Mt @ 1.06 g/t Au for 107koz at a 0.5g/t cut-off. (Adavale Resources Limited Announcement 5th May 2025). - All 1m samples collected were assayed for Au and no sample compositing has been applied.
ORIENTATION OF DATA IN RELATION TO GEOLOGICAL STRUCTURE	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- Drilling was mostly designed to intercept perpendicular to north-south oriented mineralised shear zones. - Drillhole deviations are considered mostly within tolerance for RC drilling in a strongly foliated host rock.
SAMPLE SECURITY	The measures taken to ensure sample security.	- Drill chip sample bags were collected within green plastic sample bags and stored onsite during the drilling program. - The sample chain of custody has been managed by Adavale Resources Limited staff and a local courier company who delivered the assay samples to the laboratory. - On completion of the drilling program the samples were palletised, stored at Adavale's yard in the Parkes Industrial Estate. The samples were then dispatched by courier to the analytical laboratory in Bendigo in two batches.
AUDITS OR REVIEWS	The results of any audits or reviews of sampling techniques and data.	Data collection and sampling techniques have not been reviewed or audited.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

CRITERIA	JORC Code explanation	Commentary
MINERAL TENEMENT AND LAND TENURE STATUS	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The London-Victoria Gold Project is located on EL7242 situated 5km south-west of Parkes in Central-West NSW. - EL7242, EL8830, EL8831 and EL9711 are subject to a JV agreement between Adavale and the tenements' vendor, Agricultural Equity Investments Pty Ltd ("AEI"). Adavale owns 72.5% of the tenements and is the operator of the JV with the remaining 27.5% and a 2.5% net smelter royalty exists via the purchase agreement in 2025 held by AEI.
EXPLORATION DONE BY OTHER PARTIES	Acknowledgment and appraisal of exploration by other parties.	- Records for mining at and around London-Victoria Project stem back to 1874 with the discovery of alluvial leads interpreted to be sourced from the eroded hard-rock deposit. Alluvial leads were quickly traced back to the hard-rock source when artisanal mining took place at this time. - BHP Gold and subsequently Hargraves Resources mined the current pit between 1988-1996 which closed primarily due to low gold prices in the middle-late 1990s. Gold production comprised 145,000 ounces @ 1.5g/t Au which was mined and processed onsite up until 1996.
GEOLOGY	Deposit type, geological setting, and style of mineralisation.	- The London-Victoria Gold mine is the most significant mineralisation recognised within EL7242. The area was originally mined as a series of separate underground workings located along a north-south trend on a sheared volcanic/sediment contact, known as the London-Victoria Fault. The Fault has a more competent andesite on the hanging wall, with rheologically contrasting sediments and tuffs on the footwall. - Pits/workings on this trend existed prior to the recent open pit mining, and from south to north were; Victoria mine, Shaw's open Cut, Gerbacs' Open Cut and The London Mine and workings near the Majors shaft. The most recent open cut mining of the workings (1988-1995) produced a single elongate main pit covering the Victoria, Shaw's and London workings with a small separate pit at the northern end on the Majors workings. - The gold mineralisation has been interpreted as both a narrow mineralised shear/alteration zone in andesitic volcanics immediately adjacent to the steeply east dipping London-Victoria Fault contact, and as a more diffuse fracture zone east of this structure. Mineralisation dissipates to the north through the Majors pit as a series of three narrow shears within the volcanics. Overall gold mineralisation is structurally controlled, with quartz veining and sericite, silica, chlorite, pyrite alteration of volcanic and volcanoclastic rocks evident. - Preliminary observations during the drilling program indicate that gold mineralisation at London Victoria is hosted within a tight antiformal structure and this hypothesis will be investigated further in the future.

CRITERIA	JORC Code explanation	Commentary
DRILL HOLE INFORMATION	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - Easting and northing of the drill hole collar. - Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar. - Dip and azimuth of the hole. - Down hole length and interception depth. - Hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- See body of announcement. - Historic drillholes (Eg LVD203) are incorporated into the Mineral Resource Estimate 5 May 2025 “Maiden JORC Resource at London-Victoria Project”
DATA AGGREGATION METHODS	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	Intercepts reported in press are the volume weighted average with generally a 0.5g/t Au cut-off and a maximum internal dilution of 2m. The cut-off is reported within the text if it varies from this.
RELATIONSHIP BETWEEN MINERALISATION WIDTHS AND INTERCEPT LENGTHS	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. ‘down hole length, true width not known’).	- Geometry and true width of the gold mineralisation have been interpreted to be striking north-north-east and steeply dipping to the east. - Observations from the pit indicate that the gross control on mineralisation maybe associated within a tight antiform and the previously reported mineralised shear zones are on the contacts of the volcanics and sediments units and/or associated with an antiformal axis.
DIAGRAMS	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Cross sections of drillholes are accompanied by their relative positions in long sections of figure within the announcement.
BALANCED REPORTING	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All significant gold results and downhole intervals are presented in the tables of the report.

CRITERIA	JORC Code explanation	Commentary
OTHER SUBSTANTIVE EXPLORATION DATA	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All material results are recorded shown in the body of the announcement.
FURTHER WORK	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- Interpretation of post drilling optical televiewer data collected on available holes is underway. This data along with structural mapping of the pit is planned to create a working structural model which will assist in targeting future drilling. - Initial interpretation of magnetic susceptibility data from the drillholes indicates that alteration associated with the mineralisation destroys the primary magnetite. Detailed ground and/or airborne magnetic surveys are being evaluated with the likelihood they will assist with identifying further alteration/mineralisation in zones with low magnetic intensity. - Follow-up drilling is planned to enable a future update and potential upgrade of resource classification to the current JORC 2012 Mineral Resource Estimate (MRE) originally announced on 5th May 2025.