



## Quarterly Report for the period ending 30 June 2026

### Key Highlights:

- A total of 27 holes comprising 6,249m of reverse circulation (RC) drilling targeted expansion of the current 14.5Mt @ 1.09% CuEq<sup>1</sup> Breccia Mineral Resource, by extending the Southern Shoot and upgrading the Northern Shoot.
- Southern Shoot drilling continued to return outstanding high-grade results, including:
  - **44m @ 2.78% CuEq (2.30g/t Au and 0.69% Cu) from 214m within 103m @ 1.40% CuEq (26CRC016)**
  - **26m @ 1.54% CuEq (1.40g/t Au and 0.33% Cu) from 260m within 138m @ 0.64% CuEq (26CRC015)**
  - **26m @ 1.29% CuEq (0.27g/t Au and 0.92% Cu) from 192m within 58m @ 0.68% CuEq from 168m (26CRC017)**
- Southern Shoot now defined over >150m strike, >200m vertical extent, with mineralised widths commonly exceeding 100m, and remains open along strike to the south and at depth.
- Northern Shoot drilling successfully filled-in historical data gaps returning:
  - **26m @ 1.64% CuEq (0.24g/t Au and 1.28% Cu) within 128m @ 0.61% CuEq (26CRC030)**
  - **10m @ 3.95% CuEq (0.59g/t Au and 3.14% Cu) within 62m @ 0.79% CuEq (26CRC029)**
  - **6m @ 4.93% CuEq (5.40g/t Au and 0.44% Cu) within 24m @ 1.38% CuEq (26CRC031)**
- Updated metallurgical test work on samples from the Cannindah Breccia commenced during the quarter to support the planned CYQ3 2026 Mineral Resource Estimate update.
- A total of 4 holes for 2,284.7m of diamond drilling targeting potential porphyry-style mineralisation within the 3,500m by 1,200m footprint of the Southern Porphyry Target returned encouraging results.
- The Company remains well-funded to aggressively advance drilling of both the Breccia and Southern Porphyry targets.

### Managing Director and CEO, Mr Cameron Switzer stated:

*"The June quarter marked another major step forward for the Mt Cannindah Project as our ongoing drilling continued to demonstrate both the scale and growth potential of the Cannindah Breccia copper-gold*

<sup>1</sup> See ASX:CAE 3 July 2024 and Appendix 2 for details



system. Beyond the outstanding drill intersections delivered throughout the quarter, the most significant achievement has been the substantial improvement in our geological understanding of the deposit, providing greater confidence in our ability to systematically grow the Mineral Resource along strike and at depth."

"The continued expansion of the Southern Shoot has been particularly encouraging. What was initially identified as an extension has now evolved into a clearly defined second high-grade ore shoot displaying exceptional continuity over more than 150 metres of strike and in excess of 200 metres vertically, while remaining open in multiple directions. At the same time, drilling within the Northern Shoot has successfully targeted numerous historical data gaps which consistently returned mineralised widths that frequently exceed those incorporated within the current Mineral Resource."

"Importantly, we now have a much clearer understanding of the structural controls responsible for concentrating the highest-grade copper-gold mineralisation within the breccia. This knowledge is fundamentally changing how we target the system and has significantly expanded our confidence in the exploration potential beyond the boundaries of the current Mineral Resource. With only a relatively small portion of the broader interpreted mineralised corridor systematically drilled to date, we believe there remains considerable opportunity to define additional high-grade mineralisation."

"During the quarter we also commenced additional metallurgical test work to support the next Mineral Resource Estimate, which represents another important step in advancing the Cannindah project beyond mere resource growth towards evaluating its long-term development potential."

"The Southern Porphyry Target remains a compelling opportunity. To date, only 4 holes have been drilled into a mineral system with a defined footprint of 3,500m by 1,200m targeting mineralised pencil porphyries. All holes have intersected visually encouraging features such as alteration, sulphide mineralisation and structures that verify the target concept."

"An updated Mineral Resource Estimate is expected in the September quarter, and we believe Cannindah is well positioned to continue delivering meaningful value for shareholders as we unlock the full potential of this emerging copper-gold system."

The Board of the Cannindah Resources Limited ("Cannindah", "CAE" or the "Company") is pleased to provide a Quarterly update for the period ending 30 June 2026.

## **MT CANNINDAH PROJECT OVERVIEW**

The Mt Cannindah Project is located approximately 90km southwest of Gladstone and 27km northeast of Monto in central Queensland. The project comprises nine Mining Leases and two surrounding Exploration Permits (EPMs) and hosts the Cannindah Breccia Copper-Gold Deposit, together with numerous additional copper, gold and molybdenum prospects.

The project is centred on the Triassic-age Monument Intrusive Complex, a large porphyry-related hydrothermal system hosting multiple styles of mineralisation, including porphyry-related breccias, skarns, stockworks and epithermal gold mineralisation. At least 17 significant mineralised occurrences have been identified across the project, including the Cannindah Breccia, Southern Target, Eastern Target, Monument and United Allies prospects.

The Cannindah Breccia hosts the Company's current JORC Mineral Resource Estimate of 14.5Mt @




0.72% Cu, 0.42g/t Au and 13.7g/t Ag (1.09% CuEq)<sup>2</sup> and remains the primary focus of exploration. During the June quarter, drilling continued to target extensions to the Northern and Southern high-grade ore shoots with the objective of expanding the Mineral Resource and further refining the geological model ahead of the planned Mineral Resource Estimate update.

Beyond the Cannindah Breccia, the broader Mt Cannindah Project continues to demonstrate significant exploration potential. The Southern Target exhibits geological characteristics consistent with a porphyry copper-gold system, while numerous additional prospects across the project provide further opportunities for future discovery.

### **Work Completed**

Exploration activities during the June quarter remained focused on expanding the Cannindah Breccia Mineral Resource through systematic reverse circulation drilling, geological interpretation and supporting technical studies. A total of 27 reverse circulation drill holes were completed targeting extensions to the Southern and Northern Shoots, together with historically under-drilled areas within the existing Mineral Resource.

The results further enhanced the Company's understanding of the Cannindah Breccia and reinforced the potential for continued Mineral Resource growth ahead of the planned Mineral Resource Estimate update.



**Figure 1: Location of the Mt Cannindah drill target areas**

### **Cannindah Breccia – Resource Expansion**

The Company's primary focus during the June quarter remained the continued expansion of the Cannindah Breccia Mineral Resource through an aggressive reverse circulation drilling program. Building on the success of the March quarter, drilling targeted extensions to the newly recognised


<sup>2</sup> ASX Announcement dated 3 July 2024 and Appendix 2 for details



Southern Shoot, historical data gaps within the Northern Shoot and additional opportunities identified through ongoing geological reinterpretation.<sup>3</sup>

Results received throughout the quarter continued to demonstrate broad zones of copper-gold mineralisation that frequently exceeded the widths incorporated within the current Mineral Resource. Equally important, drilling substantially improved the Company's understanding of the geological architecture controlling mineralisation, providing increased confidence in the potential to systematically grow the Mineral Resource both along strike and at depth.

The Cannindah Breccia remains open in multiple directions and represents only a portion of a much larger mineralised structural corridor, providing significant opportunity for further resource growth through continued drilling. Drilling completed during 2025 and 2026 is shown in Figure 2.



**Figure 2: Location of 2025 and 2026 Cannindah Breccia drill holes and cross section locations**

### Southern Shoot – Continued High-Grade Growth

The most significant outcome of the June quarter was the continued expansion of the Southern Shoot. During the reporting period, drilling confirmed the Southern Shoot as a second major high-grade ore shoot within the Cannindah Breccia, extending the mineralised footprint to more than 150 metres along strike and over 200 metres vertically.


<sup>3</sup> ASX Announcement dated 29 April 2026



Outstanding results included:

- 103m @ 1.40% CuEq from 214m including 44m @ 2.78% CuEq (26CRC016)
- 138m @ 0.64% CuEq from 180m including 26m @ 1.54% CuEq (26CRC015)
- 58m @ 0.68% CuEq from 168m including 26m @ 1.29% CuEq (26CRC017)

These intersections continue to demonstrate exceptional continuity of copper-gold mineralisation within broad mineralised envelopes. Importantly, drill hole 26CRC017 terminated in mineralisation due to ground conditions, indicating the system remains open and warranting additional drilling beyond quarter end.<sup>4</sup>



**Figure 3. Section 7270200N showing drill hole results, and schematic geology including the Cannindah Breccia and the recently recognised peripheral stockwork mineralisation.**

Drill holes in the southern area have intersected quartz vein stockwork containing anomalous gold in the hanging wall to the Cannindah Breccia.

The continued success of drilling throughout the Southern Shoot has substantially increased confidence in both the continuity of mineralisation and the broader scale of the Cannindah Breccia system.

### Northern Shoot – Upgrading the Existing Mineral Resource

Drilling during the quarter also focused on targeted infill within historically under-drilled and under sampled portions of the Northern Shoot. This work sought to validate historical drilling, improve data

<sup>4</sup> ASX Announcements dated 5 May 2026 and 10 June 2026



density and test areas where previous geological models were constrained by limited information.<sup>5</sup>

The program successfully intersected multiple broad mineralised intervals containing high-grade copper-gold zones, including:

- 128m @ 0.61% CuEq including 26m @ 1.64% CuEq (26CRC030)
- 62m @ 0.79% CuEq including 10m @ 3.95% CuEq (26CRC029)
- 24m @ 1.38% CuEq including 6m @ 4.93% CuEq (26CRC031)
- 138m @ 0.60% CuEq including 24m @ 1.70% CuEq (26CRC028)
- 136m @ 0.78% CuEq including 28m @ 1.51% CuEq (26CRC027)

These results support the Company's view that portions of the existing Mineral Resource may be wider and better mineralised than previously interpreted.




Figure 4. Section 7270600N showing drill hole results and schematic geology.

### Improved Geological Understanding

Beyond the drilling results themselves, one of the most important achievements during the quarter was the significant advancement in the Company's geological model.

Interpretation of the drilling has demonstrated that the highest-grade mineralisation (Ore Shoots) are preferentially developed within either

- structural flexures along the major fault
- lithological contacts between intrusive diorite and meta sediments


<sup>5</sup> ASX Announcement dated 10 June 2026



Recognition of these controls has substantially improved targeting confidence and explains the development of both the Northern Shoot (lithological contact) and the Southern Shoot (structural flexure).<sup>6</sup>

The Company also recognised broad lower-grade mineralised halos above the high-grade shoots, providing an important exploration vector for identifying additional ore shoots elsewhere along the fertile breccia corridor.

The development of the Northern and Southern Shoots is shown in the following Figure 5.



**Figure 5: Long Section of the Cannindah Breccia accumulated Cu intervals (Cu% metres). Drilling during 2026 has supported and defined higher grade continuity within the mineralised breccia envelope.**

### Mineral Resource Growth Opportunities

The June quarter also highlighted numerous opportunities for future Mineral Resource growth beyond the current resource boundary.<sup>7</sup>

These include:


- historical drill holes containing previously unsampled mineralised intervals;
- historical assay datasets with incomplete copper and gold analyses;
- mapped southern extensions of the Cannindah Breccia extending several hundred metres beyond the current Mineral Resource; and
- a broader interpreted mineralised corridor extending approximately 2km, of which only around 700m has been systematically drill tested. The long section of the defined fault

<sup>6</sup> ASX Announcement dated 5 May 2026

<sup>7</sup> ASX Announcements dated 29 April 2026 and 10 June 2026




containing the Cannindah Breccia mineralisation is shown in Figure 6. This indicates that approximately 20% of the identified potential mineralised structure has been systematically evaluated.



**Figure 6: Long section along the Cannindah Fault showing the location of the defined mineralisation in relation to the recognised strike length of the fertile fault**

### Technical Studies Continue to Advance the Cannindah Breccia

Updated metallurgical test work commenced during the June quarter as part of the Company's ongoing technical evaluation of the Cannindah Breccia Mineral Resource.



**Figure 7: Location of metallurgical samples for inclusion in updated MRE.**

The program is designed to build upon previous metallurgical investigations and provide additional




technical information to support the planned Mineral Resource Estimate update, while also contributing to future development studies. The testwork will include both conventional flotation and coarse particle flotation studies.

The commencement of this work represents another important milestone in advancing the Cannindah Breccia beyond resource growth and towards a more comprehensive technical understanding of the deposit<sup>8</sup> and will form part of the input into the updated Mineral Resource Estimate planned for completion in Q3 CY2026.

### **Southern Target**

While the Company's exploration activities during the June quarter remained firmly focused on expanding the Cannindah Breccia Mineral Resource, the Southern Target continues to represent an important component of the broader Mt Cannindah Project and a compelling longer-term porphyry copper-gold exploration opportunity.

Previous drilling has identified many of the geological characteristics commonly associated with intrusive-related porphyry systems, including broad hydrothermal alteration, increasing copper values with depth, potassic alteration and quartz-anhydrite-molybdenite veining. These observations continue to support the Company's interpretation that the Southern Target has the potential to host a significant porphyry copper-gold system.<sup>9</sup>



**Figure 8. Mt Cannindah Project location highlighting the Southern Target.**

Diamond drilling is continuing at the Southern Porphyry Target with the diamond extension of 25CRC016 returning:

- 52m @ 0.70% CuEq (0.70gt Au and 0.09% Cu) from 292m (25CRC016)

Reprocessing of IP/MT geophysical data incorporating the geology from 25CRC016 and 25CRC017 defined 2 coincident chargeable and conductive targets which were tested by drillholes 26CRD034 and 26CRD035. Both holes intersected variable pyrite altered and fractured sediments (assays pending).

<sup>8</sup> ASX Announcement dated 10 June 2026

<sup>9</sup> ASX Announcements dated 28 January 2026 and 5 March 2026




An additional 2 lines of MIMDAS IP was completed 400m and 800m south of previous lines in the Southern Target in an attempt to identify additional targets within the system. Processing and interpretation is progressing.

The Southern Target and the Eastern Target remains an important component of Cannindah's longer-term exploration strategy and is expected to be advanced as exploration priorities evolve.

### Piccadilly

No activity was completed at the Piccadilly Project due to the focus on the highly prospective Mt Cannindah Project.



**Figure 9: Location of the Piccadilly Project EPM's and ML1442.**



### **Next Steps**

Following another highly successful quarter of exploration, the Company enters the September quarter with strong exploration momentum and several important technical workstreams underway. Key activities planned include:

| Milestone                         | Status / Timing  |
|-----------------------------------|------------------|
| Drilling continues (2 rigs)       | Ongoing          |
| Remaining assays                  | Pending          |
| Geological modelling              | In progress      |
| Metallurgical test work           | In progress      |
| Updated Mineral Resource Estimate | Targeted Q3 2026 |

The Company believes these activities will continue advancing the Cannindah Breccia Mineral Resource while further improving the geological understanding of the broader Mt Cannindah Project.

### **Corporate**

On 9 April 2026 the Company completed tranche two of the placement announced to the market on 3 February 2026 raising approximately \$3.925M through the issue of 87,222,223 fully paid ordinary shares at an issue price of \$0.045, upon receiving shareholder approval at a general meeting (**GM**) on 18 March 2026.

On 9 April 2026 the Company also issued 20,000,000 Performance Rights to Cameron Switzer, as the long term incentive component of his remuneration, upon receiving shareholder approval at the GM on 18 March 2026.

The Company ended the quarter with approximately \$14.1 million in cash, providing capacity to continue executing an aggressive exploration strategy across both resource growth and discovery-focused initiatives.

Further details of the Company's financial position and exploration expenditure are provided in the Appendix 5B – Quarterly Cash Flow Report.

### **ASX Additional Information**

#### **Listing Rule 5.3.1**

- Exploration and evaluation expenditure for the quarter totalled \$3.36 million.
- Full details of exploration activities during the quarter are set out in this report

#### **Listing Rule 5.3.2**

- As the company is a mineral and exploration entity no mining production or development activities occurred during the quarter.

#### **Listing Rule 5.3.3**

- There were no tenements acquired or disposed during the quarter
- there are no Farm-in or Farm-out arrangements held by the Company

#### **Listing Rule 5.3.5**



- Payments to related parties for the quarter (refer Section 6 of Appendix 5) totalled \$105,000. The payments were for directors fees.

Authorised by:  
Board of Directors of  
Cannindah Resources Limited

For further information, please contact:

**Media**

Mr David Tasker  
Chapter One Advisors  
[dtasker@chapteroneadvisors.com.au](mailto:dtasker@chapteroneadvisors.com.au)  
+61 433 112 93

**Cannindah Resources Limited**

Mr Cameron Switzer  
Managing Director and CEO  
[admin@cannindah.com.au](mailto:admin@cannindah.com.au)  
08 6188 8181

### Competent Persons Statement

The information in this report that relates to exploration results is based on information compiled by Mr Cameron Switzer who is a geologist with 37 years' experience having worked on numerous gold and copper systems on a global basis including porphyry and porphyry related Cu Au deposits. Mr Switzer has BSc Honours and MSc degrees in geology; he is a Member of the Australasian Institute of Mining and Metallurgy (112798) and a Member of the Australian Institute of Geoscientists (3384). Mr Switzer has sufficient relevant experience in respect to the style of mineralization, the type of deposit under consideration and the activity being undertaken to qualify as a Competent Person within the definition of the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("JORC Code").

Mr Switzer consents to the inclusion in the report of the matters based on this information in the form and context in which it appears.

Disclosure:

Mr Switzer is a shareholder of the company as outlined ASX:CAE 9 April 2026. Incentive based payments are outlined in ASX:CAE 15 December 2025 and 9 April 2026.

The information and data in this report that relates to Mineral Resource estimates for the Mt Cannindah copper gold silver deposit and the Monument Exploration Target is based on information evaluated by Mr Simon Tear who is a member of the Australasian Institute of Mining and Metallurgy (MAusIMM) and who has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person within the definition of the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("JORC Code"). Mr Tear is a Director of H&S Consultants Pty Ltd and he consents to the inclusion in the report of the Mineral Resources in the form and context in which they appear.

Disclosure:

Mr Tear nor any related entity does not hold any ordinary shares in ASX:CAE nor any incentive-based payments.

### Appendix 1 Formula for Copper Equivalent calculations

Copper equivalent has been used to report the wide copper-bearing intercepts that carry Au and Ag credits, with copper being mostly dominant. CAE have confidence that existing metallurgical processes would recover copper, gold and silver and molybdenum from Mt Cannindah as exemplified by the test work carried out on the



Cannindah Breccia samples in 2023 by Core Metallurgical Consultants for Au Cu and Ag (ASX:CAE 15 November 2023). The recoveries for Mo are taken from results published from other deposits of a similar style and metal tenor and will be reviewed in the next metallurgical test work program.

CAE have confidence that the Mt Cannindah ores are amenable to metallurgical treatments that result in excellent recoveries and produce concentrate of a saleable quality. These metals are commonly traded on worldwide metal markets. In the opinion of Cannindah Resources Ltd all the elements included in the metal equivalents calculation have reasonable potential of being recovered and sold.

The CAE Metal Equivalent Policy can be viewed at [www.cannindah.com.au/about-us/#section-5](http://www.cannindah.com.au/about-us/#section-5)

The full equation for Copper equivalent is:

$$\text{CuEq\%} = (((\text{Cu\%} * 93.00 * \text{CuRecovery}) / (93.00 * \text{CuRecovery})) + ((\text{Au\_ppm} * 96.45 * \text{AuRecovery}) / (93.00 * \text{CuRecovery})) + ((\text{Ag\_ppm} * 1.06 * \text{AgRecovery}) / (93.00 * \text{CuRecovery})) + ((\text{Mo\%} * 485.00 * \text{MoRecovery}) / (93.00 * \text{CuRecovery})))$$

| Copper Equivalent Assumptions | Copper (tonne) | Gold (ounce) | Silver (ounce) | Mo (tonne) |
|-------------------------------|----------------|--------------|----------------|------------|
| Metal Price US\$              | \$9,300        | \$3,000      | \$33.00        | \$48,500   |
| Recovery %                    | 84             | 65           | 65             | 60         |

| Copper Equivalent                   | Cu%_t   | Gold per ppm | Silver per ppm | Mo%_t    |
|-------------------------------------|---------|--------------|----------------|----------|
| Metal price per unit in calculation | \$93.00 | \$96.45      | \$1.06         | \$485.00 |

ASX:CAE metal pricing reflects 12 month averages.

## Appendix 2 Table 2: Mt Cannindah Mineral Resource Table

On 3 July 2024 Cannindah Resources Limited announced a significant upgrade of the Mineral Resource estimate (MRE) for the Mt Cannindah project based on the metal pricing policy at that time as announced (2021 pricing).

The MRE was prepared by independent resource specialists H&S Consultants. The MRE for the Mt Cannindah Cu/Au deposit reported in the H&S Consultants study is shown in the tables below:

| Category  | Mt   | Cu%  | Au gt | Ag ppm | CuEq% | Density t/m3 |
|-----------|------|------|-------|--------|-------|--------------|
| Measured  | 7.1  | 0.77 | 0.41  | 15.4   | 1.15  | 2.77         |
| Indicated | 5.7  | 0.67 | 0.39  | 12.2   | 1.00  | 2.79         |
| Inferred  | 1.7  | 0.70 | 0.58  | 12.0   | 1.15  | 2.78         |
| Total     | 14.5 | 0.72 | 0.42  | 13.7   | 1.09  | 2.77         |

| Category  | Cu Kt | Au Kozs | Ag Mozs | CuEq Kt |
|-----------|-------|---------|---------|---------|
| Measured  | 54.7  | 93.4    | 3.5     | 81.2    |
| Indicated | 38.1  | 71.9    | 2.2     | 57.4    |
| Inferred  | 11.9  | 32.0    | 0.7     | 19.7    |
| Total     | 104.8 | 197.3   | 6.4     | 158.3   |

(minor rounding errors)

The company is not aware of any new information of data that materially effects the information included in the relevant announcement on the 3 July 2024. In the case of the estimates of Mineral Resources, all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed.

Copper Equivalent calculations for the Cannindah Breccia are based on historic 2021 details as detailed 3 July 2024 and will be updated with the next resource estimate.

## Appendix 3 Table 2: Monument Exploration Target

On 27 October 2025 Cannindah Resources Limited announced an Exploration Target for the Monument Area based on the metal pricing policy at that time.



The Exploration Target is defined as

**25 to 30Mt at 0.2 to 0.3 % Cu and 100 to 150ppm Mo for 64Kt to 114Kt CuEq**

The potential quantity and grade of the Exploration Target is conceptual in nature and, as such there has been insufficient exploration drilling conducted to estimate a Mineral Resource. At this stage it is uncertain if further exploration drilling will result in the estimation of a Mineral Resource. The Exploration Target has been prepared in accordance with the 2012 JORC Code & Guidelines.

The Monument Exploration Target was prepared by independent resource specialists H&S Consultants.

The company is not aware of any new information of data that materially effects the information included in the relevant announcement on the 27 October 2025.

#### Appendix 4 Table of Drillhole data

| HOLE ID   | NORTH   | EAST   | RL  | DIP | AZI<br>TRUE | DEPTH | From                   | To  | Int<br>m | CuEq% | Cu%  | Au<br>ppm | Ag<br>ppm | Mo<br>ppm | Cut Off       |
|-----------|---------|--------|-----|-----|-------------|-------|------------------------|-----|----------|-------|------|-----------|-----------|-----------|---------------|
| 25CRC001  | 7270187 | 325235 | 423 | -69 | 108         | 180   | 4                      | 56  | 52       | 1.16  | 0.45 | 0.79      | 9.13      | 41        | 0.1%<br>CuEq  |
| including |         |        |     |     |             |       | 32                     | 54  | 22       | 2.63  | 0.99 | 1.80      | 18.14     | 88        | 1.0%<br>CuEq  |
| 25CRC002  | 7270188 | 325232 | 423 | -80 | 96          | 250   | 30                     | 150 | 120      | 1.16  | 0.73 | 0.37      | 11.59     | 70        | 0.1%<br>CuEq  |
| including |         |        |     |     |             |       | 48                     | 108 | 60       | 1.94  | 1.26 | 0.59      | 19.15     | 84        | 1.0%<br>CuEq  |
| 25CRC003  | 7270080 | 325158 | 427 | -60 | 91          | 330   | 204                    | 220 | 16       | 0.13  | 0.06 | 0.08      | 0.81      | NA        | 0.1%<br>CuEq  |
| 25CRC005  | 7269915 | 325101 | 435 | -60 | 91          | 336   | 178                    | 192 | 14       | 0.20  | 0.02 | 0.18      | 0.40      | 31        | 0.1%<br>CuEq  |
| 25CRC006  | 7270699 | 325354 | 388 | -61 | 91          | 150   | 8                      | 28  | 20       | 0.12  | 0.06 | 0.04      | 2.43      | 5         | 0.1%<br>CuEq  |
| 25CRC007  | 7270692 | 325227 | 405 | -60 | 89          | 300   | 16                     | 28  | 12       | 0.40  | 0.03 | 0.44      | 2.09      | NA        | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 64                     | 84  | 20       | 0.22  | 0.09 | 0.12      | 3.99      | NA        | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 102                    | 114 | 12       | 0.22  | 0.08 | 0.14      | 3.60      | NA        | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 252                    | 300 | 48       | 0.14  | 0.08 | 0.05      | 2.15      | NA        | 0.1%<br>CuEq  |
| 25CRC008  | 7270697 | 325134 | 402 | -60 | 92          | 300   | 26                     | 56  | 30       | 0.34  | 0.05 | 0.32      | 2.76      | 15        | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 96                     | 118 | 22       | 0.27  | 0.03 | 0.23      | 5.87      | NA        | 0.1%<br>CuEq  |
| 25CRC004  | 7270353 | 326112 | 385 | -60 | 59          | 320   | 46                     | 66  | 20       | 0.13  | 0.11 | 0.00      | 1.91      | 5         | 0.1%<br>Cu Eq |
| 25CRC009  | 7270380 | 326203 | 383 | -69 | 63          | 336   | 62                     | 80  | 18       | 0.19  | 0.15 | 0.02      | 2.48      | 17        | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 248                    | 258 | 10       | 0.11  | 0.02 | 0.10      | 1.22      | 3         | 0.1%<br>CuEq  |
| 25CRC010  | 7270717 | 326097 | 391 | -70 | 244         | 320   | No Significant Results |     |          |       |      |           |           |           |               |
| 25CRC011  | 7269292 | 327184 | 390 | -59 | 234         | 288   | 222                    | 280 | 58       | 0.14  | 0.06 | 0.02      | 0.46      | 159       | 0.1%<br>CuEq  |
| 25CRC012  | 7268698 | 326752 | 389 | -60 | 349         | 320.0 | 0                      | 8   | 8        | 0.44  | 0.36 | 0.07      | 1.22      | 53.7      | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 152                    | 208 | 56       | 0.16  | 0.08 | 0.07      | 0.78      | 39.7      | 0.1%<br>CuEq  |
| 25CRC013  | 7268540 | 326759 | 387 | -60 | 346         | 320.0 | 18                     | 64  | 46       | 0.28  | 0.22 | 0.05      | 2.05      | 8.6       | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 184                    | 274 | 90       | 0.33  | 0.22 | 0.09      | 2.23      | 46.7      | 0.1%<br>CuEq  |
| including |         |        |     |     |             |       | 218                    | 224 | 6        | 1.67  | 1.11 | 0.54      | 8.84      | 115.8     | 1.0%<br>CuEq  |
|           |         |        |     |     |             |       | 288                    | 314 | 26       | 0.11  | 0.07 | 0.03      | 0.56      | 37.0      | 0.1%<br>CuEq  |
| 25CRC014  | 7268726 | 326584 | 378 | -59 | 354         | 320.0 | No Significant Results |     |          |       |      |           |           |           |               |
| 25CRC015  | 7268562 | 326590 | 420 | -59 | 354         | 318.0 | 0                      | 46  | 46       | 0.15  | 0.11 | 0.03      | 1.02      | 0.0       | 0.1%<br>CuEq  |
|           |         |        |     |     |             |       | 112                    | 260 | 148      | 0.27  | 0.09 | 0.18      | 2.66      | 100.0     | 0.1%<br>CuEq  |
| including |         |        |     |     |             |       | 196                    | 202 | 6        | 2.69  | 0.17 | 2.87      | 15.46     | 200.0     | 1.0%<br>CuEq  |
|           |         |        |     |     |             |       | 276                    | 286 | 10       | 0.30  | 0.11 | 0.10      | 9.80      | 0.0       | 0.1%<br>CuEq  |



|           |         |        |     |     |     |       |                        |            |           |             |             |             |             |             |                  |
|-----------|---------|--------|-----|-----|-----|-------|------------------------|------------|-----------|-------------|-------------|-------------|-------------|-------------|------------------|
| 25CRC016  | 7268616 | 326216 | 430 | -90 | 360 | 320.0 | 30                     | 32         | 2         | 1.31        | 0.12        | 1.31        | 15.20       | 6.2         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 126                    | 188        | 62        | 0.14        | 0.11        | 0.01        | 1.42        | 15.3        | 0.1% CuEq        |
|           |         |        |     |     |     |       | 254                    | 280        | 26        | 0.11        | 0.08        | 0.02        | 0.63        | 11.6        | 0.1% CuEq        |
|           |         |        |     |     |     |       | 292                    | 320        | 28        | 1.15        | 0.11        | 1.25        | 2.39        | 29.9        | 0.1% CuEq        |
| including |         |        |     |     |     |       | 308                    | 310        | 2         | 4.20        | 0.23        | 4.90        | 5.24        | 13.2        | <b>1.0% CuEq</b> |
| and       |         |        |     |     |     |       | 316                    | 318        | 2         | 10.21       | 0.81        | 11.50       | 22.60       | 11.1        | <b>1.0% CuEq</b> |
| 25CRD016  | 7268616 | 326216 | 430 | -90 | 360 | 694.4 | 292                    | 344        | 52        | 0.70        | 0.09        | 0.74        | 1.72        | 27.8        | 0.1% CuEq        |
| 25CRC017  | 7268887 | 326043 | 445 | -60 | 170 | 320.0 | 0                      | 80         | 80        | 0.21        | 0.15        | 0.03        | 1.46        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 92                     | 124        | 32        | 0.26        | 0.21        | 0.02        | 2.08        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 140                    | 152        | 12        | 0.20        | 0.15        | 0.05        | 0.89        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 172                    | 194        | 22        | 0.10        | 0.06        | 0.03        | 0.51        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 220                    | 248        | 28        | 0.11        | 0.09        | 0.02        | 0.53        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 282                    | 298        | 16        | 0.12        | 0.09        | 0.02        | 0.62        | 0.0         | 0.1% CuEq        |
| 25CRD017  | 7268887 | 326043 | 445 | -60 | 170 | 870.8 | 425                    | 437        | 12        | 0.10        | 0.08        | 0.01        | 0.84        | 3.6         | 0.1% CuEq        |
| 25CRC018  | 7268788 | 325770 | 486 | -59 | 351 | 287.0 | 50                     | 104        | 54        | 0.18        | 0.14        | 0.02        | 1.47        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 174                    | 198        | 24        | 0.11        | 0.07        | 0.07        | 0.66        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 210                    | 244        | 34        | 0.13        | 0.10        | 0.01        | 0.60        | 0.0         | 0.1% CuEq        |
| 25CRC019  | 7268898 | 325741 | 457 | -61 | 319 | 285.0 | 0                      | 44         | 44        | 0.26        | 0.21        | 0.02        | 2.68        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 222                    | 238        | 16        | 0.15        | 0.13        | 0.02        | 0.72        | 0.0         | 0.1% CuEq        |
| 25CRC020  | 7268634 | 326444 | 388 | -61 | 355 | 320.0 | 0                      | 28         | 28        | 0.10        | 0.06        | 0.03        | 0.43        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 40                     | 58         | 18        | 0.11        | 0.07        | 0.02        | 0.46        | 0.0         | 0.1% CuEq        |
|           |         |        |     |     |     |       | 118                    | 290        | 172       | 0.18        | 0.10        | 0.04        | 0.97        | 100.0       | 0.1% CuEq        |
| 26CRC001  | 7270350 | 325250 | 420 | -60 | 90  | 146.0 | No Significant Results |            |           |             |             |             |             |             |                  |
| 26CRC002  | 7270351 | 325203 | 410 | -60 | 90  | 209.0 | 54                     | 76         | 22        | 0.15        | 0.03        | 0.14        | 0.33        | 3.3         | 0.1% CuEq        |
|           |         |        |     |     |     |       | <b>96</b>              | <b>136</b> | <b>40</b> | <b>0.31</b> | <b>0.21</b> | <b>0.05</b> | <b>4.37</b> | <b>57.4</b> | 0.1% CuEq        |
| including |         |        |     |     |     |       | 100                    | 102        | 2         | 1.14        | 0.94        | 0.11        | 9.71        | 87.5        | <b>1.0% CuEq</b> |
| 26CRC003  | 7270358 | 325148 | 452 | -60 | 90  | 305.0 | 96                     | 124        | 28        | 0.21        | 0.03        | 0.20        | 1.00        | 2.5         | 0.1% CuEq        |
|           |         |        |     |     |     |       | <b>160</b>             | <b>232</b> | <b>72</b> | <b>0.52</b> | <b>0.28</b> | <b>0.23</b> | <b>4.73</b> | <b>29.2</b> | 0.1% CuEq        |
| including |         |        |     |     |     |       | 174                    | 192        | 18        | 1.56        | 0.81        | 0.78        | 12.07       | 33.2        | <b>1.0% CuEq</b> |
| 26CRC004  | 7270300 | 325250 | 418 | -60 | 90  | 197.0 | No Significant Results |            |           |             |             |             |             |             |                  |
| 26CRC005  | 7270303 | 325186 | 430 | -60 | 90  | 209.0 | 56                     | 76         | 20        | 0.16        | 0.02        | 0.16        | 1.24        | 1.8         | 0.1% CuEq        |
| 26CRC006  | 7270300 | 325150 | 430 | -60 | 90  | 294.0 | 74                     | 100        | 26        | 0.11        | 0.04        | 0.08        | 0.98        | 8.3         | 0.1% CuEq        |
| 26CRC007  | 7270250 | 325225 | 420 | -60 | 90  | 173.0 | No Significant Results |            |           |             |             |             |             |             |                  |
| 26CRC008  | 7270247 | 325181 | 421 | -60 | 90  | 203.0 | 38                     | 52         | 14        | 0.10        | 0.01        | 0.11        | 0.00        | 3.4         | 0.1% CuEq        |
|           |         |        |     |     |     |       | <b>94</b>              | <b>184</b> | <b>90</b> | <b>0.30</b> | <b>0.15</b> | <b>0.15</b> | <b>2.22</b> | <b>33.1</b> | 0.1% CuEq        |
| including |         |        |     |     |     |       | 114                    | 116        | 2         | 1.16        | 0.81        | 0.30        | 9.60        | 72.7        | <b>1.0% CuEq</b> |
| and       |         |        |     |     |     |       | 120                    | 122        | 2         | 1.66        | 0.38        | 1.54        | 4.09        | 42.0        | <b>1.0% CuEq</b> |
| and       |         |        |     |     |     |       | 144                    | 146        | 2         | 1.19        | 0.56        | 0.67        | 9.47        | 23.5        | <b>1.0% CuEq</b> |
| 26CRD009  | 7270247 | 325104 | 439 | -60 | 90  | 276.0 | 18                     | 136        | 118       | 0.22        | 0.03        | 0.23        | 0.70        | 11.6        | 0.1% CuEq        |
| including |         |        |     |     |     |       | 24                     | 26         | 2         | 2.27        | 0.08        | 2.70        | 2.50        | 2.9         | <b>1.0% CuEq</b> |
| and       |         |        |     |     |     |       | 118                    | 120        | 2         | 1.01        | 0.02        | 1.23        | 0.14        | 6.0         | <b>1.0% CuEq</b> |



|                 |         |        |     |     |    |       |            |            |            |             |             |             |             |             |                      |
|-----------------|---------|--------|-----|-----|----|-------|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|----------------------|
|                 |         |        |     |     |    |       | <b>202</b> | <b>276</b> | <b>74</b>  | <b>0.51</b> | <b>0.17</b> | <b>0.35</b> | <b>5.24</b> | <b>38.8</b> | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 204        | 206        | 2          | 1.21        | 0.84        | 0.26        | 18.05       | 14.1        | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 212        | 214        | 2          | 1.19        | 0.50        | 0.64        | 19.45       | 21.8        | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 228        | 230        | 2          | 1.29        | 0.15        | 1.33        | 6.88        | 35.1        | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 236        | 238        | 2          | 1.17        | 0.03        | 1.39        | 2.11        | 33.3        | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 254        | 256        | 2          | 1.32        | 0.15        | 1.34        | 7.69        | 55.4        | <b>1.0%<br/>CuEq</b> |
| 26CRC010        | 7270200 | 325175 | 435 | -60 | 90 | 280.0 | 10         | 46         | 36         | 0.29        | 0.02        | 0.32        | 0.36        | 6.0         | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 10         | 12         | 2          | 1.51        | 0.02        | 1.84        | 1.57        | 5.6         | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 28         | 30         | 2          | 1.17        | 0.03        | 1.41        | 0.40        | 1.8         | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | 90         | 116        | 26         | 0.12        | 0.07        | 0.04        | 2.05        | 1.2         | 0.1%<br>CuEq         |
|                 |         |        |     |     |    |       | <b>128</b> | <b>138</b> | <b>10</b>  | <b>0.92</b> | <b>0.70</b> | <b>0.14</b> | <b>9.51</b> | <b>54.4</b> | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 130        | 134        | 4          | 1.67        | 1.28        | 0.28        | 16.36       | 64.4        | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | 166        | 178        | 12         | 0.21        | 0.11        | 0.07        | 2.14        | 60.4        | 0.1%<br>CuEq         |
|                 |         |        |     |     |    |       | 166        | 182        | 16         | 0.17        | 0.10        | 0.07        | 1.84        | 52.5        | 0.1%<br>CuEq         |
|                 |         |        |     |     |    |       | <b>90</b>  | <b>182</b> | <b>92</b>  | <b>0.17</b> | <b>0.12</b> | <b>0.04</b> | <b>2.04</b> | <b>16.8</b> | <i>special</i>       |
| 26CRC011        | 7270200 | 325100 | 435 | -60 | 90 | 317.0 | 30         | 66         | 36         | 0.17        | 0.02        | 0.19        | 0.42        | 7.7         | 0.1%<br>CuEq         |
|                 |         |        |     |     |    |       | 82         | 92         | 10         | 0.50        | 0.01        | 0.60        | 0.30        | 5.0         | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 90         | 92         | 2          | 1.90        | 0.01        | 2.35        | 0.08        | 5.2         | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | 114        | 162        | 48         | 0.30        | 0.03        | 0.33        | 0.29        | 8.4         | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 116        | 120        | 4          | 1.94        | 0.02        | 2.38        | 0.33        | 36.5        | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | <b>178</b> | <b>272</b> | <b>94</b>  | <b>1.11</b> | <b>0.46</b> | <b>0.67</b> | <b>####</b> | <b>33.9</b> | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 184        | 186        | 2          | 2.73        | 0.32        | 2.72        | 26.53       | 4.7         | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 204        | 258        | 54         | 1.61        | 0.69        | 0.95        | 15.91       | 39.4        | <b>1.0%<br/>CuEq</b> |
| 26CRC012        | 7270150 | 325200 | 450 | -60 | 90 | 161.0 | <b>28</b>  | <b>54</b>  | <b>26</b>  | <b>0.51</b> | <b>0.04</b> | <b>0.55</b> | <b>2.96</b> | <b>2.1</b>  | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 32         | 36         | 4          | 2.31        | 0.05        | 2.75        | 7.20        | 1.4         | <b>1.0%<br/>CuEq</b> |
| 26CRC013        | 7270350 | 325148 | 452 | -71 | 90 | 317.0 | 74         | 86         | 12         | 0.27        | 0.04        | 0.26        | 2.05        | 2.8         | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 74         | 76         | 2          | 1.07        | 0.12        | 1.09        | 7.67        | 4.7         | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | <b>172</b> | <b>234</b> | <b>62</b>  | <b>0.41</b> | <b>0.23</b> | <b>0.19</b> | <b>3.21</b> | <b>43.7</b> | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 182        | 184        | 2          | 2.64        | 0.06        | 3.20        | 0.81        | 8.4         | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 194        | 198        | 4          | 1.12        | 0.73        | 0.31        | 15.83       | 45.5        | <b>1.0%<br/>CuEq</b> |
| 26CRC014        | 7270300 | 325148 | 430 | -72 | 90 | 317.0 | 66         | 84         | 18         | 0.14        | 0.03        | 0.12        | 1.54        | 17.8        | 0.1%<br>CuEq         |
|                 |         |        |     |     |    |       | 106        | 124        | 18         | 0.13        | 0.02        | 0.14        | 0.35        | 6.7         | 0.1%<br>CuEq         |
|                 |         |        |     |     |    |       | <b>180</b> | <b>260</b> | <b>80</b>  | <b>0.30</b> | <b>0.22</b> | <b>0.06</b> | <b>2.64</b> | <b>43.0</b> | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 238        | 242        | 4          | 1.18        | 0.94        | 0.20        | 9.75        | 45.4        | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 256        | 258        | 2          | 1.16        | 0.83        | 0.31        | 9.82        | 84.9        | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | 288        | 317        | 29         | 0.17        | 0.13        | 0.03        | 1.46        | 24.3        | 0.1%<br>CuEq         |
| <b>26CRD015</b> | 7270248 | 325101 | 439 | -72 | 90 | 318.0 | 18         | 150        | 132        | 0.21        | 0.02        | 0.22        | 0.45        | 22.7        | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 86         | 88         | 2          | 1.58        | 0.02        | 1.94        | 0.24        | 3.6         | <b>1.0%<br/>CuEq</b> |
| and             |         |        |     |     |    |       | 110        | 112        | 2          | 1.13        | 0.04        | 1.36        | 0.26        | 9.9         | <b>1.0%<br/>CuEq</b> |
|                 |         |        |     |     |    |       | <b>180</b> | <b>318</b> | <b>138</b> | <b>0.64</b> | <b>0.17</b> | <b>0.53</b> | <b>4.51</b> | <b>25.2</b> | 0.1%<br>CuEq         |
| including       |         |        |     |     |    |       | 214        | 216        | 2          | 8.94        | 0.17        | 10.68       | 19.49       | 57.6        | <b>1.0%<br/>CuEq</b> |



|           |         |        |     |     |     |       |                        |     |     |      |      |      |       |      |              |
|-----------|---------|--------|-----|-----|-----|-------|------------------------|-----|-----|------|------|------|-------|------|--------------|
| and       |         |        |     |     |     |       | 226                    | 228 | 2   | 1.69 | 0.20 | 1.39 | 41.67 | 20.6 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 260                    | 286 | 26  | 1.54 | 0.33 | 1.40 | 8.34  | 21.6 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 298                    | 300 | 2   | 1.11 | 0.11 | 1.18 | 4.46  | 32.4 | 1.0%<br>CuEq |
| 26CRD016  | 7270200 | 325098 | 444 | -67 | 90  | 317.0 | 6                      | 74  | 68  | 0.14 | 0.02 | 0.14 | 0.54  | 8.9  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 94                     | 136 | 42  | 0.16 | 0.02 | 0.17 | 0.56  | 6.1  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 152                    | 162 | 10  | 0.16 | 0.01 | 0.19 | 0.46  | 23.6 | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 214                    | 317 | 103 | 1.40 | 0.40 | 1.08 | 14.21 | 29.8 | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 214                    | 258 | 44  | 2.78 | 0.69 | 2.30 | 26.80 | 20.0 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 276                    | 278 | 2   | 1.15 | 0.64 | 0.43 | 19.18 | 50.3 | 1.0%<br>CuEq |
| 26CRC017  | 7270113 | 325112 | 447 | -60 | 80  | 227.0 | 76                     | 100 | 24  | 0.19 | 0.03 | 0.20 | 0.86  | 6.6  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 168                    | 226 | 58  | 0.68 | 0.47 | 0.16 | 9.17  | 25.3 | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 192                    | 218 | 26  | 1.29 | 0.92 | 0.27 | 18.29 | 28.3 | 1.0%<br>CuEq |
| 26CRD018  | 7269757 | 324736 | 478 | -60 | 90  | 258.0 | No Significant Results |     |     |      |      |      |       |      |              |
| 26CRC019  | 7270318 | 325285 | 412 | -60 | 270 | 84.0  | No Significant Results |     |     |      |      |      |       |      |              |
| 26CRC020  | 7270303 | 325277 | 419 | -60 | 270 | 138.0 | No Significant Results |     |     |      |      |      |       |      |              |
| 26CRC021  | 7270250 | 325270 | 435 | -60 | 270 | 108.0 | No Significant Results |     |     |      |      |      |       |      |              |
| 26CRC022  | 7270393 | 325256 | 401 | -60 | 90  | 150.0 | 104                    | 114 | 10  | 0.16 | 0.12 | 0.02 | 2.21  | 6.7  | 0.1%<br>CuEq |
| 26CRC023  | 7270394 | 325172 | 402 | -59 | 93  | 180.0 | 84                     | 96  | 12  | 0.35 | 0.05 | 0.37 | 0.68  | 6.3  | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 88                     | 90  | 2   | 1.48 | 0.02 | 1.82 | 0.45  | 3.7  | 1.0%<br>CuEq |
|           |         |        |     |     |     |       | 122                    | 168 | 46  | 0.44 | 0.32 | 0.10 | 4.72  | 23.8 | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 134                    | 136 | 2   | 1.27 | 0.98 | 0.18 | 16.88 | 30.8 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 150                    | 152 | 2   | 1.09 | 0.82 | 0.24 | 9.56  | 74.6 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 162                    | 164 | 2   | 1.26 | 0.98 | 0.21 | 12.10 | 34.6 | 1.0%<br>CuEq |
| 26CRC024  | 7270443 | 325231 | 398 | -60 | 80  | 102.0 | 0                      | 102 | 102 | 0.77 | 0.45 | 0.28 | 10.65 | 19.2 | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 2                      | 4   | 2   | 1.23 | 1.07 | 0.15 | 4.93  | 42.4 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 30                     | 64  | 34  | 1.62 | 0.86 | 0.69 | 23.26 | 29.0 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 76                     | 80  | 4   | 1.59 | 1.08 | 0.26 | 34.02 | 20.4 | 1.0%<br>CuEq |
| 26CRC025  | 7270438 | 325185 | 402 | -67 | 75  | 200.0 | 8                      | 10  | 2   | 1.19 | 0.02 | 1.45 | 0.53  | 6.2  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 58                     | 144 | 86  | 0.54 | 0.40 | 0.09 | 7.04  | 17.8 | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 84                     | 100 | 16  | 1.47 | 1.06 | 0.27 | 20.69 | 30.0 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 112                    | 120 | 8   | 1.49 | 1.22 | 0.15 | 18.23 | 27.6 | 1.0%<br>CuEq |
|           |         |        |     |     |     |       | 168                    | 180 | 12  | 0.12 | 0.09 | 0.02 | 1.77  | 13.9 | 0.1%<br>CuEq |
| 26CRC026  | 7270500 | 325125 | 405 | -60 | 90  | 299.0 | 78                     | 114 | 36  | 0.10 | 0.06 | 0.05 | 0.66  | 23.3 | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 124                    | 252 | 128 | 0.23 | 0.12 | 0.12 | 2.14  | 5.5  | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 154                    | 156 | 2   | 1.15 | 0.90 | 0.19 | 10.84 | 23.1 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 208                    | 210 | 2   | 3.00 | 0.05 | 3.63 | 4.41  | 15.6 | 1.0%<br>CuEq |
| 26CRC027  | 7270550 | 325190 | 405 | -60 | 90  | 228.0 | 0                      | 34  | 34  | 0.26 | 0.15 | 0.12 | 1.35  | 7.0  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 64                     | 200 | 136 | 0.78 | 0.60 | 0.12 | ####  | 23.9 | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 80                     | 108 | 28  | 1.51 | 1.17 | 0.19 | 21.05 | 38.8 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 120                    | 128 | 8   | 2.21 | 1.82 | 0.19 | 27.49 | 13.3 | 1.0%<br>CuEq |
| and       |         |        |     |     |     |       | 140                    | 152 | 12  | 1.77 | 1.26 | 0.40 | 20.73 | 15.8 | 1.0%<br>CuEq |
| 26CRC028  | 7270569 | 325134 | 405 | -70 | 100 | 276.0 | 0                      | 10  | 10  | 0.16 | 0.07 | 0.10 | 1.08  | 11.1 | 0.1%<br>CuEq |



|           |         |        |     |     |     |       |            |            |            |             |             |             |              |              |                      |
|-----------|---------|--------|-----|-----|-----|-------|------------|------------|------------|-------------|-------------|-------------|--------------|--------------|----------------------|
|           |         |        |     |     |     |       | 44         | 78         | 34         | 0.12        | 0.03        | 0.10        | 0.69         | 2.7          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>100</b> | <b>238</b> | <b>138</b> | <b>0.60</b> | <b>0.34</b> | <b>0.24</b> | <b>6.92</b>  | <b>19.9</b>  | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 144        | 168        | 24         | 1.70        | 1.17        | 0.41        | 22.11        | 26.6         | <b>1.0%<br/>CuEq</b> |
| and       |         |        |     |     |     |       | 180        | 186        | 6          | 1.96        | 1.32        | 0.55        | 23.29        | 25.8         | <b>1.0%<br/>CuEq</b> |
| and       |         |        |     |     |     |       | 214        | 216        | 2          | 2.25        | 0.09        | 2.65        | 3.95         | 18.1         | <b>1.0%<br/>CuEq</b> |
| 26CRC029  | 7270593 | 325250 | 412 | -55 | 80  | 126.0 | 0          | 14         | 14         | 0.21        | 0.15        | 0.06        | 0.79         | 11.2         | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>30</b>  | <b>92</b>  | <b>62</b>  | <b>0.79</b> | <b>0.61</b> | <b>0.14</b> | <b>7.57</b>  | <b>38.3</b>  | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 38         | 48         | 10         | 3.95        | 3.14        | 0.59        | 37.58        | 30.6         | <b>1.0%<br/>CuEq</b> |
|           |         |        |     |     |     |       | 106        | 126        | 20         | 1.07        | 0.26        | 0.90        | 10.12        | 14.8         | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 106        | 114        | 8          | 2.32        | 0.47        | 2.08        | 19.86        | 11.7         | <b>1.0%<br/>CuEq</b> |
| 26CRC030  | 7270597 | 325166 | 405 | -55 | 90  | 220.0 | 10         | 26         | 16         | 0.23        | 0.03        | 0.24        | 1.54         | 1.8          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>38</b>  | <b>166</b> | <b>128</b> | <b>0.61</b> | <b>0.39</b> | <b>0.21</b> | <b>6.06</b>  | <b>10.5</b>  | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 50         | 52         | 2          | 2.87        | 0.49        | 2.90        | 6.87         | 3.0          | <b>1.0%<br/>CuEq</b> |
| and       |         |        |     |     |     |       | 82         | 84         | 2          | 1.41        | 0.21        | 1.47        | 3.45         | 8.2          | <b>1.0%<br/>CuEq</b> |
| and       |         |        |     |     |     |       | 112        | 138        | 26         | 1.64        | 1.28        | 0.24        | 18.42        | 21.5         | <b>1.0%<br/>CuEq</b> |
| and       |         |        |     |     |     |       | 158        | 160        | 2          | 1.11        | 0.88        | 0.13        | 14.34        | 5.3          | <b>1.0%<br/>CuEq</b> |
| 26CRC031  | 7270643 | 325291 | 405 | -81 | 90  | 103.0 | 12         | 22         | 10         | 0.12        | 0.06        | 0.07        | 1.13         | 10.7         | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>44</b>  | <b>68</b>  | <b>24</b>  | <b>1.38</b> | <b>0.15</b> | <b>1.48</b> | <b>5.63</b>  | <b>8.8</b>   | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 54         | 60         | 6          | 4.93        | 0.44        | 5.40        | 18.32        | 12.6         | <b>1.0%<br/>CuEq</b> |
| 26CRC032  | 7270653 | 325186 | 395 | -55 | 90  | 232.0 | 0          | 26         | 26         | 0.22        | 0.02        | 0.24        | 1.14         | 2.6          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>106</b> | <b>112</b> | <b>6</b>   | <b>1.24</b> | <b>0.14</b> | <b>1.24</b> | <b>12.07</b> | <b>2.2</b>   | 0.1%<br>CuEq         |
| 26CRC036  | 7270124 | 325109 | 439 | -68 | 80  | 318.0 | 18         | 66         | 48         | 0.10        | 0.03        | 0.09        | 1.05         | 2.9          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | 78         | 90         | 12         | 0.18        | 0.02        | 0.19        | 0.99         | 4.9          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>208</b> | <b>258</b> | <b>50</b>  | <b>0.44</b> | <b>0.29</b> | <b>0.13</b> | <b>4.33</b>  | <b>133.1</b> | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 208        | 210        | 2          | 2.81        | 2.31        | 0.36        | 24.28        | 28.0         | <b>1.0%<br/>CuEq</b> |
|           |         |        |     |     |     |       | 290        | 310        | 20         | 0.16        | 0.12        | 0.03        | 0.83         | 60.9         | 0.1%<br>CuEq         |
| 26CRC037  | 7270136 | 325112 | 439 | -64 | 103 | 317.0 | 28         | 42         | 14         | 0.12        | 0.03        | 0.10        | 0.87         | 8.3          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | 120        | 138        | 18         | 0.17        | 0.05        | 0.14        | 1.08         | 6.1          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | 208        | 210        | 2          | 1.65        | 0.04        | 1.99        | 2.12         | 34.9         | <b>1.0%<br/>CuEq</b> |
|           |         |        |     |     |     |       | <b>240</b> | <b>256</b> | <b>16</b>  | <b>0.20</b> | <b>0.06</b> | <b>0.17</b> | <b>1.16</b>  | <b>10.3</b>  | 0.1%<br>CuEq         |
| 26CRD038  | 7270137 | 325110 | 439 | -70 | 103 | 388.0 | 50         | 76         | 26         | 0.26        | 0.03        | 0.28        | 0.82         | 8.1          | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 70         | 72         | 2          | 1.19        | 0.04        | 1.41        | 2.44         | 19.4         | <b>1.0%<br/>CuEq</b> |
|           |         |        |     |     |     |       | 100        | 112        | 12         | 0.19        | 0.04        | 0.17        | 0.75         | 3.1          | 0.1%<br>CuEq         |
|           |         |        |     |     |     |       | <b>214</b> | <b>246</b> | <b>32</b>  | <b>0.32</b> | <b>0.05</b> | <b>0.33</b> | <b>0.65</b>  | <b>92.4</b>  | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 216        | 218        | 2          | 2.88        | 0.05        | 3.50        | 2.76         | 21.8         | <b>1.0%<br/>CuEq</b> |
| 26CRD039  | 7270051 | 325001 | 467 | -63 | 91  | 210.0 | 52         | 72         | 20         | 0.39        | 0.07        | 0.37        | 2.53         | 1.8          | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 66         | 68         | 2          | 3.02        | 0.15        | 3.37        | 17.74        | 4.3          | <b>1.0%<br/>CuEq</b> |
|           |         |        |     |     |     |       | 168        | 178        | 10         | 0.75        | 0.06        | 0.85        | 0.55         | 3.1          | 0.1%<br>CuEq         |
| including |         |        |     |     |     |       | 168        | 170        | 2          | 1.81        | 0.04        | 2.20        | 0.51         | 3.3          | <b>1.0%<br/>CuEq</b> |
| 26CRC040  | 7270051 | 324998 | 467 | -71 | 91  | 317.0 | 14         | 26         | 12         | 0.25        | 0.18        | 0.08        | 1.32         | 1.5          | 0.1%<br>CuEq         |



|           |         |        |     |     |     |       |                        |     |    |      |      |      |       |       |              |
|-----------|---------|--------|-----|-----|-----|-------|------------------------|-----|----|------|------|------|-------|-------|--------------|
|           |         |        |     |     |     |       | 80                     | 96  | 16 | 0.47 | 0.06 | 0.51 | 1.34  | 3.6   | 0.1%<br>CuEq |
| including |         |        |     |     |     |       | 80                     | 82  | 2  | 2.98 | 0.08 | 3.56 | 5.18  | 2.3   | 1.0%<br>CuEq |
|           |         |        |     |     |     |       | 304                    | 317 | 13 | 0.22 | 0.18 | 0.05 | 0.63  | 226.1 | 0.1%<br>CuEq |
| 26CRC041  | 7270047 | 324996 | 467 | -59 | 142 | 230.0 | Assays pending         |     |    |      |      |      |       |       |              |
| 26CRC042  | 7270050 | 324994 | 467 | -70 | 142 | 318.0 | No Significant Results |     |    |      |      |      |       |       |              |
| 26CRD043  | 7270059 | 324955 | 460 | -66 | 98  | 317.0 | 102                    | 104 | 2  | 1.60 | 0.05 | 1.91 | 2.53  | 2.0   | 1.0%<br>CuEq |
|           |         |        |     |     |     |       | 108                    | 110 | 2  | 1.06 | 0.07 | 1.21 | 1.23  | 5.6   | 1.0%<br>CuEq |
| 26CRD044  | 7270056 | 324954 | 460 | -64 | 134 | 317.0 | Assays pending         |     |    |      |      |      |       |       |              |
| 26CRD045  | 7270052 | 324953 | 460 | -71 | 134 | 317.0 | Assays pending         |     |    |      |      |      |       |       |              |
| 26CRC046  | 7270132 | 325112 | 439 | -60 | 80  | 270.0 | 166                    | 236 | 70 | 0.41 | 0.26 | 0.13 | 5.92  | 32.9  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 172                    | 174 | 2  | 1.84 | 1.44 | 0.29 | 19.92 | 176.0 | 1.0%<br>CuEq |
|           |         |        |     |     |     |       | 184                    | 192 | 8  | 1.05 | 0.64 | 0.23 | 25.39 | 26.1  | 1.0%<br>CuEq |
| 26CWB001  | 7268954 | 325716 | 468 | -90 | 0   | 120.0 | 0                      | 32  | 32 | 0.23 | 0.15 | 0.07 | 1.06  | 25.2  | 0.1%<br>CuEq |
|           |         |        |     |     |     |       | 50                     | 66  | 16 | 0.27 | 0.22 | 0.03 | 2.12  | 23.9  | 0.1%<br>CuEq |

## Appendix 5: JORC Tables

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria                   | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sampling techniques</b> | <ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul> | <ul style="list-style-type: none"> <li>Samples were collected via a rotary splitter attached to a cyclone which was connected to the bull hose and drill rods where a face sampling hammer was utilised to initially drill the material.</li> <li>Samples were collected on a 2m composite basis with each 1m interval being collected in a commercial fit for purpose plastic bag for storage on site until all QAQC is verified and approved.</li> <li>Samples were collected and sent to appropriate commercial laboratories (Intertek Townsville) for sample preparation and analysis.</li> <li>All samples were described, recorded, and displayed coherent geological consistency and continuity.</li> <li>2m composite samples weighing 3kg were collected.</li> <li>Each 1m plastic bag was monitored and weighed if appropriate to identify potential recovery related issues. No issues were identified.</li> <li>HQ3 and NQ2 diamond drill core was recovered and placed into core trays, measured and recoveries calculated. Drill recoveries were typically good at greater than 98%.</li> <li>Core trays were collected and transported to core processing facility where recoveries were validated, core was marked up into metre intervals and geotechnical logging was completed along with geological logging.</li> <li>Drill core was cut using a diamond saw and samples were collected on a 1m basis into pre numbered calico bags, verified and placed into bulka bags for independent transport to laboratory.</li> </ul> |



| Criteria                                              | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>Standards were submitted are per protocol</li> <li>Sampling of select material on a 1m interval basis was completed using routine protocols and procedures as described above where rapid geochemical analysis was required. This material will form part of the standard database.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                |
| <b>Drilling techniques</b>                            | <ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>                                                                                                                                                                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>The drilling completed was reverse circulation (RC) drilling using a McCulloch DR800 track mounted rig with attaching booster and auxiliary compressors.</li> <li>Face sampling hammer configuration was utilised.</li> <li>All holes were gyroscopically surveyed on regular 50m intervals.</li> <li>Diamond drilling was completed using a UDR1000.</li> <li>HQ3 and NQ2 triple tube core was oriented</li> </ul>                                                                                                                                                                                                                                           |
| <b>Drill sample recovery</b>                          | <ul style="list-style-type: none"> <li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>                                                                                                                                                                                                                                      | <ul style="list-style-type: none"> <li>Monitoring of 1m intervals was part of routine duties via the use of scales.</li> <li>Holes were cleaned at the end of each rod and sample bags weights remained consistent.</li> <li>There is no indication of any relationship between sample recovery and metal tenor.</li> <li>Diamond core recoveries were validated at the drill rig and verified at the core processing facility. Individual metre were marked up and labelled. Recoveries were recorded. There are no issues with recoveries.</li> </ul>                                                                                                                                              |
| <b>Logging</b>                                        | <ul style="list-style-type: none"> <li><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li><i>The total length and percentage of the relevant intersections logged.</i></li> </ul>                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Detailed geological descriptions and logging was completed on geology per sample basis.</li> <li>Logging was qualitative in nature.</li> <li>Representative material for each 1m interval was collected for future reference.</li> <li>All relevant samples were described and recorded.</li> <li>Core trays were photographed both on a wet and dry basis.</li> <li>Logging is at a standard to enable both geotechnical and geological input for mineral resource estimation.</li> </ul>                                                                                                                                                                    |
| <b>Sub-sampling techniques and sample preparation</b> | <ul style="list-style-type: none"> <li><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li><i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> </ul> | <ul style="list-style-type: none"> <li>No sub sampling completed</li> <li>There is no determination of the relationship between sample size and grain size. All previous sampling shown no association.</li> <li>Sample sizes are considered appropriate for the material being sampled.</li> <li>Half core was sampled on a 1m basis providing more than sufficient sample volume for analysis.</li> <li>Drill core sample size is appropriate for the grain size of the material sampled.</li> <li>No sub sampling of diamond drill core has been completed</li> <li>A Select 1m interval was collected for early rapid analysis. All protocols and procedures described were included.</li> </ul> |



| Criteria                                          | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                   | <ul style="list-style-type: none"> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Quality of assay data and laboratory tests</b> | <ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul> | <ul style="list-style-type: none"> <li>There is no evidence to suggest any laboratory related issues. Assaying and laboratory procedures are considered appropriate</li> <li>Standards including duplicates and blanks are available.</li> <li>Laboratory controls and standards are also utilised.</li> <li>After crushing splitting and grinding at Intertek/Genalysis lab Townsville, samples were assayed for gold using the 50g fire assay method</li> <li>The remaining analysis is captured by the 4 acid digest 46 element digest method ICP finish. This is regarded as a total digest method and is checked against QA-QC procedures which also employ these total techniques.</li> <li>The techniques are considered to be entirely appropriate for the breccia, porphyry, skarn and vein style deposits in the area.</li> </ul> |
| <b>Verification of sampling and assaying</b>      | <ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Good correlation in both the observed geology and assay tenor is evident</li> <li>No twinning holes was completed</li> <li>Data is imported into database tables from the Excel spreadsheets with validation checks set on different fields.</li> <li>No adjustments are made to the Commercial lab assay data. Data is imported into the database in its original raw format.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Location of data points</b>                    | <ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Data is in the national grid system GDA94 Zone 56</li> <li>Topography is sourced from the Queensland government as gridded data at 30m spacing.</li> <li>Samples were located using Garmin Hand held GPS accurate to with +-5m</li> <li>Accuracy is estimated +-5metre as verified in field.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Data spacing and distribution</b>              | <ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>                                                                                                                                                                                                                                                                     | <ul style="list-style-type: none"> <li>Data spacing is considered appropriate for reverse circulation drilling as per industry standards.</li> <li>Data spacing is considered sufficient given the previous drill records and history to provide data for the completion of a resource estimation.</li> <li>2m compositing was applied.</li> <li>Drill core was analysed on a 1m basis.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Orientation of data in relation to</b>         | <ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>Sampling orientations are dependent on drillhole dip and azimuth. With the steep terrain safety was a priority. Sampling was not perpendicular to the interpreted structure.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |



| Criteria                    | JORC Code explanation                                                                                                                                                                                                                                                                           | Commentary                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>geological structure</b> | <p><i>deposit type.</i></p> <ul style="list-style-type: none"> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul> | <ul style="list-style-type: none"> <li>No sampling bias can be determined and none is evident noting the sampling technique.</li> <li>There is no relationship evident to drill orientation and any sampling bias</li> <li>Intersections are apparent width.</li> </ul>                                                                                                                                         |
| <b>Sample security</b>      | <ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Chain of custody was managed by Cannindah Resources Ltd. Samples were freighted in sealed &amp; strapped pallets to Monto. From Monto were they were dispatched by commercial freight services and were delivered direct to Intertek/Genalysis laboratory Townsville facility. Intertek completed sample verification thereafter in preparation for analysis.</li> </ul> |
| <b>Audits or reviews</b>    | <ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>                                                                                                                                                                  | <ul style="list-style-type: none"> <li>No audit or reviews have been completed.</li> </ul>                                                                                                                                                                                                                                                                                                                      |

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mineral tenement and land tenure status</b> | <ul style="list-style-type: none"> <li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li> <li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li> </ul> | <ul style="list-style-type: none"> <li>Exploration conducted on MLs 2301, 2302, 2303, 2304, 2307, 2308, 2309, EPM 14524, and EPM 15261. 100% owned by Cannindah Resources Pty Ltd</li> <li>The MLs were acquired in 2002 by Queensland Ores Limited (QOL), Cannindah Resources Limited. QOL acquired the Cannindah Mining Leases from the previous owners, Newcrest and MIM. As part of the purchase arrangement a 1.5% net smelter return (NSR) royalty on any production is payable to MIM/Newcrest and will be shared 40% by MIM and 60% by Newcrest. This 0.9% royalty has now been sold to Altus Strategies in 14 December 2021, now Elemental Altus Royalties.</li> <li>An access agreement is in place with the current landholders over the Cannindah ML area and selected areas of the surrounding EPM's.</li> </ul>                                                                                                                                                                                       |
| <b>Exploration done by other parties</b>       | <ul style="list-style-type: none"> <li><i>Acknowledgment and appraisal of exploration by other parties.</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Reference is made to Independent Technical Review – Queensland Ores Limited by Behre Dolbear Australia Pty Ltd March 2005</li> <li>The geology of the Mt Cannindah Project is dominated by variable mineralisation styles including skarn, breccia, vein, and stockwork enveloping a central composite dioritic intrusive complex</li> <li>Strong structural controls are observed</li> <li>Previous exploration has been conducted by multiple companies. Data used for evaluating the Mt Cannindah project include Drilling &amp; geology, surface sampling by MIM (1964 onwards) drilling data Astrik (1987), Drill, soil, IP &amp; ground magnetics and geology data collected by Newcrest (1994-1996), rock chips collected by Dominion (1992). Drilling data collected by Coolgardie Gold (1999), Queensland Ores (2008-2011), Planet Metals-Drummond Gold (2011-2013). Planet Metals (ASX:PMQ) changed name to Cannindah Resources Ltd on 3 December 2014.</li> </ul> |



| Criteria                        | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Cannindah Resources Limited recommenced activities on site in 2015. Details of historical activities are available at ASX:CAE 17 March 2021.</li> <li>All documented historical Annual Reports from all parties is available in the Queensland Government Portal - <a href="#">Mining and exploration   Department of Natural Resources and Mines, Manufacturing and Regional and Rural Development</a></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Geology</b>                  | <ul style="list-style-type: none"> <li><i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <ul style="list-style-type: none"> <li>The geology of the Mt Cannindah Project is dominated by variable mineralisation styles including skarn, breccia, vein, and stockwork enveloping a central composite dioritic intrusive complex</li> <li>Strong structural controls are observed</li> <li>The Cannindah Breccia is an elongate structurally controlled hydrothermal shatter breccia located on a major rock rheology contrast between an intrusive diorite in a NS orientation and a sequence of interbedded fine grained volcanoclastic calcareous sediments now hornfelsed that dip to the east at a moderate dip. There is a strong albite alteration halo with mineralisation associated with a fluid channel dominated by calc potassic assemblage of carbonate sericite and sulphides.</li> <li>Minor intrusive dykes are observed.</li> </ul> |
| <b>Drill hole Information</b>   | <ul style="list-style-type: none"> <li><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <li><i>easting and northing of the drill hole collar</i></li> <li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li><i>dip and azimuth of the hole</i></li> <li><i>down hole length and interception depth</i></li> <li><i>hole length.</i></li> </ul> </li> <li><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul> | <ul style="list-style-type: none"> <li>Drill collars are surveyed using DGPS with an accuracy of +/-10cm in XYZ</li> <li>A drillhole table is provided with collar X Y Z, hole dip and azimuth, downhole length of intercept and hole depth as shown in Appendix 4.</li> <li>All drillholes were surveyed using commercially available and industry standard gyroscopic equipment hired from a commercial facility and operated by a trained professional driller.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Data aggregation methods</b> | <ul style="list-style-type: none"> <li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                             | <ul style="list-style-type: none"> <li>Results are reported at greater than 10m @ 0.1CuEq% and greater than 2m @ 1.0 CuEq% using a minimum 2m length with a 10m dilution.</li> <li>CAE have confidence that the Mt Cannindah ores are amenable to metallurgical treatments that result in excellent recoveries and produce concentrate of a saleable quality. These metals are commonly traded on worldwide metal markets. In the opinion of Cannindah Resources Ltd all the elements included in the metal equivalents calculation have reasonable potential of being recovered and sold.</li> </ul>                                                                                                                                                                                                                                                      |



| Criteria                                                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                         | <p><i>aggregations should be shown in detail.</i></p> <ul style="list-style-type: none"> <li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>The full equation for Copper equivalent is: <math>CuEq\% = (((Cu\_ \% * 93.00 * CuRecovery)/(93.00 * CuRecovery)) + ((Au\_ ppm * 96.45 * AuRecovery)/(93.00 * CuRecovery)) + ((Ag\_ ppm * 1.06 * AgRecovery)/(93.00 * CuRecovery)) + ((Mo\_ \% * 485.00 * MoRecovery)/(93.00 * CuRecovery)))</math>.</li> <li>Copper Equivalent reported in the MRE 3 July 2024 is based on historical pricing scenarios (2021) as previously released. This will be updated upon the receipt of material drill results and resource update.</li> </ul> |
| <b>Relationship between mineralisation widths and intercept lengths</b> | <ul style="list-style-type: none"> <li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul> | <ul style="list-style-type: none"> <li>All results are not true widths.</li> <li>The geometry of the mineralisation is undefined currently</li> <li>All intervals are downhole lengths and are apparent width.</li> </ul>                                                                                                                                                                                                                                                                                                                                                      |
| <b>Diagrams</b>                                                         | <ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>                                                                                                                                           | <ul style="list-style-type: none"> <li>As provided</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Balanced reporting</b>                                               | <ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>                                                                                                                                                                                   | <ul style="list-style-type: none"> <li>This is the 45<sup>th</sup> announcement relating to the Mt Cannindah Project since the recommencement of activities in 2015. All previous announcements are available at ASX:CAE and the company website.</li> </ul>                                                                                                                                                                                                                                                                                                                   |
| <b>Other substantive exploration data</b>                               | <ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>                       | <ul style="list-style-type: none"> <li>There is no other substantive exploration data associated with this release.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Further work</b>                                                     | <ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>                                                      | <ul style="list-style-type: none"> <li>Ongoing surface exploration activities will be completed to support the continued assessment of the Mt Cannindah Project including drill testing both infill and growth expansion, data validation and confirmation metallurgical testwork recoveries.</li> <li>Planned drill activities include upwards of 10000m in the Cannindah Breccia and the Southern Target. The amount of drilling activity is dependent upon the drill results and the interpreted prospectivity and opportunity.</li> <li>Diagrams are provided.</li> </ul>  |



## Cannindah Resources Limited

### Tenement Statement as at 30 June 2026

| Tenement Type | Tenement Number | Project Name            | Location   |
|---------------|-----------------|-------------------------|------------|
| EPM           | 14524           | Barrimoon               | Queensland |
| EPM           | 15261           | Mt Cannindah 2          | Queensland |
| ML            | 3201            | Mt Cannindah            | Queensland |
| ML            | 3202            | Mt Cannindah            | Queensland |
| ML            | 3203            | Mt Cannindah            | Queensland |
| ML            | 3204            | Mt Cannindah Extended 1 | Queensland |
| ML            | 3205            | Mt Cannindah Extended 2 | Queensland |
| ML            | 3206            | Mt Cannindah Extended 3 | Queensland |
| ML            | 3207            | Mt Cannindah Extended 4 | Queensland |
| ML            | 3208            | Mt Cannindah Extended 5 | Queensland |
| ML            | 3209            | Mt Cannindah Extended 6 | Queensland |
| ML            | 1442            | Piccadilly              | Queensland |
| EPM           | 16198           | Piccadilly              | Queensland |
| EPM           | 18322           | Piccadilly              | Queensland |
| EPM           | 27788           | Percy Marlow            | Queensland |
| EPM           | 27841           | Percy Windsor           | Queensland |

## Appendix 5B

### Mining exploration entity or oil and gas exploration entity quarterly cash flow report

Name of entity

CANNINDAH RESOURCES LIMITED

ABN

35 108 146 694

Quarter ended ("current quarter")

30 June 2026

| Consolidated statement of cash flows |                                                       | Current quarter<br>\$A'000 | Year to date (12<br>months)<br>\$A'000 |
|--------------------------------------|-------------------------------------------------------|----------------------------|----------------------------------------|
| <b>1.</b>                            | <b>Cash flows from operating activities</b>           |                            |                                        |
| 1.1                                  | Receipts from customers                               | -                          | -                                      |
| 1.2                                  | Payments for                                          |                            |                                        |
|                                      | (a) exploration & evaluation                          | -                          | -                                      |
|                                      | (b) development                                       | -                          | -                                      |
|                                      | (c) production                                        | -                          | -                                      |
|                                      | (d) staff costs                                       | (31)                       | (589)                                  |
|                                      | (e) administration and corporate costs                | (124)                      | (845)                                  |
| 1.3                                  | Dividends received (see note 3)                       | -                          | -                                      |
| 1.4                                  | Interest received                                     | 135                        | 178                                    |
| 1.5                                  | Interest and other costs of finance paid              | -                          | (13)                                   |
| 1.6                                  | Income taxes paid                                     | -                          | -                                      |
| 1.7                                  | Government grants and tax incentives                  | -                          | -                                      |
| 1.8                                  | Other                                                 | -                          | -                                      |
| <b>1.9</b>                           | <b>Net cash from / (used in) operating activities</b> | <b>(20)</b>                | <b>(1,269)</b>                         |

|           |                                             |         |         |
|-----------|---------------------------------------------|---------|---------|
| <b>2.</b> | <b>Cash flows from investing activities</b> |         |         |
| 2.1       | Payments to acquire or for:                 |         |         |
|           | (a) entities                                | -       | -       |
|           | (b) tenements                               | -       | -       |
|           | (c) property, plant and equipment           | (2)     | (124)   |
|           | (d) exploration & evaluation                | (3,358) | (6,209) |
|           | (e) investments                             | -       | -       |
|           | (f) other non-current assets                | -       | -       |

| <b>Consolidated statement of cash flows</b> |                                                       | <b>Current quarter<br/>\$A'000</b> | <b>Year to date (12<br/>months)<br/>\$A'000</b> |
|---------------------------------------------|-------------------------------------------------------|------------------------------------|-------------------------------------------------|
| 2.2                                         | Proceeds from the disposal of:                        |                                    |                                                 |
|                                             | (a) entities                                          | -                                  | -                                               |
|                                             | (b) tenements                                         | -                                  | -                                               |
|                                             | (c) property, plant and equipment                     | -                                  | -                                               |
|                                             | (d) investments                                       | -                                  | -                                               |
|                                             | (e) other non-current assets                          | -                                  | -                                               |
| 2.3                                         | Cash flows from loans to other entities               | -                                  | -                                               |
| 2.4                                         | Dividends received (see note 3)                       | -                                  | -                                               |
| 2.5                                         | Other                                                 | -                                  | -                                               |
| <b>2.6</b>                                  | <b>Net cash from / (used in) investing activities</b> | <b>(3,360)</b>                     | <b>(6,333)</b>                                  |

|             |                                                                                         |              |               |
|-------------|-----------------------------------------------------------------------------------------|--------------|---------------|
| <b>3.</b>   | <b>Cash flows from financing activities</b>                                             |              |               |
| 3.1         | Proceeds from issues of equity securities (excluding convertible debt securities)       | 3,925        | 22,551        |
| 3.2         | Proceeds from issue of convertible debt securities                                      | -            | -             |
| 3.3         | Proceeds from exercise of options                                                       | -            | 9             |
| 3.4         | Transaction costs related to issues of equity securities or convertible debt securities | (16)         | (1,054)       |
| 3.5         | Proceeds from borrowings                                                                | -            | 1,546         |
| 3.6         | Repayment of borrowings                                                                 | -            | (1,546)       |
| 3.7         | Transaction costs related to loans and borrowings                                       | -            | -             |
| 3.8         | Dividends paid                                                                          | -            | -             |
| 3.9         | Other - lease liabilities                                                               | -            | (46)          |
|             | - funds received for shares not yet issued                                              | (425)        | -             |
| <b>3.10</b> | <b>Net cash from / (used in) financing activities</b>                                   | <b>3,484</b> | <b>21,460</b> |

|           |                                                                              |         |         |
|-----------|------------------------------------------------------------------------------|---------|---------|
| <b>4.</b> | <b>Net increase / (decrease) in cash and cash equivalents for the period</b> |         |         |
| 4.1       | Cash and cash equivalents at beginning of period                             | 13,965  | 211     |
| 4.2       | Net cash from / (used in) operating activities (item 1.9 above)              | (20)    | (1,269) |
| 4.3       | Net cash from / (used in) investing activities (item 2.6 above)              | (3,360) | (6,333) |

| <b>Consolidated statement of cash flows</b> |                                                                  | <b>Current quarter<br/>\$A'000</b> | <b>Year to date (12 months)<br/>\$A'000</b> |
|---------------------------------------------|------------------------------------------------------------------|------------------------------------|---------------------------------------------|
| 4.4                                         | Net cash from / (used in) financing activities (item 3.10 above) | 3,484                              | 21,460                                      |
| 4.5                                         | Effect of movement in exchange rates on cash held                | -                                  | -                                           |
| <b>4.6</b>                                  | <b>Cash and cash equivalents at end of period</b>                | <b>14,069</b>                      | <b>14,069</b>                               |

| <b>5.</b>  | <b>Reconciliation of cash and cash equivalents</b><br>at the end of the quarter (as shown in the consolidated statement of cash flows) to the related items in the accounts | <b>Current quarter<br/>\$A'000</b> | <b>Previous quarter<br/>\$A'000</b> |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|
| 5.1        | Bank balances                                                                                                                                                               | 3,069                              | 13,965                              |
| 5.2        | Call deposits                                                                                                                                                               | 11,000                             | -                                   |
| 5.3        | Bank overdrafts                                                                                                                                                             | -                                  | -                                   |
| 5.4        | Other (provide details)                                                                                                                                                     | -                                  | -                                   |
| <b>5.5</b> | <b>Cash and cash equivalents at end of quarter (should equal item 4.6 above)</b>                                                                                            | <b>14,069</b>                      | <b>13,965</b>                       |

| <b>6.</b>                                                                                                                                                       | <b>Payments to related parties of the entity and their associates</b>                   | <b>Current quarter<br/>\$A'000</b> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------|
| 6.1                                                                                                                                                             | Aggregate amount of payments to related parties and their associates included in item 1 | 105                                |
| 6.2                                                                                                                                                             | Aggregate amount of payments to related parties and their associates included in item 2 | -                                  |
| <i>Note: if any amounts are shown in items 6.1 or 6.2, your quarterly activity report must include a description of, and an explanation for, such payments.</i> |                                                                                         |                                    |

## Mining exploration entity or oil and gas exploration entity quarterly cash flow report

| 7.  | <b>Financing facilities</b><br><i>Note: the term "facility" includes all forms of financing arrangements available to the entity.<br/>Add notes as necessary for an understanding of the sources of finance available to the entity.</i>                                                                                                    | <b>Total facility amount at quarter end<br/>\$A'000</b> | <b>Amount drawn at quarter end<br/>\$A'000</b> |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|
| 7.1 | Loan facilities                                                                                                                                                                                                                                                                                                                             | -                                                       | -                                              |
| 7.2 | Credit standby arrangements                                                                                                                                                                                                                                                                                                                 | -                                                       | -                                              |
| 7.3 | Other (Finance Lease)                                                                                                                                                                                                                                                                                                                       | -                                                       | -                                              |
| 7.4 | <b>Total financing facilities</b>                                                                                                                                                                                                                                                                                                           | -                                                       | -                                              |
| 7.5 | <b>Unused financing facilities available at quarter end</b>                                                                                                                                                                                                                                                                                 |                                                         | -                                              |
| 7.6 | Include in the box below a description of each facility above, including the lender, interest rate, maturity date and whether it is secured or unsecured. If any additional financing facilities have been entered into or are proposed to be entered into after quarter end, include a note providing details of those facilities as well. |                                                         |                                                |

| 8.    | <b>Estimated cash available for future operating activities</b>                                                                                                                                                                     | <b>\$A'000</b> |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 8.1   | Net cash from / (used in) operating activities (item 1.9)                                                                                                                                                                           | (20)           |
| 8.2   | (Payments for exploration & evaluation classified as investing activities) (item 2.1(d))                                                                                                                                            | (3,358)        |
| 8.3   | Total relevant outgoings (item 8.1 + item 8.2)                                                                                                                                                                                      | (3,378)        |
| 8.4   | Cash and cash equivalents at quarter end (item 4.6)                                                                                                                                                                                 | 14,069         |
| 8.5   | Unused finance facilities available at quarter end (item 7.5)                                                                                                                                                                       | -              |
| 8.6   | Total available funding (item 8.4 + item 8.5)                                                                                                                                                                                       | 14,069         |
| 8.7   | <b>Estimated quarters of funding available (item 8.6 divided by item 8.3)</b>                                                                                                                                                       | 4.17           |
|       | <i>Note: if the entity has reported positive relevant outgoings (ie a net cash inflow) in item 8.3, answer item 8.7 as "N/A". Otherwise, a figure for the estimated quarters of funding available must be included in item 8.7.</i> |                |
| 8.8   | If item 8.7 is less than 2 quarters, please provide answers to the following questions:                                                                                                                                             |                |
| 8.8.1 | Does the entity expect that it will continue to have the current level of net operating cash flows for the time being and, if not, why not?                                                                                         |                |
|       | Answer: N/A                                                                                                                                                                                                                         |                |
| 8.8.2 | Has the entity taken any steps, or does it propose to take any steps, to raise further cash to fund its operations and, if so, what are those steps and how likely does it believe that they will be successful?                    |                |
|       | Answer: N/A                                                                                                                                                                                                                         |                |
| 8.8.3 | Does the entity expect to be able to continue its operations and to meet its business objectives and, if so, on what basis?                                                                                                         |                |
|       | Answer: N/A                                                                                                                                                                                                                         |                |
|       | <i>Note: where item 8.7 is less than 2 quarters, all of questions 8.8.1, 8.8.2 and 8.8.3 above must be answered.</i>                                                                                                                |                |

## **Compliance statement**

- 1 This statement has been prepared in accordance with accounting standards and policies which comply with Listing Rule 19.11A.
- 2 This statement gives a true and fair view of the matters disclosed.

Date: 31 July 2026.....

Authorised by: By the Board of Cannindah Resources Limited .....

(Name of body or officer authorising release – see note 4)

## **Notes**

1. This quarterly cash flow report and the accompanying activity report provide a basis for informing the market about the entity's activities for the past quarter, how they have been financed and the effect this has had on its cash position. An entity that wishes to disclose additional information over and above the minimum required under the Listing Rules is encouraged to do so.
2. If this quarterly cash flow report has been prepared in accordance with Australian Accounting Standards, the definitions in, and provisions of, *AASB 6: Exploration for and Evaluation of Mineral Resources* and *AASB 107: Statement of Cash Flows* apply to this report. If this quarterly cash flow report has been prepared in accordance with other accounting standards agreed by ASX pursuant to Listing Rule 19.11A, the corresponding equivalent standards apply to this report.
3. Dividends received may be classified either as cash flows from operating activities or cash flows from investing activities, depending on the accounting policy of the entity.
4. If this report has been authorised for release to the market by your board of directors, you can insert here: "By the board". If it has been authorised for release to the market by a committee of your board of directors, you can insert here: "By the [name of board committee – eg Audit and Risk Committee]". If it has been authorised for release to the market by a disclosure committee, you can insert here: "By the Disclosure Committee".
5. If this report has been authorised for release to the market by your board of directors and you wish to hold yourself out as complying with recommendation 4.2 of the ASX Corporate Governance Council's *Corporate Governance Principles and Recommendations*, the board should have received a declaration from its CEO and CFO that, in their opinion, the financial records of the entity have been properly maintained, that this report complies with the appropriate accounting standards and gives a true and fair view of the cash flows of the entity, and that their opinion has been formed on the basis of a sound system of risk management and internal control which is operating effectively.