

ASX Announcement 30 June 2026

First Phase of Grade Control Drilling at Mt Stirling Complete, Advancing Mine Planning Ahead of Anticipated MDCP Approval

Highlights

- **Assay results have now been received** from the vast majority of samples from the first phase of grade control drilling at Mt Stirling.
- **Batch seven continues to return elevated grade and wide zones of mineralisation**, consistent with results from prior rounds including:
 - **21m @ 2.36g/t Au** from 7m (BMLRC033)
 - **16m @ 2.13g/t Au** from 1m, incl **2m @ 6.05g/t Au** from 1m (BMLRC032)
 - **16m @ 2.35g/t Au** from 13m, incl **2m @ 6.88g/t Au** from 17m (BMLRC045)
 - **18m @ 1.5g/t Au** from 16m (BMLRC034)
- **Localised higher-grade intervals continue to be recorded** within the broader envelop including:
 - **7m @ 3.25g/t Au** from 29m, incl **1m @ 11.00g/t Au** from 32m (BMLRC047)
 - **4m @ 3.32g/t Au** from 8m (BMLRC047)
- **Grade control data continues is now informing updated mining models and mine planning**, in preparation for the anticipated approval of the Mining and Development Closure Proposal (MDCP).
- **~21,597m of 34,000m program now completed.** With the first phase at Mt Stirling largely complete, focus shift to Mt Stirling Well and mine planning, subject to MDCP approval.

GoldArc Resources Limited (ASX:GA8) ('GoldArc' or 'the Company') is pleased to report the completion of the first phase of grade control drilling at the Mt Stirling gold deposit, Western Australia, with assay results now received for the vast majority of samples from the partner-funded reverse circulation (RC) program. These results are informing updated mining models and mine planning in preparation for the anticipated approval of the Mining and Development Closure Plan (MDCP).

While mine planning progresses at Mt Stirling, grade control drilling continues at the adjacent Mt Stirling Well deposit (M37/1305), with a second batch of results reported in this announcement.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



GoldArc

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



The 34,000m grade control program is fully funded by BML Ventures Pty Ltd ('BMLV') under a 50/50 net profit share arrangement, with GoldArc retaining 100% ownership of Mt Stirling (M37/1306) and Stirling Well (M37/1305).

GoldArc Resources Managing Director, Paul Stephen commented: "Completing the first phase of grade control drilling at Mt Stirling is an important milestone for the project. We now have assay results for the vast majority of samples, and that dataset is feeding directly into updated mining models and mine planning as we prepare for the anticipated approval of the MDCP. Results like 21m @ 2.36 g/t Au and 16m @ 2.35g/t Au, including higher-grade zones within them, continue to support the geological model we've built across these rounds.

With mine planning progressing at Mt Stirling, we're pleased to have also commenced grade control drilling at Mt Stirling Well. Subject to MDCP approval, we look forward to mining commencing at Mt Stirling and continuing our work with BML Ventures across both deposits."

Grade Control Drilling Program (Seventh Round – Mt Stirling Eastern Sector)

Approximately 21,597m of the 34,000m grade control RC program has now been completed, with assay results received for the vast majority of dispatched samples. This represents the completion of the first phase of grade control drilling at Mt Stirling.

The Mt Stirling results reported in this announcement relate to 13 holes for 478m from submissions 21, covering the eastern sector of the Mt Stirling deposit (M37/1306) (Figure 1) and continue to demonstrate both broad ore envelope continuity, consistent with the pattern established across preceding batches.

The most notable intercept in this batch is BMLRC032 (**16m @ 2.13 g/t Au** from 1m, including **2m @ 6.05 g/t Au** from 1m). This combines a higher-grade interval within a broader mineralised zone, consistent with results reported in earlier rounds. See Table 1 for significant intercepts and Appendix 1.

Table 1: Mt Stirling Significant intercepts (all widths are downhole widths)

Hole ID	From (m)	To (m)	Width (m)	Grade
BMLRC045	13	29	16	2.35
<i>Incl</i>	17	19	2	6.88
BMLRC032	1	17	16	2.13
<i>Incl</i>	1	3	2	6.05
BMLRC033	7	28	21	2.36
BMLRC034	16	34	18	1.50
BMLRC046	23	36	13	1.28
BMLRC047	29	36	7	3.25
<i>Incl</i>	32	33	1	11.00



GoldArc

BMLRC047	8	12	4	3.32
BMLRC045	8	10	2	2.66

Note: Broad intercepts in grey; localised higher-grade intervals ($\leq 5\text{m}$) in white. Nominal lower cutoff 0.5 g/t Au; maximum 2m internal dilution; all intervals length-weighted; no top cuts applied. See Appendix 1 for full significant intercept table and collar information. All widths are downhole widths.




Figure 1 – Plan View of Grade Control RC Drilling and the Block Model at Mt Stirling Gold Deposit

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208





GoldArc



Figure 2 – Plan View of Grade Control Inset at Mt Stirling Gold Deposit with the Most Significant Intercepts

Grade Control Drilling Program (Second Round - Mt Stirling Well)

Mt Stirling Well deposit (M37/1305), located approximately 700m southwest of Mt Stirling within the Leonora North hub (Figure 3) and hosts a JORC Inferred Mineral Resource of 198,000t @ 2.3 g/t Au (15,000oz). This is the second batch of grade results from the deposit.

A further 20 holes for approximately 480m have been completed, returning assays consistent with near-surface mineralisation reported in the first batch. Results continue to confirm gold mineralisation consistent with the resource model (see Table 2). See appendix 1.

At Mt Stirling Well, gold mineralisation is hosted within narrow, flat-dipping quartz veins within a granitoid host rock, a different structural setting to the Hydra Fault-controlled schistose-mylonitic mineralisation at Mt Stirling.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Table 2: Mt Stirling Well significant intercepts (all widths are downhole widths)

Hole ID	From (m)	To (m)	Width (m)	Grade
26BSWRC879	18	19	1	6.06
26BSWRC863	22	23	1	3.12
26BSWRC862	21	23	2	2.13

Note: Note: Results from Mt Stirling Well are at an early stage; further holes are planned to build grade control coverage across the deposit. See Appendix 1 for full collar information.




Figure 3 – Plan View of Grade Control RC Drilling and the Block Model at Mt Stirling Well Gold Deposit

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Figure 4 – Plan View of Grade Control Inset at Mt Stirling Well Gold Deposit with the Most Significant Intercepts

The table below summarises assay dispatches, reported results and pending submissions for the grade control program.

Batch	Dispatched	Samples	Results	Status
1-3	7, 13 & 18 Mar 2026	2,053	Announced	Previously reported to ASX, 13 April 2026
5-6	25 Mar 2026	864	Announced	Previously reported to ASX, 5 May 2026
4, 7-10	25 Mar & 2 Apr 2026	1,972	Announced	Previously reported to ASX, 21 May 2026
11-14 22-25	Apr-May 2026	3,721	Announced	Previously reported to ASX, 28 May 2026
15-17, 26	Apr-May 2026	1,267	Announced	Previously reported to ASX, 3 June 2026
18-20, 28	Apr-May 2026	1,439	Announced	Previously reported to ASX, 11 June 2026
21, 31	May-Jun 2026	786	This Announcement	Reported in this announcement

Note: Expected grade control assay dispatch and results schedule. Batches 21 and 31 results reported in this announcement. Samples vary from 1m to 4m composites.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

Mine Planning and the Mining and Development Closure Plan (MDCP)

With the first phase of grade control drilling at Mt Stirling now largely complete, GoldArc and BML Ventures are using the resulting dataset to update mining models and inform mine planning. This work is being progressed in preparation for the anticipated approval of the Mining and Development Closure Plan (MDCP), a regulatory approval required before mining operations can commence at Mt Stirling.

The timing of MDCP approval is subject to the relevant regulatory process and cannot be guaranteed; the Company will update the market as this progresses.

While mine planning advances at Mt Stirling, grade control drilling is ongoing at the adjacent Mt Stirling Well deposit, with results reported in this announcement representing the second batch from that program.

Geological Context

At Mt Stirling, gold mineralisation is hosted within high-strain schistose-mylonitic deformation within Hydra Fault, within a greenschist-style strongly hydrothermally altered meta-basalt. Gold is preferentially associated with strongly pervasively silicified/silica-flooded, sulphidic intervals with elevated/enriched arsenic contents.

At Mt Stirling Well, gold mineralisation occurs in a distinct structural setting (narrow, flat-dipping quartz veins within a granitoid host). Results from this second batch continue to confirm near surface, high-grade mineralisation consistent with the resource model, and supportive of continued grade coverage across this adjacent deposit.

Grade Control Drilling Program

The grade control program employs a closely spaced drill grid (fences 8m apart and holes ~6m apart along the fences) to systematically cover the Mt Stirling deposit ahead of potential open pit mining. Unlike exploration drilling, grade control drilling defines ore grades and boundaries at the resolution required for production scheduling. It is intended to assist BMLV in optimising extraction scenarios, reducing dilution risk and informing potential production scheduling from each blast zone.

The program is contractor-operated by Datum Drilling using RC methods, with samples prepared and assayed at Bureau Veritas in Kalgoorlie under a QAQC program including reference materials and blanks.

Next Steps

The Company is advancing the following near-term milestones:

- Continue 34,000m RC grade control program at Mt Stirling and Stirling Well under the BML Ventures partnership, with further result batches expected progressively.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

This announcement has been authorised for release by the Board of Directors.

- ENDS -

Investors

Paul Stephen

Managing Director

GoldArc Resources Limited

info@goldarcres.com.au

Investor Relations

Madeline Howson

Investor Relations

Discover Investor Relations

madeline@discover.com.au

Forward-Looking Statements Disclaimer

This announcement contains certain “forward-looking statements” and comments about future matters. Forward-looking statements can generally be identified by the use of forward-looking words such as, “expect”, “anticipate”, “likely”, “intend”, “should”, “estimate”, “target”, “outlook”, and other similar expressions and include, but are not limited to, indications of, and guidance or outlook on, future events, growth opportunities, exploration activities or the financial position or performance of the Company. You are cautioned not to place undue reliance on forward-looking statements. Any such statements, opinions and estimates in this release speak only as of the date hereof, are preliminary views and are based on assumptions and contingencies subject to change without notice. Forward-looking statements are provided as a general guide only. There can be no assurance that actual outcomes will not differ materially from these forward-looking statements. Any such forward-looking statement also inherently involves known and unknown risks, uncertainties and other factors and may involve significant elements of subjective judgement and assumptions that may cause actual results, performance and achievements to differ. Except as required by law the Company undertakes no obligation to finalise, check, supplement, revise or update forward-looking statements in the future, regardless of whether new information, future events or results or other factors affect the information contained in this announcement.

Competent Persons Statements

The information in this announcement as it relates to exploration results and geology is based on, and fairly represents, information and supporting documentation that was compiled by Mr. Ziggy Lubieniecki, who is a director, employee and shareholder of the Company. Mr. Lubieniecki has sufficient experience which is relevant to the styles of mineralisation and types of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Lubieniecki consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The information in this announcement that relates to the Orion-Sapphire Mineral Resources is contained in the ASX announcement released on 28 May 2024. The information in this announcement that relates to the gold Mineral Resources for the Mt Stirling Project is contained in the ASX announcements released on 25 February 2019, 29 January 2020 and 5 September 2022. The Company confirms that it is not aware of any new information or data that materially affects the information in the relevant market announcements, and that all material assumptions and technical parameters underpinning the estimates in the relevant announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original announcements.

ASX:GA8

GoldArc Resources


goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

About GoldArc Resources

GoldArc Resources Limited (ASX:GA8) is a Western Australian focused mineral exploration company with a portfolio of highly prospective gold projects located in the world-class Leonora and Kookynie districts of the Eastern Goldfields. GoldArc's strategy is focused on growing its existing 200,000oz JORC resource base and making new, large-scale discoveries through a disciplined and systematic approach to exploration.



GoldArc Resources Total JORC Mineral Resources

GoldArc Gold Projects	Category	Tonnes	Gold Grade (g/t Au)	Gold Ounces
Leonora North – Mt Stirling	Indicated	391,000	2.1	26,000
	Inferred	2,158,000	1.6	111,000
Leonora North – Stirling Well	Inferred	198,000	2.3	15,000
Leonora South – Orion	Inferred	370,000	2.2	26,409
Leonora South – Sapphire	Inferred	320,000	2.1	21,605
Total		3,437,000	1.82	200,014

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



GoldArc



ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Appendix 1 – RC Drillhole Information Collar Information *Coordinates provided in GDA94_Zone 51S*

Hole ID	East	North	RL	Depth	Dip	Azimuth	Deposit
BMLRC032	311,688	6,834,759	421	23	-60	240	Mt_Stirling
BMLRC033	311,693	6,834,762	421	32	-60	240	Mt_Stirling
BMLRC034	311,698	6,834,765	421	36	-60	240	Mt_Stirling
BMLRC045	311,689	6,834,769	420	36	-60	240	Mt_Stirling
BMLRC046	311,694	6,834,772	420	36	-60	240	Mt_Stirling
BMLRC047	311,699	6,834,774	420	36	-60	240	Mt_Stirling
BMLRC048	311,704	6,834,778	420	48	-60	240	Mt_Stirling
BMLRC049	311,710	6,834,781	420	51	-60	240	Mt_Stirling
BMLRC050	311,720	6,834,786	420	36	-60	240	Mt_Stirling
BMLRC051	311,730	6,834,793	421	36	-60	240	Mt_Stirling
BMLRC052	311,741	6,834,798	421	36	-60	240	Mt_Stirling
BMLRC053	311,751	6,834,804	421	36	-60	240	Mt_Stirling
BMLRC054	311,762	6,834,811	421	36	-60	240	Mt_Stirling
26BSWRC862	311,340	6,834,338	425	27	-87	270	Mt_Stirling Well
26BSWRC863	311,346	6,834,338	425	29	-87	270	Mt_Stirling Well
26BSWRC864	311,352	6,834,338	425	29	-87	270	Mt_Stirling Well
26BSWRC865	311,358	6,834,338	425	31	-87	270	Mt_Stirling Well
26BSWRC866	311,364	6,834,338	425	31	-87	270	Mt_Stirling Well
26BSWRC867	311,224	6,834,330	429	17	-87	270	Mt_Stirling Well
26BSWRC868	311,229	6,834,330	428	18	-87	270	Mt_Stirling Well
26BSWRC869	311,235	6,834,330	428	18	-87	270	Mt_Stirling Well
26BSWRC870	311,241	6,834,330	428	18	-87	270	Mt_Stirling Well
26BSWRC871	311,247	6,834,330	427	19	-87	270	Mt_Stirling Well
26BSWRC872	311,253	6,834,330	428	19	-87	270	Mt_Stirling Well
26BSWRC873	311,259	6,834,330	428	20	-87	270	Mt_Stirling Well
26BSWRC874	311,271	6,834,330	428	22	-87	270	Mt_Stirling Well
26BSWRC875	311,284	6,834,330	428	24	-87	270	Mt_Stirling Well
26BSWRC876	311,289	6,834,330	427	24	-87	270	Mt_Stirling Well
26BSWRC877	311,295	6,834,330	427	24	-87	270	Mt_Stirling Well
26BSWRC878	311,301	6,834,330	427	26	-87	270	Mt_Stirling Well
26BSWRC879	311,307	6,834,330	426	26	-87	270	Mt_Stirling Well
26BSWRC880	311,313	6,834,330	426	29	-87	270	Mt_Stirling Well
26BSWRC881	311,320	6,834,330	426	29	-87	270	Mt_Stirling Well



GoldArc

Significant Intercepts with nominal lower cut-off of 0.5 g/t Au was applied with maximum 2m of internal dilution

Intercepts	Depth From	Including	Hole ID	Deposit
16m @ 2.13g/t Au from 1m	16	2m @ 6.05g/t Au from 1m	BMLRC032	Mt Stirling
21m @ 2.36g/t Au from 7m	21		BMLRC033	Mt Stirling
18m @ 1.5g/t Au from 16m	18		BMLRC034	Mt Stirling
2m @ 2.66g/t Au from 8m	2		BMLRC045	Mt Stirling
16m @ 2.35g/t Au from 13m	16	2m @ 6.88g/t Au from 17m	BMLRC045	Mt Stirling
2m @ 1.03g/t Au from 18m	2		BMLRC046	Mt Stirling
13m @ 1.28g/t Au from 23m	13		BMLRC046	Mt Stirling
4m @ 3.32g/t Au from 8m	4		BMLRC047	Mt Stirling
3m @ 1.41g/t Au from 18m	3		BMLRC047	Mt Stirling
7m @ 3.25g/t Au from 29m	7	1m @ 11.00g/t Au from 32m	BMLRC047	Mt Stirling
5m @ 1.49g/t Au from 43m	5		BMLRC048	Mt Stirling
2m @ 1.17g/t Au from 39m	2		BMLRC049	Mt Stirling
1m @ 1.08g/t Au from 47m	1		BMLRC049	Mt Stirling
2m @ 2.13g/t Au from 21m	2		26BSWRC862	Mt Stirling Well
1m @ 3.12g/t Au from 22m	1		26BSWRC863	Mt Stirling Well
1m @ 1.24g/t Au from 23m	1		26BSWRC865	Mt Stirling Well
1m @ 2.84g/t Au from 25m	1		26BSWRC866	Mt Stirling Well
1m @ 0.95g/t Au from 10m	1		26BSWRC871	Mt Stirling Well
1m @ 1.11g/t Au from 16m	1		26BSWRC877	Mt Stirling Well
1m @ 6.06g/t Au from 18m	1		26BSWRC879	Mt Stirling Well

Appendix 2 – JORC Code, 2012 Edition – Table 1

Section 1 – Sampling Techniques and Data

Criteria	Commentary
Sampling techniques	- Samples were collected from Reverse Circulation drilling. Drillholes were generally drilled at a dip of approximately -60 degrees, unless otherwise stated in Appendix 1. RC samples were collected 1.00m-4m downhole using a cyclone splitter. Samples were collected using industry standard methods - All samples were crushed at the independent international accredited laboratory, 40g Fire Assay RC samples an established Industry-standard method for gold mineralisation - The sampling techniques used are deemed appropriate for the style of mineralisation and exploration undertaken - BML Ventures ensured all sample preparation was completed by independent international accredited laboratories
Drilling techniques	RC drilling was undertaken by Datum Drilling; Industry drilling methods and equipment were utilised to maximise sample integrity and recovery
Drill sample recovery	- All care was taken by Datum Drilling to maximise the drill sample recovery - Sample recovery and condition data are noted in geological comments as part of the logging process for RC drilling
Logging	- All drill holes have been geologically logged to an appropriate level of detail to support a mineral resource estimation - Logging is qualitative in nature based on the observational skills and experience of Geologist - All drilling was logged from start of hole to end of hole and all holes were logged. - Logging was captured digitally
Sub-sampling techniques and sample preparation	- Samples were prepared and analysed at Bureau Veritas in Kalgoorlie - Samples were crushed so that each sample had a nominal 85% passing 2mm - Sample preparation was by Bureau Veritas, and the samples were pulverised to less than 75um - All samples were analysed for gold via 40g fire assay with an AAS finish - The QAQC procedure included assaying of Oreas Standards, sand blanks and quartz washes between certain samples - Industry standard sampling methods employed, and size of samples is appropriate for material sampled
Quality of assay data and	- Routine 'standard' (mineralised pulp) Certified Reference Material (CRM) was inserted by BML Ventures at a nominal rate of 1 in 20 samples - Routine 'blank' material (unmineralised sand) was inserted at a nominal rate of 1 in 20 samples

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



Criteria	Commentary
laboratory tests	- No significant issues have been noted. The techniques are considered quantitative in nature - The analytical laboratories provided their own routine quality controls within their own practices as per international ISO standards
Verification of sampling and assaying	- Independent verification of significant intersections was carried out by additional company personnel, reviewing the original laboratory files and the assay database. Additional company personnel were present from the point of logging the geology to submission of the samples - This drilling forms part of the grade control program and is intended to provide closer-spaced data to support geological interpretation and mine planning studies. - There has been no adjustment to the assay data.
Location of data points	- Drill hole collars were surveyed in GDA 94_51 coordinates using both handheld GPS - Down hole surveys were taken at the end of the drilling using the Axis Gyro tool
Data spacing and distribution	Drill spacing is appropriate for the reporting of exploration results
Orientation of data in relation to geological structure	- The drilling is approximately perpendicular to the strike and dip of mineralisation and therefore the sampling is considered representative of the mineralised zones - The deposits are aligned with well-defined structural orientations, and drilling is oriented to generally intersect at a high angle to the mineralisation and the holes have been angled at -60
Sample security	Samples are packed into bags, sealed and transported to Bureau Veritas in Kalgoorlie by BMLV/contractor personnel under documented chain-of-custody procedures.
Audits or reviews	All assay data has been reviewed by two company personnel. No external audits have been conducted.

Section 2 – Reporting of Exploration Results

Criteria	Commentary
Mineral tenement and land tenure status	- Areas discussed herein are located on - M37/1306 and M37/1305 - An agreement between GoldArc and Ross Crew has been signed whereby Ross Crew retains a royalty on any production. - The Mt Stirling Gold Project in the Leonora Gold District of Western Australia comprises sixty-nine leases – 6 Mining leases, 1 Exploration lease and 62 Prospecting leases. The combined area of the project is approximately 17,876 ha. - There is a 2% royalty to a third party for minerals on these licenses. - There are no known impediments to obtaining a licence to operate.
Exploration done by other parties	- Mt Stirling Gold Tenements have undergone multiple drill programs over a protracted period focusing on areas around the historical prospects of Diorite King and Mt Stirling Well. Numerous significant intercepts occur outside of mined areas. - In 2014. A&C completed Aircore and RC drilling. - Hill Minerals 1984 Diorite King shaft sampling and RAB drilling - Esso Minerals 1986 mapping, RAB drilling - Mt Edon Mines 1988 mapping, rock chip sampling, RAB drilling, RC drilling during 1997-1998. - Tarmoola Australia 2000-2001 mapping and RC drilling on the Ursus Fault. - Jupiter Mines 2006-2010 geological reconnaissance, data acquisition, mapping and research on Kurrajong Project. 2006 AC around Diorite King, Golden King and Rose of Diorite. 93 holes for 1767m. - Bligh Resources and BMGS in 2010 to compile data for Diorite King. Mapping by Jon Standing, Southern Geoscience Consultants for geophysical interpretation in 2012. - Torian Resources (predecessor to Asra) engaged SGC to interpret the whole Mt Stirling Project. RC, diamond and vacuum drilling at Mt Stirling and Yttria REE deposit.
Geology	- The Mt Stirling Gold Project is located in the central part of the Norseman-Wiluna belt of the Eastern Goldfields terrane. - The project area is in the hinge zone of the gently north-plunging Tarmoola anticline. The greenstone sequence is thought to overlie a major detachment fault separating a granite gneiss complex (Leonora Batholith) from the overlying greenstones. The detachment fault hosts the Sons of Gwalia deposit at Leonora. The project area is an area of extensive gabbro-dolerite-basalt outcrop and subcrop. The mafic rocks dip about the Tarmoola Anticline variably at 30 to 60 degrees and can be divided into predominantly massive basalts in the west and pillowed, variolitic basalts in the east. The Mt Stirling syenogranite/monzogranite has intruded the massive basalts (Evans, 1998).

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208



GoldArc

Criteria	Commentary
	- Project stratigraphy consists of a succession of variolitic, pillowed high Mg basalts containing differentiated dolerite/gabbro sills. The two basalt lithotypes are divided by a central shear zone which trends 340° in the south and 315° in the north. The shear zone consists of chlorite±tremolite/actinolite schist with narrow quartz veins. Widely spaced sinistral shear bands trending 300-320° overprint the main foliation. Some quartz veins are compatible with the sinistral movement indicated by the shear bands. The main well-developed steeply (65-80 degrees) east-dipping fabric locally contains a well-developed sub-horizontal mineral lineation which appears to be doubly plunging. No alteration is observed within the shear zone at surface. The main shear zone and shear bands are interpreted to be D2 /- D3 structures. - The Mt Stirling syenogranite/monzogranite outcrops to the north of the Diorite CRG leases. Extensive millimetre to centimetre scale quartz veining is present with sericite/muscovite-epidote-pyrite alteration selvages adjacent to many veins. Alteration is not pervasive and is primarily associated with veining. Multiple quartz vein sets are present, producing local stockwork arrays. Numerous felsic dykes and plugs observed throughout the area possibly representing apophyses of the monzogranite pluton. - All significant results for completed AC and RC drilling have been tabulated. - The extent of drilling is shown with diagrams included in this announcement.
Drill hole Information	The extent of drilling is shown with diagrams and tables included in this announcement
Data aggregation methods	- All reported assay intervals have been length weighted. No top cuts were applied. - A nominal lower cut-off of 0.5 g/t Au was applied with maximum 2m of internal dilution allowed - Reported intervals relate to significant assay results from the current grade control program and have been calculated using the stated cut-off and internal dilution parameters. - High grade mineralised intervals internal to broader zones of lower grade mineralisation are reported as included intervals
Relationship between mineralisation widths and intercept lengths	- The drill holes are interpreted to be approximately perpendicular to the strike and dip of mineralisation. - All results were reported as down holes
Diagrams	Suitable figures have been included in the body of the announcement.
Balanced reporting	Key results and conclusions have been included in the body of the announcement.
Other substantive exploration data	Compilation of all historical exploration data at the project is underway and will be stored digitally.
Further work	Follow up field work is planned.

ASX:GA8

GoldArc Resources

goldarcres.com.au

104 Colin Street
West Perth WA 6005

+618 9420 8208

