

ASX ANNOUNCEMENT 10 AUGUST 2026

## FURTHER HIGH-GRADE RESULTS FROM KOBADA PRE-PRODUCTION DRILLING

***MRE update commenced based on  
26,000m of new resource definition drilling***

### HIGHLIGHTS

- Pre-production infill drilling at the Kobada Gold Project has continued to return high-grade gold mineralisation including:
  - 44m at 3.12g/t gold from 164m incl. 1m at 33.4g/t gold & 25m at 2.06g/t gold from 213m (KBRC26\_157B)
  - 58m at 1.22g/t gold from 96m (EOH) incl 1m at 10.7g/t gold & 3m at 6.69g/t gold (KBRC26\_157)
  - 6m at 3.78g/t gold from 222m & 17m at 3.95g/t gold from 233m (EOH) incl. 1m at 33.8g/t gold (KBRC26\_155A)
  - 33m at 1.70g/t gold from 147m (KBRC26\_180A)
  - 16m at 2.64g/t gold from 124m incl. 1m at 23.5g/t gold & 9m at 2.34g/t gold from 144m (KBRC26\_194)
  - 20m at 1.98g/t gold from 123m incl. 2m at 12.4g/t gold & 8m at 3.54g/t gold from 171m incl. 1m at 20.5g/t gold (KBRC26\_200)
- Results represent outstanding assays from the northern area of the Kobada Mineral Resource Estimate ("MRE"), with drilling targeted to increase data density in this area
- MRE update has now commenced aiming for completion by end Q3 2026
- Following completion of the MRE, the Company plans to update the Ore Reserve estimate and mine plan in Q4 2026. This work will support final pre-production planning ahead of the targeted commencement of mining in early 2027
- News flow from drilling to continue with RC drilling ongoing at Foroko and Gosso and the commencement of aircore drilling to the south of Kobada, exploring for potential southern extensions to mineralisation

Toubani Resources Limited (ASX: TRE) ("Toubani Resources" or the "Company") is pleased to announce further drill results from the RC drilling at its Kobada Gold Project ("Kobada", "Project") in southern Mali. The Kobada Project hosts 2.2 Moz<sup>1</sup> in Mineral Resources, which occurs over a 4.5km strike length and is predominantly oxide and open pit table.

The outstanding results have been received from infill drilling in the northern area of the Kobada MRE, targeting areas where further data were required to improve the definition of mineralised structures and increase confidence in the resource model. Update of the MRE has now commenced with completion targeted for end of Q3. Drilling continues at Kobada with rigs currently at Foroko and Gosso as well as aircore drilling commencing to the south of Kobada.

<sup>1</sup> Combined Indicated and Inferred Mineral Resource of 78Mt at 0.88g/t. Refer to ASX Announcement dated 2 July 2024

**ASX:TRE**

info@toubaniresources.com

3 Richardson Street  
West Perth, WA 6005

toubaniresources.com



**Toubani Managing Director, Phil Russo, commented:** *"This new batch of assays from pre-production infill drilling provide further proof of the robust, high-grade core at Kobada, adding valuable data as we commence updating the MRE ahead of finalising the Ore Reserves, pit design and mining schedule. The consistency across the results from this campaign reaffirms the calibre of Kobada and provides us with confidence as we move through construction towards our objective of bringing West Africa's next major gold asset into production. Meanwhile, drilling is progressing well at the nearby Foroko and Gosso targets. Targeting shallow, easily accessible oxide mineralization here is a key priority as it directly enhances our long-term mine plan and broadens operational flexibility."*

### Overview of Drilling Activities

Results presented in this announcement are from an infill drilling program in the northern part of the Kobada MRE. These holes represent the balance of the results from this program, which were pending due to delays in assaying samples at the independent analytical laboratory in Bamako. The receipt of these results enables the commencement of the MRE update by independent external consultants, which is anticipated to be completed at the end of Q3 2026.

Two RC rigs are operating on site currently at the Foroko area, to the northeast of Kobada. Following completion of drilling at Foroko the rigs will move to the Gosso area, east of Kobada. Drilling in these areas aims to delineate mineralisation at a close enough spacing to enable a MRE to be estimated. This will allow the potential for both areas to provide alternative sources of feed to the Kobada processing plant to be evaluated later in 2026 as part of the update to the Ore Reserves and mining schedule.

### Summary of Pre-Production RC Drill Results within the Kobada MRE

Infill drilling in the northern portion of the Kobada MRE aims to delineate mineralisation in this area at a higher level of detail to enable final mine planning and scheduling to be completed prior to the commencement of mining at the start of 2027. These holes also test extensions to mineralisation not closed off in the 2024 resource drilling such as 71m at 1.86g/t gold (KBRC24\_030, including 15m at 4.04g/t gold) and 21m at 2.97g/t gold plus 10m at 4.37g/t (KBRC24\_035), as well as providing additional data to assist in the targeting of deeper drilling.

Results have continued to intersect significant widths and grades of mineralisation in the core of the Kobada MRE and have provided additional data in the lower portion of the MRE (between 100 and 200 metres vertical depth). As stated above detailed interpretation of results requires the complete set of assays, but initial indications are that these results will have a positive local impact on the MRE in these areas.

All assays received are tabulated in Appendix 1 with new significant intersections including:

- 3m at 11.3g/t gold from 155m  
54m at 1.37g/t gold from 166m (EOH) (KBRC26\_150)
- 45m at 1.35g/t gold from 115m  
6m at 1.49g/t gold from 198m  
7m at 1.91g/t gold from 211m  
21m at 1.95g/t gold from 229m (EOH) (KBRC26\_152)
- 7m at 1.60g/t gold from 143m  
14m at 1.16g/t gold from 201m  
6m at 3.78g/t gold from 222m  
17m at 3.95g/t gold from 233m (EOH)  
incl. 1m at 33.8g/t gold from 237m (KBRC26\_155A)
- 7m at 1.57g/t gold from 113m  
8m at 3.77g/t gold from 227m  
12m at 1.94g/t gold from 238m (KBRC26\_156)

- 58m at 1.22g/t gold from 96m (EOH)  
 incl. 1m at 10.7g/t gold from 108m  
 incl. 3m at 6.69g/t gold from 125m (KBRC26\_157)
- 11m at 2.24g/t gold from 146m  
 44m at 3.12g/t gold from 164m  
 incl. 1m at 33.4g/t gold from 195m  
 25m at 2.06g/t gold from 213m  
 2m at 1.14g/t gold from 248m (EOH) (KBRC26\_157B)
- 1m at 22.0g/t gold from 21m  
 1m at 9.36g/t gold from 27m  
 9m at 1.62g/t gold from 128m  
 33m at 1.70g/t gold from 147m (KBRC26\_180A)
- 17m at 1.80g/t gold from 43m  
 incl. 1m at 10.4g/t gold from 50m (KBRC26\_183)
- 16m at 2.64g/t gold from 124m  
 incl. 1m at 23.5g/t gold from 127m  
 9m at 2.34g/t gold from 144m (KBRC26\_194)
- 20m at 1.98g/t gold from 123m  
 incl. 2m at 12.4g/t gold from 136m  
 8m at 3.54g/t gold from 171m  
 incl. 1m at 20.5g/t gold from 171m (KBRC26\_200)
- 20m at 1.07g/t gold from 188m (KBRC26\_201)
- 8m at 1.48g/t gold from 138m  
 19m at 1.69g/t gold from 161m (KBRC26\_202)

These build on results previously received from this area which are also tabulated in Appendix 1 and were announced on 23rd June 2026:

- 53m at 3.67g/t gold from 87m (EOH)  
 incl. 7m at 16.3g/t gold from 103m (KBRC26\_142)
- 26m at 1.00g/t gold from 104m  
 incl. 1m at 11.6g/t gold from 116m  
 39m at 2.07g/t gold from 141m (EOH) (KBRC26\_146)
- 31m at 3.12g/t gold from 187m  
 20m at 4.58g/t gold from 198m  
 incl. 1m at 64.6g/t gold from 204m  
 34m at 1.45g/t gold from 228m  
 incl. 6m at 4.94g/t gold from 256m  
 2m at 9.05g/t gold from 277m (KBRC26\_160)
- 12m at 15.7g/t gold from 123m (EOH)  
 incl. 1m at 65.1g/t gold from 126m  
 incl. 1m at 61.9g/t gold from 133m (KBRC26\_161A)

- 72m at 2.27g/t gold from 91m  
incl. 3m at 16.8g/t gold from 121m  
incl. 4m at 12.5g/t gold from 151m  
19m at 2.03g/t gold from 170m  
15m at 4.93g/t gold from 204m (EOH)  
incl. 3m at 19.8g/t gold from 207m (KBRC26\_161B)
- 23m at 1.15g/t gold from 121m  
incl. 6m at 5.06g/t gold from 135m  
31m at 1.90g/t gold from 150m  
54m at 1.09g/t gold from 193m  
incl. 1m at 17.6g/t gold from 196m (KBRC26\_164)
- 62m at 1.52g/t gold from 139m (KBRC26\_188)
- 61m at 1.80g/t gold from 183m  
incl. 7m at 6.61g/t gold from 201m  
14m at 1.33g/t gold from 236m (EOH) (KBRC26\_190)
- 12m at 4.41g/t gold from 49m  
incl. 1m at 35.2g/t gold from 57m  
12m at 0.84g/t gold from 66m (KBRC26\_193)




Figure 1: Plan showing infill drilling results at Kobada (refer Figure 2 for location)

## **Forward Drill Plan**

Current RC drilling is testing mineralisation at the Gosso prospect where mineralisation was intersected in previous drilling by Toubani (refer ASX Announcement 19 July 2023). The aim is to test the potential for near surface, open-pittable oxide Mineral Resources at Gosso, where significant artisanal activity has occurred.

This follows the completion of a 108 hole, 19,138 metre program at the Foroko prospect, to the north-east of the Kobada MRE, again targeting near surface, potentially open-pittable oxide Mineral Resources. First assays from these drillholes have begun to be received and all results are expected to be reported by the end of the month.

Mineral Resources which are delineated at both Foroko and Gosso will be evaluated as a potential source of mill feed, either later in the Project life or as an alternative mining front to increase optionality in scheduling and equipment usage. Similar targets exist at Kobada West and Kobada South which are scheduled for drilling later in 2026. Results from each prospect will be released as they are received.

In addition to the RC drilling in progress, the Company has recently commenced aircore drilling at targets along the over 50km of mineralised structures within the Company's licenses. The first area to be tested in this program is the Kobada South Extension area, located along strike and along trend from the Kobada South area (Figure 2). RC drilling in the Kobada South area identified multiple mineralised lodes within and parallel to the Kobada Shear (refer ASX Announcements 16 February 2026 and 23 June 2026) and this aircore drilling aims to identify potential extensions to these lodes. Once the location of these structures is defined targeted RC drilling can be carried out should mineralisation continue at similar tenor.

Following the completion of drilling at Kobada South Extension the aircore rig will move to test targets at Kobada North and Kobada West where mineralisation has been intersected in previous drilling (refer ASX Announcement 19 July 2023). Again the aim will be to identify the location of mineralised structures for follow up RC drilling.

The Company also plans to trial the use of Induced Polarisation geophysical surveys over certain prospects, likely in parallel with aircore drilling. Other explorers in West Africa have been able to use the technique to map key structures in area of cover and / or subdued magnetic response which enables exploration drilling to be more focussed. At Kobada it is also expected to assist in delineating cross-structures which are interpreted to influence high grade zones within the Kobada Main Deposit.

## **About Toubani Resources**

Toubani Resources (ASX: TRE) is a development Company with a focus on advancing Africa's next large gold development project with its oxide-dominant Kobada Gold Project. The Company has a highly experienced Board and management team with a proven African track record in advancing projects through exploration, development and into production. For more information regarding Toubani Resources visit our website at [www.toubaniresources.com](http://www.toubaniresources.com).

This announcement has been authorised for release by the Board of Toubani Resources Limited.

### **For more information:**

**Phil Russo**  
Managing Director  
[info@toubaniresources.com](mailto:info@toubaniresources.com)




Figure 2: Plan showing recent RC drilling at Kobada and Kobada South as well as location of Figure 1 (Inset Map)

### **Cautionary statements**

This announcement contains "forward-looking statements" and "forward-looking information" (together, "forward-looking statements"). Forward-looking statements include, but are not limited to, statements regarding the expansion of mineral resources and ore reserves, and drilling and exploration plans of the Company. Generally, forward-looking statements can be identified by the use of forward-looking terminology such as "plans", "expects" or "does not expect", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates" or "does not anticipate", or "believes", or variations of such words and phrases or statements that certain actions, events or results "may", "could", "would", "might" or "will be taken", "occur" or "be achieved". Forward-looking statements are subject to known and unknown risks, uncertainties and other factors that may cause the actual results, level of activity, performance or achievements of the Company to be materially different from those expressed or implied by such forward-looking statements, including but not limited to: receipt of necessary approvals from Australian regulatory authorities; general business, economic, competitive, political and social uncertainties; future prices of mineral prices; accidents, labour disputes and shortages; available infrastructure and supplies; pandemics and other risks of the mining industry. Although the Company has attempted to identify important factors that could cause actual results to differ materially from those contained in forward-looking statements, there may be other factors that cause results not to be as anticipated, estimated or intended. There can be no assurance that such information will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements. The Company does not undertake to update any forward-looking statements, except in accordance with applicable laws.

### **Competent Person's Statement**

The information in this announcement relating to Exploration Results and Mineral Resources is based on information compiled, reviewed and assessed by Mr. Kerry Griffin. Mr Griffin is an employee of the Company, a Member of the Australian Institute of Geoscientists, and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (**JORC Code**). Mr Griffin consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.

## Mineral Resources & Ore Reserves for the Kobada Gold Project

**Table 1: Mineral Resources for the Kobada Gold Project**

| Material           | Indicated   |             |              | Inferred    |             |              | Total       |             |              |
|--------------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|
|                    | Tonnes (Mt) | Grade (g/t) | Ounces (Moz) | Tonnes (Mt) | Grade (g/t) | Ounces (Moz) | Tonnes (Mt) | Grade (g/t) | Ounces (Moz) |
| Oxide <sup>1</sup> | 49          | 0.88        | 1.38         | 3           | 0.81        | 0.08         | 52          | 0.88        | 1.46         |
| Fresh <sup>2</sup> | 22          | 0.84        | 0.60         | 4           | 1.10        | 0.13         | 26          | 0.88        | 0.73         |
| <b>Total</b>       | <b>71</b>   | <b>0.87</b> | <b>1.99</b>  | <b>7</b>    | <b>0.97</b> | <b>0.21</b>  | <b>78</b>   | <b>0.88</b> | <b>2.20</b>  |

Tonnages are dry metric tonnes. Minor discrepancies may occur due to rounding.

<sup>1</sup> Oxide refers to Laterite, Saprolite and Transitional material. Oxide resources quoted above 0.25g/t.

<sup>2</sup> Fresh rock resources quoted above 0.3g/t.

Information on the Mineral Resources for the Kobada Gold Project presented in this announcement is extracted from the Company's ASX announcement dated 2 July 2024.

**Table 2: Ore Reserves for the Kobada Gold Project**

| Material           | Proved      |             |              | Probable    |             |              | Total       |             |              |
|--------------------|-------------|-------------|--------------|-------------|-------------|--------------|-------------|-------------|--------------|
|                    | Tonnes (Mt) | Grade (g/t) | Ounces (Moz) | Tonnes (Mt) | Grade (g/t) | Ounces (Moz) | Tonnes (Mt) | Grade (g/t) | Ounces (Moz) |
| Oxide <sup>1</sup> | -           | -           | -            | 44.3        | 0.88        | 1.26         | 44.3        | 0.88        | 1.26         |
| Fresh <sup>2</sup> | -           | -           | -            | 9.4         | 0.99        | 0.30         | 9.4         | 0.99        | 0.30         |
| <b>Total</b>       | <b>-</b>    | <b>-</b>    | <b>-</b>     | <b>53.8</b> | <b>0.90</b> | <b>1.56</b>  | <b>53.8</b> | <b>0.90</b> | <b>1.56</b>  |

Tonnages are dry metric tonnes. Minor discrepancies may occur due to rounding.

<sup>1</sup> Oxide refers to Laterite, Saprolite and Transitional material. Oxide resources quoted above 0.29g/t.

<sup>2</sup> Fresh rock resources quoted above 0.37g/t.

Information on the Ore Reserves for the Kobada Gold Project presented in this announcement is extracted from the Company's ASX announcement dated 31 March 2025.

The Company confirms that it is not aware of any new information or data that materially affects the information in the relevant market announcements, that all material assumptions and technical parameters underpinning the Mineral Resource estimate and the Ore Reserve estimate continue to apply and have not materially changed, and that the form and context in which the Competent Persons findings are presented have not been materially modified from the original announcement.

**Appendix 1. 2026 Kobada RC Drilling Data and Results (New Results in bold)**

| Hole ID    | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
| KBRC26-001 | 544779  | 1286849  | 416 | -60 | 290 | 70    | 31       | 39     | 8      | 0.30     |
|            |         |          |     |     |     |       | 46       | 51     | 5      | 0.33     |
| KBRC26-002 | 544914  | 1286972  | 432 | -60 | 290 | 120   | 60       | 61     | 1      | 0.92     |
|            |         |          |     |     |     |       | 85       | 86     | 1      | 39.7     |
|            |         |          |     |     |     |       | 105      | 109    | 4      | 0.36     |
| KBRC26-003 | 544875  | 1286982  | 430 | -60 | 290 | 100   | 16       | 17     | 1      | 0.50     |
|            |         |          |     |     |     |       | 77       | 79     | 2      | 2.41     |
|            |         |          |     |     |     |       | 85       | 87     | 2      | 2.39     |
| KBRC26-004 | 544885  | 1286894  | 418 | -60 | 290 | 120   | 13       | 16     | 3      | 1.42     |
|            |         |          |     |     |     |       | 96       | 100    | 4      | 0.60     |
| KBRC26-005 | 544907  | 1287056  | 431 | -60 | 290 | 140   | 59       | 65     | 6      | 0.57     |
|            |         |          |     |     |     |       | 85       | 93     | 8      | 0.63     |
| KBRC26-006 | 544944  | 1287047  | 436 | -60 | 290 | 170   |          |        | NSI    |          |
| KBRC26-007 | 544709  | 1287128  | 430 | -60 | 290 | 40    |          |        | NSI    |          |
| KBRC26-008 | 544748  | 1287112  | 425 | -60 | 290 | 70    | 60       | 61     | 1      | 0.42     |
|            |         |          |     |     |     |       | 67       | 69     | 2      | 0.55     |
| KBRC26-009 | 544794  | 1287099  | 425 | -60 | 290 | 100   | 19       | 22     | 3      | 0.45     |
| KBRC26-010 | 545001  | 1287193  | 429 | -60 | 290 | 190   | 163      | 167    | 4      | 1.32     |
|            |         |          |     |     |     |       | 172      | 179    | 7      | 0.63     |
| KBRC26-011 | 544971  | 1287123  | 425 | -60 | 290 | 160   | 20       | 25     | 5      | 0.43     |
| KBRC26-012 | 544996  | 1287362  | 418 | -60 | 290 | 180   | 14       | 16     | 2      | 0.64     |
|            |         |          |     |     |     |       | 21       | 25     | 4      | 2.22     |
| KBRC26-013 | 544970  | 1287713  | 410 | -60 | 290 | 140   |          | NSI    | NSI    |          |
| KBRC26-014 | 544884  | 1287829  | 405 | -60 | 290 | 80    | 44       | 47     | 3      | 0.39     |
| KBRC26-015 | 545697  | 1289239  | 402 | -60 | 290 | 102   | 73       | 77     | 4.00   | 0.42     |
|            |         |          |     |     |     |       | 81       | 90     | 9.00   | 0.39     |
| KBRC26-016 | 546147  | 1289074  | 412 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-017 | 545769  | 1289213  | 402 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-018 | 545847  | 1289181  | 405 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-019 | 546299  | 1289020  | 403 | -60 | 290 | 84    | 40       | 41     | 1.00   | 1.27     |
| KBRC26-020 | 545922  | 1289159  | 406 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-021 | 546449  | 1288964  | 408 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-022 | 545998  | 1289131  | 405 | -60 | 290 | 102   | 8        | 9      | 1.00   | 0.43     |
| KBRC26-023 | 546074  | 1289106  | 422 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-024 | 546599  | 1288913  | 414 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-025 | 546579  | 1289091  | 404 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-026 | 546746  | 1288856  | 410 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-027 | 546502  | 1289112  | 405 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-028 | 546205  | 1289224  | 423 | -60 | 290 | 84    | 19       | 20     | 1.00   | 1.06     |
| KBRC26-029 | 546354  | 1289171  | 421 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-030 | 546649  | 1289063  | 411 | -60 | 290 | 84    |          |        | NSI    |          |

| Hole ID    | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
| KBRC26-031 | 546806  | 1289009  | 412 | -60 | 290 | 84    | 76       | 77     | 1.00   | 0.80     |
| KBRC26-032 | 546129  | 1289253  | 394 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-033 | 545832  | 1289362  | 394 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-034 | 545900  | 1289338  | 393 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-035 | 545750  | 1289393  | 396 | -60 | 290 | 102   | 35       | 40     | 5.00   | 5.35     |
|            |         |          |     |     |     | incl  | 39       | 40     | 1.00   | 25.84    |
|            |         |          |     |     |     |       | 71       | 73     | 2.00   | 0.38     |
|            |         |          |     |     |     |       | 95       | 96     | 1.00   | 0.62     |
| KBRC26-036 | 546409  | 1289320  | 390 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-037 | 546259  | 1289375  | 387 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-038 | 546556  | 1289270  | 390 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-039 | 546635  | 1289245  | 395 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-040 | 546707  | 1289216  | 395 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-041 | 546858  | 1289161  | 393 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-042 | 546315  | 1289526  | 375 | -60 | 290 | 102   | 4        | 6      | 2.00   | 0.31     |
|            |         |          |     |     |     |       | 13       | 14     | 1.00   | 1.55     |
| KBRC26-043 | 546389  | 1289500  | 374 | -60 | 290 | 102   | 12       | 15     | 3.00   | 0.30     |
| KBRC26-044 | 546466  | 1289474  | 372 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-045 | 546541  | 1289449  | 386 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-046 | 546613  | 1289423  | 392 | -60 | 290 | 102   | 5        | 7      | 2.00   | 0.33     |
| KBRC26-047 | 546684  | 1289387  | 390 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-048 | 545871  | 1289516  | 392 | -60 | 290 | 102   | 22       | 23     | 1.00   | 0.92     |
|            |         |          |     |     |     |       | 90       | 91     | 1.00   | 0.83     |
| KBRC26-049 | 545956  | 1289478  | 385 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-050 | 546030  | 1289456  | 383 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-051 | 546769  | 1289365  | 396 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-052 | 546595  | 1289592  | 384 | -60 | 290 | 102   | 5        | 8      | 3.00   | 0.30     |
| KBRC26-053 | 546658  | 1289561  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-054 | 546744  | 1289541  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-055 | 546815  | 1289512  | 392 | -60 | 290 | 84    | 4        | 6      | 2.00   | 0.61     |
| KBRC26-056 | 546519  | 1289623  | 388 | -60 | 290 | 84    | 12       | 13     | 1.00   | 0.30     |
| KBRC26-057 | 546367  | 1289679  | 392 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-058 | 546291  | 1289701  | 383 | -60 | 290 | 88    | 7        | 8      | 1.00   | 0.37     |
| KBRC26-059 | 546215  | 1289727  | 369 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-060 | 546141  | 1289759  | 370 | -60 | 290 | 102   | 8        | 9      | 1.00   | 2.50     |
| KBRC26-061 | 546423  | 1289822  | 391 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-062 | 546263  | 1289884  | 369 | -60 | 290 | 102   | 7        | 10     | 3.00   | 0.30     |
| KBRC26-063 | 546640  | 1289748  | 380 | 0   | 290 | 102   |          |        | NSI    |          |
| KBRC26-064 | 546571  | 1289772  | 380 | -60 | 290 | 84    | 44       | 45     | 1.00   | 9.52     |
| KBRC26-065 | 546719  | 1289720  | 371 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-066 | 546798  | 1289691  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-067 | 546858  | 1289666  | 374 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-068 | 546009  | 1289636  | 392 | -60 | 290 | 102   |          |        | NSI    |          |

| Hole ID    | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
| KBRC26-069 | 546085  | 1289612  | 394 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-070 | 546160  | 1289585  | 393 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-071 | 546240  | 1289552  | 393 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-072 | 546325  | 1290027  | 393 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-073 | 546382  | 1290181  | 394 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-074 | 546427  | 1290331  | 381 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-075 | 546509  | 1290307  | 380 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-076 | 546584  | 1290280  | 371 | -60 | 290 | 102   | 3        | 4      | 1.00   | 3.36     |
| KBRC26-077 | 546661  | 1290250  | 370 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-078 | 546639  | 1290427  | 371 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-079 | 546714  | 1290403  | 369 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-080 | 546790  | 1290374  | 367 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-081 | 546771  | 1290549  | 370 | -60 | 290 | 102   | 0        | 1      | 1.00   | 0.42     |
| KBRC26-082 | 546495  | 1290481  | 374 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-083 | 546567  | 1290454  | 373 | -60 | 290 | 102   | 57       | 58     | 1.00   | 0.33     |
| KBRC26-084 | 546918  | 1290499  | 369 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-085 | 546845  | 1290522  | 374 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-086 | 546777  | 1289864  | 381 | -60 | 290 | 69    |          |        | NSI    |          |
| KBRC26-087 | 546858  | 1291033  | 370 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-088 | 546622  | 1290604  | 387 | -60 | 290 | 102   | 11       | 12     | 1.00   | 0.30     |
| KBRC26-089 | 547006  | 1290970  | 378 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-090 | 546553  | 1290632  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-091 | 546913  | 1291177  | 381 | -60 | 290 | 84    | 62       | 64     | 2.00   | 0.33     |
| KBRC26-092 | 546694  | 1290577  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-093 | 546750  | 1290729  | 372 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-094 | 546956  | 1290824  | 368 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-095 | 546826  | 1290703  | 382 | -60 | 290 | 102   | 2        | 3      | 1.00   | 0.38     |
| KBRC26-096 | 546883  | 1290844  | 378 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-097 | 546906  | 1290671  | 381 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-098 | 546975  | 1290646  | 366 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-099 | 545040  | 1287436  | 413 | -60 | 290 | 180   | 122      | 125    | 3.00   | 1.31     |
|            |         |          |     |     |     |       | 161      | 163    | 2.00   | 0.47     |
| KBRC26-100 | 546657  | 1290934  | 373 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-101 | 546599  | 1290783  | 377 | -60 | 290 | 102   | 5        | 6      | 1.00   | 0.46     |
| KBRC26-102 | 545000  | 1287448  | 411 | -60 | 290 | 150   | 124      | 128    | 4.00   | 3.71     |
|            |         |          |     |     |     | incl  | 125      | 126    | 1.00   | 12.76    |
| KBRC26-103 | 546342  | 1289853  | 383 | -60 | 290 | 102   | 72       | 73     | 1.00   | 0.68     |
| KBRC26-104 | 546195  | 1289399  | 390 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-105 | 545069  | 1287509  | 408 | -60 | 290 | 174   | 140      | 141    | 1.00   | 0.66     |
| KBRC26-106 | 544811  | 1287346  | 419 | -60 | 290 | 100   | 5        | 6      | 1.00   | 0.36     |
|            |         |          |     |     |     |       | 61       | 63     | 2.00   | 0.93     |
| KBRC26-107 | 546094  | 1289423  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-108 | 545033  | 1287525  | 419 | -60 | 290 | 150   | 68       | 69     | 1.00   | 0.43     |

| Hole ID    | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
|            |         |          |     |     |     |       | 99       | 100    | 1.00   | 0.97     |
|            |         |          |     |     |     |       | 110      | 116    | 6.00   | 0.49     |
| KBRC26-109 | 545991  | 1289310  | 389 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-110 | 544895  | 1287488  | 410 | -60 | 290 | 110   |          |        | NSI    |          |
| KBRC26-111 | 545081  | 1287589  | 418 | -60 | 290 | 130   | 24       | 27     | 3.00   | 0.57     |
|            |         |          |     |     |     |       | 110      | 111    | 1.00   | 0.48     |
| KBRC26-112 | 546042  | 1289289  | 399 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-113 | 544893  | 1287654  | 410 | -60 | 290 | 140   | 56       | 59     | 3.00   | 0.32     |
|            |         |          |     |     |     |       | 91       | 94     | 3.00   | 0.32     |
|            |         |          |     |     |     |       | 100      | 102    | 2.00   | 0.53     |
|            |         |          |     |     |     |       | 110      | 116    | 6.00   | 0.44     |
| KBRC26-114 | 544933  | 1287643  | 413 | -60 | 290 | 160   | 97       | 99     | 2.00   | 0.61     |
| KBRC26-115 | 544939  | 1287731  | 397 | -60 | 290 | 110   | 28       | 29     | 1.00   | 0.41     |
| KBRC26-116 | 545199  | 1287889  | 415 | -60 | 290 | 140   | 113      | 123    | 10.00  | 1.57     |
|            |         |          |     |     |     | incl  | 117      | 120    | 3.00   | 4.39     |
| KBRC26-117 | 545101  | 1287838  | 417 | -60 | 290 | 80    | 12       | 13     | 1.00   | 0.66     |
|            |         |          |     |     |     |       | 67       | 68     | 1.00   | 0.80     |
|            |         |          |     |     |     |       | 72       | 73     | 1.00   | 0.75     |
| KBRC26-118 | 545088  | 1287671  | 419 | -60 | 290 | 110   |          |        | NSI    |          |
| KBRC26-119 | 545138  | 1287824  | 413 | -60 | 290 | 110   | 45       | 49     | 4.00   | 0.64     |
|            |         |          |     |     |     |       | 98       | 105    | 7.00   | 0.66     |
| KBRC26-120 | 544969  | 1287631  | 424 | -60 | 290 | 180   |          |        | NSI    |          |
| KBRC26-121 | 545126  | 1287660  | 418 | -60 | 290 | 140   | 56       | 57     | 1.00   | 0.57     |
|            |         |          |     |     |     |       | 124      | 128    | 4.00   | 0.52     |
|            |         |          |     |     |     | *     | 136      | 140    | 4.00   | 0.55     |
| KBRC26-122 | 545170  | 1287813  | 414 | -60 | 290 | 140   | 124      | 128    | 4.00   | 1.04     |
| KBRC26-123 | 544919  | 1287567  | 403 | -60 | 290 | 150   |          |        | NSI    |          |
| KBRC26-124 | 545160  | 1287646  | 412 | -60 | 290 | 160   | 152      | 157    | 5.00   | 1.56     |
| KBRC26-125 | 544962  | 1287801  | 408 | -60 | 290 | 130   | 113      | 114    | 1.00   | 0.47     |
| KBRC26-126 | 545103  | 1287494  | 416 | -60 | 290 | 150   |          |        | NSI    |          |
| KBRC26-127 | 545110  | 1287751  | 399 | -60 | 290 | 120   | 0        | 2      | 2.00   | 0.81     |
|            |         |          |     |     |     |       | 112      | 113    | 1.00   | 0.94     |
| KBRC26-128 | 545280  | 1288107  | 410 | -60 | 290 | 160   | 62       | 63     | 1.00   | 4.34     |
|            |         |          |     |     |     |       | 68       | 71     | 3.00   | 0.62     |
|            |         |          |     |     |     |       | 105      | 111    | 6.00   | 1.12     |
| KBRC26-129 | 545079  | 1287421  | 413 | -60 | 290 | 200   | 152      | 154    | 2.00   | 1.52     |
|            |         |          |     |     |     |       | 159      | 161    | 2.00   | 1.65     |
|            |         |          |     |     |     |       | 170      | 171    | 1.00   | 20.96    |
| KBRC26-130 | 545126  | 1287575  | 403 | -60 | 290 | 150   |          |        | NSI    |          |
| KBRC26-131 | 545204  | 1288134  | 382 | -60 | 290 | 110   | 31       | 33     | 2.00   | 4.46     |
|            |         |          |     |     |     |       | 79       | 80     | 1.00   | 1.12     |
|            |         |          |     |     |     |       | 106      | 110    | 4.00   | 1.17     |
| KBRC26-132 | 545039  | 1287352  | 411 | -60 | 290 | 210   | 155      | 158    | 3.00   | 0.62     |

| Hole ID     | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|-------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
|             |         |          |     |     |     |       | 177      | 210    | 33.00  | 0.41     |
| KBRC26-133  | 545034  | 1287182  | 416 | -60 | 290 | 190   | 89       | 90     | 1.00   | 0.70     |
|             |         |          |     |     |     | *     | 179      | 190    | 11.00  | 0.37     |
| KBRC26-134  | 545504  | 1288263  | 428 | -60 | 290 | 130   | 52       | 53     | 1.00   | 1.10     |
|             |         |          |     |     |     |       | 76       | 77     | 1.00   | 2.12     |
|             |         |          |     |     |     |       | 113      | 114    | 1.00   | 79.20    |
| KBRC26-135  | 545008  | 1287276  | 415 | -60 | 290 | 210   | 50       | 55     | 5.00   | 0.63     |
|             |         |          |     |     |     |       | 132      | 137    | 5.00   | 0.32     |
|             |         |          |     |     |     |       | 174      | 177    | 3.00   | 0.52     |
|             |         |          |     |     |     |       | 197      | 198    | 1.00   | 0.82     |
| KBRC26-136  | 545004  | 1287108  | 421 | -60 | 290 | 200   | 61       | 64     | 3.00   | 0.83     |
|             |         |          |     |     |     | *     | 198      | 200    | 2.00   | 0.59     |
| KBRC26-137  | 544979  | 1287032  | 433 | -60 | 290 | 200   | 50       | 65     | 15.00  | 0.50     |
|             |         |          |     |     |     | incl  | 57       | 59     | 2.00   | 2.12     |
| KBRC26-138  | 545008  | 1287016  | 431 | -60 | 290 | 200   | 79       | 80     | 1.00   | 0.77     |
| KBRC26-139  | 545480  | 1288442  | 409 | -60 | 290 | 100   | 0        | 1      | 1.00   | 1.66     |
|             |         |          |     |     |     |       | 25       | 29     | 4.00   | 0.35     |
|             |         |          |     |     |     |       | 33       | 38     | 5.00   | 0.78     |
|             |         |          |     |     |     |       | 48       | 50     | 2.00   | 1.62     |
|             |         |          |     |     |     |       | 93       | 98     | 5.00   | 0.61     |
| KBRC26-140  | 544819  | 1286821  | 425 | -60 | 290 | 100   | 34       | 38     | 4.00   | 1.19     |
| KBRC26-141  | 544986  | 1286936  | 429 | -60 | 290 | 170   | 64       | 70     | 6.00   | 0.88     |
| KBRC26-142  | 545667  | 1289481  | 409 | -60 | 290 | 140   | 17       | 19     | 2.00   | 1.08     |
|             |         |          |     |     |     |       | 28       | 42     | 14.00  | 0.36     |
|             |         |          |     |     |     |       | 55       | 73     | 18.00  | 0.59     |
|             |         |          |     |     |     | *     | 87       | 140    | 53.00  | 3.67     |
|             |         |          |     |     |     | incl  | 103      | 110    | 7.00   | 16.30    |
|             |         |          |     |     |     | incl  | 115      | 124    | 9.00   | 3.57     |
| KBRC26-143  | 544938  | 1286977  | 439 | -60 | 290 | 140   | 35       | 36     | 1.00   | 0.65     |
|             |         |          |     |     |     |       | 126      | 127    | 1.00   | 1.11     |
| KBRC26-144  | 544924  | 1286885  | 435 | -60 | 290 | 140   | 24       | 27     | 3.00   | 0.94     |
|             |         |          |     |     |     |       | 108      | 113    | 5.00   | 0.49     |
| KBRC26-145A | 545709  | 1289512  | 389 | -60 | 290 | 160   | 4        | 11     | 7.00   | 0.56     |
|             |         |          |     |     |     |       | 51       | 53     | 2.00   | 0.72     |
|             |         |          |     |     |     |       | 62       | 72     | 10.00  | 0.45     |
|             |         |          |     |     |     |       | 82       | 95     | 13.00  | 2.90     |
|             |         |          |     |     |     | incl  | 83       | 85     | 2.00   | 14.57    |
|             |         |          |     |     |     |       | 113      | 123    | 10.00  | 0.37     |
| KBRC26-145B | 545709  | 1289512  | 389 | -60 | 290 | 160   | 8        | 15     | 7.00   | 0.85     |
|             |         |          |     |     |     |       | 52       | 58     | 6.00   | 0.86     |
|             |         |          |     |     |     | incl  | 56       | 57     | 1.00   | 4.02     |
|             |         |          |     |     |     |       | 61       | 64     | 3.00   | 1.07     |
| KBRC26-146  | 545709  | 1289512  | 389 | -60 | 292 | 180   | 44       | 52     | 8.00   | 0.84     |

| Hole ID    | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
|            |         |          |     |     |     |       | 69       | 70     | 1.00   | 4.44     |
|            |         |          |     |     |     |       | 104      | 130    | 26.00  | 1.00     |
|            |         |          |     |     |     | incl  | 116      | 117    | 1.00   | 11.65    |
|            |         |          |     |     |     | *     | 141      | 180    | 39.00  | 2.07     |
| KBRC26-147 | 545709  | 1289462  | 385 | -60 | 292 | 110   | 8        | 13     | 5.00   | 1.47     |
|            |         |          |     |     |     |       | 93       | 95     | 2.00   | 3.43     |
| KBRC26-148 | 545656  | 1289536  | 408 | -60 | 292 | 200   | 9        | 11     | 2.00   | 1.56     |
|            |         |          |     |     |     |       | 30       | 39     | 9.00   | 0.71     |
|            |         |          |     |     |     |       | 53       | 55     | 2.00   | 0.82     |
|            |         |          |     |     |     |       | 65       | 67     | 2.00   | 0.58     |
|            |         |          |     |     |     |       | 93       | 96     | 3.00   | 1.05     |
|            |         |          |     |     |     |       | 123      | 124    | 1.00   | 1.68     |
|            |         |          |     |     |     |       | 135      | 165    | 30.00  | 1.26     |
|            |         |          |     |     |     | incl  | 140      | 143    | 3.00   | 3.86     |
|            |         |          |     |     |     |       | 170      | 186    | 16.00  | 1.56     |
|            |         |          |     |     |     | incl  | 174      | 177    | 3.00   | 3.52     |
|            |         |          |     |     |     |       | 190      | 198    | 8.00   | 1.27     |
| KBRC26-149 | 545752  | 1289496  | 380 | -60 | 292 | 170   | 12       | 13     | 1.00   | 1.20     |
|            |         |          |     |     |     |       | 20       | 31     | 11.00  | 2.29     |
|            |         |          |     |     |     |       | 36       | 44     | 8.00   | 0.45     |
|            |         |          |     |     |     |       | 49       | 55     | 6.00   | 0.81     |
|            |         |          |     |     |     |       | 122      | 123    | 1.00   | 1.23     |
|            |         |          |     |     |     |       | 133      | 137    | 4.00   | 0.60     |
|            |         |          |     |     |     | *     | 154      | 170    | 16.00  | 0.61     |
| KBRC26-150 | 545779  | 1289650  | 378 | -60 | 292 | 220   | 8        | 10     | 2.00   | 0.60     |
|            |         |          |     |     |     |       | 18       | 21     | 3.00   | 0.60     |
|            |         |          |     |     |     |       | 39       | 46     | 7.00   | 0.70     |
|            |         |          |     |     |     |       | 56       | 57     | 1.00   | 1.45     |
|            |         |          |     |     |     |       | 67       | 68     | 1.00   | 1.29     |
|            |         |          |     |     |     |       | 89       | 90     | 1.00   | 1.73     |
|            |         |          |     |     |     |       | 155      | 158    | 3.00   | 11.29    |
|            |         |          |     |     |     | incl  | 155      | 156    | 1.00   | 32.00    |
|            |         |          |     |     |     | *     | 166      | 220    | 54.00  | 1.37     |
| KBRC26-151 | 545752  | 1289444  | 397 | -60 | 292 | 120   | 17       | 20     | 3.00   | 1.32     |
|            |         |          |     |     |     |       | 37       | 39     | 2.00   | 1.05     |
|            |         |          |     |     |     |       | 45       | 48     | 3.00   | 2.00     |
|            |         |          |     |     |     |       | 64       | 68     | 4.00   | 1.18     |
| KBRC26-152 | 545728  | 1289562  | 398 | -60 | 292 | 250   | 69       | 73     | 4.00   | 0.60     |
|            |         |          |     |     |     |       | 86       | 87     | 1.00   | 1.17     |
|            |         |          |     |     |     |       | 115      | 160    | 45.00  | 1.35     |
|            |         |          |     |     |     |       | 192      | 194    | 2.00   | 2.60     |
|            |         |          |     |     |     |       | 198      | 204    | 6.00   | 1.49     |
|            |         |          |     |     |     |       | 211      | 218    | 7.00   | 1.91     |

| Hole ID     | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|-------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
|             |         |          |     |     |     | *     | 229      | 250    | 21.00  | 1.95     |
| KBRC26-153  | 545800  | 1289480  | 381 | -60 | 292 | 130   | 26       | 27     | 1.00   | 1.10     |
|             |         |          |     |     |     |       | 34       | 36     | 2.00   | 2.08     |
|             |         |          |     |     |     |       | 44       | 46     | 2.00   | 1.20     |
|             |         |          |     |     |     |       | 104      | 107    | 3.00   | 0.76     |
|             |         |          |     |     |     |       | 112      | 128    | 16.00  | 0.75     |
| KBRC26-154  | 545702  | 1289601  | 394 | -60 | 292 | 262   | 100      | 101    | 1.00   | 1.54     |
|             |         |          |     |     |     |       | 133      | 139    | 6.00   | 0.59     |
|             |         |          |     |     |     |       | 179      | 197    | 18.00  | 0.47     |
|             |         |          |     |     |     |       | 257      | 262    | 5.00   | 1.08     |
| KBRC26-155  | 545854  | 1289456  | 383 | -60 | 292 | 189   | 140      | 147    | 7.00   | 0.86     |
|             |         |          |     |     |     |       | 150      | 172    | 22.00  | 0.83     |
| KBRC26-155A | 545691  | 1289364  | 393 | -60 | 292 | 250   | 143      | 150    | 7.00   | 1.60     |
|             |         |          |     |     |     |       | 164      | 174    | 10.00  | 0.53     |
|             |         |          |     |     |     |       | 192      | 196    | 4.00   | 0.57     |
|             |         |          |     |     |     |       | 201      | 215    | 14.00  | 1.16     |
|             |         |          |     |     |     |       | 222      | 228    | 6.00   | 3.78     |
|             |         |          |     |     |     | *     | 233      | 250    | 17.00  | 3.95     |
|             |         |          |     |     |     | incl  | 237      | 238    | 1.00   | 33.84    |
| KBRC26-156  | 545695  | 1289360  | 392 | -60 | 292 | 250   | 113      | 120    | 7.00   | 1.57     |
|             |         |          |     |     |     |       | 125      | 128    | 3.00   | 2.53     |
|             |         |          |     |     |     |       | 142      | 143    | 1.00   | 5.05     |
|             |         |          |     |     |     |       | 194      | 199    | 5.00   | 1.18     |
|             |         |          |     |     |     |       | 212      | 222    | 10.00  | 0.44     |
|             |         |          |     |     |     |       | 227      | 235    | 8.00   | 3.77     |
|             |         |          |     |     |     |       | 238      | 250    | 12.00  | 1.94     |
| KBRC26-157  | 545789  | 1289431  | 383 | -60 | 292 | 154   | 52       | 66     | 14.00  | 0.50     |
|             |         |          |     |     |     |       | 69       | 74     | 5.00   | 1.04     |
|             |         |          |     |     |     |       | 77       | 85     | 8.00   | 0.78     |
|             |         |          |     |     |     | *     | 96       | 154    | 58.00  | 1.22     |
|             |         |          |     |     |     | incl  | 108      | 109    | 1.00   | 10.70    |
|             |         |          |     |     |     | incl  | 125      | 128    | 3.00   | 6.69     |
| KBRC26-157B | 545873  | 1289659  | 392 | -60 | 292 | 250   | 10       | 11     | 1.00   | 7.40     |
|             |         |          |     |     |     |       | 146      | 157    | 11.00  | 2.24     |
|             |         |          |     |     |     |       | 164      | 208    | 44.00  | 3.12     |
|             |         |          |     |     |     | incl  | 195      | 196    | 1.00   | 33.35    |
|             |         |          |     |     |     |       | 213      | 238    | 25.00  | 2.06     |
|             |         |          |     |     |     | *     | 248      | 250    | 2.00   | 1.14     |
| KBRC26-158  | 545834  | 1289673  | 378 | -60 | 292 | 154   | 8        | 10     | 2.00   | 0.52     |
|             |         |          |     |     |     |       | 137      | 140    | 3.00   | 0.93     |
|             |         |          |     |     |     |       | 146      | 147    | 1.00   | 1.00     |
|             |         |          |     |     |     |       | 153      | 171    | 18.00  | 0.52     |
| KBRC26-159  | 545712  | 1289407  | 442 | -60 | 292 | 260   | 5        | 6      | 1.00   | 1.09     |

| Hole ID     | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|-------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
|             |         |          |     |     |     |       | 26       | 27     | 1.00   | 1.10     |
|             |         |          |     |     |     |       | 178      | 188    | 10.00  | 0.49     |
|             |         |          |     |     |     |       | 236      | 250    | 14.00  | 0.78     |
|             |         |          |     |     |     |       | 255      | 260    | 5.00   | 3.15     |
| KBRC26-160  | 545872  | 1289505  | 432 | -60 | 292 | 300   | 97       | 100    | 3.00   | 1.18     |
|             |         |          |     |     |     |       | 145      | 147    | 2.00   | 0.74     |
|             |         |          |     |     |     |       | 187      | 218    | 31.00  | 3.12     |
|             |         |          |     |     |     |       | 187      | 193    | 6.00   | 0.80     |
|             |         |          |     |     |     |       | 198      | 218    | 20.00  | 4.58     |
|             |         |          |     |     |     | incl  | 204      | 205    | 1.00   | 64.60    |
|             |         |          |     |     |     |       | 228      | 262    | 34.00  | 1.45     |
|             |         |          |     |     |     | incl  | 256      | 262    | 6.00   | 4.94     |
|             |         |          |     |     |     |       | 277      | 279    | 2.00   | 9.05     |
|             |         |          |     |     |     |       | 290      | 293    | 3.00   | 1.25     |
| KBRC26-161A | 545822  | 1289526  | 396 | -60 | 292 | 135   | 85       | 89     | 4.00   | 0.55     |
|             |         |          |     |     |     |       | 103      | 116    | 13.00  | 0.66     |
|             |         |          |     |     |     | *     | 123      | 135    | 12.00  | 15.74    |
|             |         |          |     |     |     | incl  | 126      | 127    | 1.00   | 65.05    |
|             |         |          |     |     |     | incl  | 133      | 134    | 1.00   | 61.96    |
| KBRC26-161B | 545812  | 1289535  | 413 | -60 | 292 | 219   | 79       | 85     | 6.00   | 1.08     |
|             |         |          |     |     |     |       | 91       | 163    | 72.00  | 2.27     |
|             |         |          |     |     |     | incl  | 121      | 124    | 3.00   | 16.85    |
|             |         |          |     |     |     | incl  | 151      | 155    | 4.00   | 12.47    |
|             |         |          |     |     |     |       | 170      | 189    | 19.00  | 2.03     |
|             |         |          |     |     |     | incl  | 173      | 183    | 10.00  | 3.00     |
|             |         |          |     |     |     | *     | 204      | 219    | 15.00  | 4.93     |
|             |         |          |     |     |     | incl  | 207      | 210    | 3.00   | 19.84    |
| KBRC26-162  | 545784  | 1289601  | 399 | -60 | 292 | 190   | 34       | 37     | 3.00   | 1.16     |
|             |         |          |     |     |     |       | 135      | 137    | 2.00   | 3.12     |
|             |         |          |     |     |     |       | 141      | 148    | 7.00   | 0.88     |
|             |         |          |     |     |     |       | 178      | 184    | 6.00   | 3.44     |
|             |         |          |     |     |     | incl  | 181      | 184    | 3.00   | 4.28     |
| KBRC26-163  | 545756  | 1289651  | 377 | -60 | 292 | 120   |          |        | RP     |          |
| KBRC26-164  | 545833  | 1289564  | 405 | -60 | 292 | 250   | 51       | 56     | 5.00   | 0.52     |
|             |         |          |     |     |     |       | 79       | 81     | 2.00   | 0.82     |
|             |         |          |     |     |     |       | 105      | 110    | 5.00   | 2.57     |
|             |         |          |     |     |     |       | 114      | 117    | 3.00   | 4.19     |
|             |         |          |     |     |     |       | 121      | 144    | 23.00  | 1.15     |
|             |         |          |     |     |     | incl  | 135      | 141    | 6.00   | 2.85     |
|             |         |          |     |     |     | incl  | 157      | 163    | 6.00   | 5.06     |
|             |         |          |     |     |     |       | 150      | 181    | 31.00  | 1.90     |
|             |         |          |     |     |     |       | 186      | 188    | 2.00   | 2.79     |
|             |         |          |     |     |     |       | 193      | 247    | 54.00  | 1.09     |

| Hole ID    | Easting | Northing | RL  | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|-----|-----|-----|-------|----------|--------|--------|----------|
|            |         |          |     |     |     | incl  | 196      | 197    | 1.00   | 17.56    |
|            |         |          |     |     |     | incl  | 213      | 216    | 3.00   | 2.10     |
| KBRC26-165 | 545814  | 1289688  | 379 | -60 | 292 | 141   | 6        | 8      | 2.00   | 0.66     |
|            |         |          |     |     |     |       | 20       | 35     | 15.00  | 3.29     |
|            |         |          |     |     |     |       | 40       | 59     | 19.00  | 2.11     |
|            |         |          |     |     |     |       | 88       | 94     | 6.00   | 4.63     |
|            |         |          |     |     |     | incl  | 90       | 92     | 2.00   | 11.87    |
|            |         |          |     |     |     |       | 113      | 125    | 12.00  | 3.70     |
|            |         |          |     |     |     | incl  | 114      | 115    | 1.00   | 30.55    |
| KBRC26-166 | 545811  | 1289620  | 388 | -60 | 292 | 121   | 7        | 18     | 11.00  | 0.69     |
|            |         |          |     |     |     |       | 81       | 95     | 14.00  | 2.20     |
|            |         |          |     |     |     | incl  | 91       | 94     | 3.00   | 6.46     |
|            |         |          |     |     |     | *     | 99       | 121    | 22.00  | 0.88     |
| KBRC26-167 | 546929  | 1289812  | 403 | -60 | 292 | 84    |          |        | NSI    |          |
| KBRC26-168 | 546679  | 1290757  | 385 | -60 | 292 | 102   |          |        | NSI    |          |
| KBRC26-169 | 546477  | 1289965  | 391 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-170 | 546629  | 1289894  | 385 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-171 | 546723  | 1291086  | 382 | -60 | 290 | 84    |          |        | NSI    |          |
| KBRC26-172 | 546542  | 1290123  | 387 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-173 | 546604  | 1290105  | 386 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-174 | 546392  | 1290018  | 383 | -60 | 290 | 102   | 10       | 11     | 1.00   | 0.66     |
| KBRC26-175 | 546674  | 1290079  | 379 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-176 | 546727  | 1290917  | 383 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-177 | 546805  | 1290882  | 382 | -60 | 290 | 102   | 7        | 8      | 1      | 0.73     |
| KBRC26-178 | 546748  | 1290218  | 374 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-179 | 546449  | 1290108  | 383 | -60 | 290 | 102   |          |        | NSI    |          |
| KBRC26-180 | 545814  | 1289641  | 360 | -60 | 290 | 153   | 17       | 18     | 1.00   | 86.49    |
|            |         |          |     |     |     |       | 28       | 38     | 10.00  | 0.86     |
|            |         |          |     |     |     | incl  | 33       | 34     | 1.00   | 4.76     |
|            |         |          |     |     |     |       | 63       | 75     | 12.00  | 0.77     |
|            |         |          |     |     |     |       | 83       | 105    | 22.00  | 0.81     |
|            |         |          |     |     |     |       | 112      | 114    | 2.00   | 1.19     |
|            |         |          |     |     |     |       | 124      | 129    | 5.00   | 1.87     |
|            |         |          |     |     |     |       | 139      | 143    | 4.00   | 1.52     |
| KBRC26-181 | 546855  | 1290193  | 378 | -60 | 290 | 84    | 14       | 17     | 3.00   | 0.33     |
| KBRC26-182 | 546947  | 1290317  | 380 | -60 | 292 | 84    |          |        | NSI    |          |
| KBRC26-183 | 545801  | 1289746  | 384 | -60 | 290 | 140   | 38       | 39     | 1.00   | 1.03     |
|            |         |          |     |     |     |       | 43       | 60     | 17.00  | 1.80     |
|            |         |          |     |     |     | incl  | 50       | 51     | 1.00   | 10.43    |
| KBRC26-184 | 545891  | 1289707  | 387 | -60 | 290 | 240   | 74       | 84     | 10.00  | 0.45     |
|            |         |          |     |     |     |       | 114      | 115    | 1.00   | 1.17     |
|            |         |          |     |     |     |       | 121      | 127    | 6.00   | 1.27     |
|            |         |          |     |     |     |       | 141      | 154    | 13.00  | 0.89     |

| Hole ID    | Easting | Northing | RL     | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|--------|-----|-----|-------|----------|--------|--------|----------|
|            |         |          |        |     |     |       | 171      | 191    | 20.00  | 0.91     |
|            |         |          |        |     |     |       | 201      | 227    | 26.00  | 0.85     |
| KBRC26-185 | 545835  | 1289840  | 385    | -60 | 292 | 130   | 36       | 54     | 18.00  | 0.96     |
|            |         |          |        |     |     |       | 64       | 70     | 6.00   | 0.65     |
|            |         |          |        |     |     |       | 100      | 106    | 6.00   | 0.51     |
| KBRC26-186 | 545887  | 1289820  | 388    | -60 | 292 | 190   | 19       | 20     | 1.00   | 1.27     |
|            |         |          |        |     |     |       | 29       | 30     | 1.00   | 1.02     |
|            |         |          |        |     |     |       | 43       | 47     | 4.00   | 0.83     |
|            |         |          |        |     |     |       | 52       | 53     | 1.00   | 10.53    |
|            |         |          |        |     |     |       | 57       | 58     | 1.00   | 2.55     |
|            |         |          |        |     |     |       | 68       | 69     | 1.00   | 1.36     |
|            |         |          |        |     |     |       | 76       | 77     | 1.00   | 1.20     |
|            |         |          |        |     |     |       | 97       | 106    | 9.00   | 0.78     |
|            |         |          |        |     |     | incl  | 102      | 105    | 3.00   | 1.73     |
|            |         |          |        |     |     |       | 110      | 112    | 2.00   | 4.48     |
|            |         |          |        |     |     |       | 120      | 124    | 4.00   | 1.63     |
|            |         |          |        |     |     |       | 138      | 150    | 12.00  | 2.96     |
|            |         |          |        |     |     | incl  | 138      | 139    | 1.00   | 24.15    |
| KBRC26-187 | 545881  | 1289874  | 384    | -60 | 292 | 160   | 13       | 14     | 1.00   | 1.01     |
|            |         |          |        |     |     |       | 21       | 24     | 3.00   | 4.99     |
|            |         |          |        |     |     |       | 35       | 37     | 2.00   | 0.73     |
|            |         |          |        |     |     |       | 51       | 61     | 10.00  | 0.83     |
|            |         |          |        |     |     |       | 83       | 92     | 9.00   | 1.02     |
|            |         |          |        |     |     |       | 97       | 99     | 2.00   | 1.28     |
|            |         |          |        |     |     |       | 110      | 117    | 7.00   | 0.79     |
| KBRC26-188 | 545936  | 1289797  | 387    | -60 | 292 | 231   | 53       | 56     | 3.00   | 0.51     |
|            |         |          |        |     |     |       | 100      | 101    | 1.00   | 1.40     |
|            |         |          |        |     |     |       | 138      | 160    | 22.00  | 0.83     |
|            |         |          |        |     |     | *     | 169      | 231    | 62.00  | 1.52     |
| KBRC26-189 | 545826  | 1289895  | 384    | -60 | 292 | 90    | 18       | 26     | 8.00   | 3.14     |
| KBRC26-190 | 545956  | 1289849  | 387.15 | -60 | 292 | 250   | 5        | 8      | 3.00   | 0.36     |
|            |         |          |        |     |     |       | 67       | 73     | 6.00   | 0.34     |
|            |         |          |        |     |     |       | 85       | 90     | 5.00   | 1.12     |
|            |         |          |        |     |     |       | 127      | 129    | 2.00   | 0.67     |
|            |         |          |        |     |     |       | 170      | 173    | 3.00   | 1.38     |
|            |         |          |        |     |     |       | 183      | 244    | 61.00  | 1.80     |
|            |         |          |        |     |     | incl  | 201      | 208    | 7.00   | 6.61     |
|            |         |          |        |     |     | *     | 236      | 250    | 14.00  | 1.33     |
|            |         |          |        |     |     | incl  | 237      | 240    | 3.00   | 3.28     |
| KBRC26-191 | 545917  | 1289913  | 384.95 | -60 | 292 | 190   | 22       | 26     | 4.00   | 1.87     |
|            |         |          |        |     |     |       | 86       | 93     | 7.00   | 0.77     |
|            |         |          |        |     |     |       | 110      | 118    | 8.00   | 1.16     |
|            |         |          |        |     |     |       | 123      | 134    | 11.00  | 0.65     |

| Hole ID    | Easting | Northing | RL     | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|--------|-----|-----|-------|----------|--------|--------|----------|
|            |         |          |        |     |     |       | 164      | 167    | 3.00   | 0.74     |
|            |         |          |        |     |     |       | 184      | 187    | 3.00   | 0.66     |
| KBRC26-192 | 545964  | 1289899  | 389    | -60 | 292 | 240   |          |        | RP     |          |
|            |         |          |        |     |     |       | 32       | 36     | 4.00   | 1.13     |
|            |         |          |        |     |     |       | 49       | 61     | 12.00  | 4.41     |
|            |         |          |        |     |     | incl  | 57       | 58     | 1.00   | 35.15    |
|            |         |          |        |     |     |       | 66       | 78     | 12.00  | 0.84     |
|            |         |          |        |     |     |       | 123      | 140    | 17.00  | 0.62     |
|            |         |          |        |     |     | incl  | 133      | 136    | 3.00   | 1.91     |
| KBRC26-193 | 545922  | 1289966  | 383.89 | -60 | 292 | 170   | 22       | 23     | 1.00   | 1.03     |
|            |         |          |        |     |     |       | 32       | 36     | 4.00   | 1.13     |
|            |         |          |        |     |     |       | 49       | 61     | 12.00  | 4.41     |
|            |         |          |        |     |     | incl  | 57       | 58     | 1.00   | 35.15    |
|            |         |          |        |     |     |       | 66       | 78     | 12.00  | 0.84     |
|            |         |          |        |     |     |       | 123      | 140    | 17.00  | 0.62     |
|            |         |          |        |     |     | incl  | 133      | 136    | 3.00   | 1.91     |
| KBRC26-194 | 545998  | 1290049  | 385.73 | -60 | 292 | 200   | 8        | 13     | 5.00   | 0.40     |
|            |         |          |        |     |     |       | 23       | 25     | 2.00   | 0.46     |
|            |         |          |        |     |     |       | 63       | 64     | 1.00   | 1.57     |
|            |         |          |        |     |     |       | 68       | 76     | 8.00   | 0.58     |
|            |         |          |        |     |     |       | 104      | 108    | 4.00   | 1.11     |
|            |         |          |        |     |     |       | 124      | 140    | 16.00  | 2.64     |
|            |         |          |        |     |     | incl  | 127      | 128    | 1.00   | 23.53    |
|            |         |          |        |     |     | incl  | 139      | 140    | 1.00   | 10.77    |
|            |         |          |        |     |     |       | 144      | 153    | 9.00   | 2.34     |
|            |         |          |        |     |     |       | 158      | 170    | 12.00  | 0.85     |
|            |         |          |        |     |     | *     | 194      | 200    | 6.00   | 1.13     |
| KBRC26-195 | 545993  | 1289941  | 386.58 | -60 | 292 | 231   | 96       | 100    | 4.00   | 0.70     |
|            |         |          |        |     |     |       | 123      | 125    | 2.00   | 1.36     |
|            |         |          |        |     |     |       | 151      | 158    | 7.00   | 0.53     |
|            |         |          |        |     |     |       | 165      | 179    | 14.00  | 0.71     |
|            |         |          |        |     |     |       | 210      | 218    | 8.00   | 0.75     |
|            |         |          |        |     |     | *     | 225      | 231    | 6.00   | 0.45     |
| KBRC26-196 | 545849  | 1289989  | 384.47 | -60 | 292 | 80    | 19       | 20     | 1.00   | 2.58     |
|            |         |          |        |     |     |       | 23       | 27     | 4.00   | 1.60     |
|            |         |          |        |     |     |       | 75       | 78     | 3.00   | 0.62     |
| KBRC26-197 | 545896  | 1290139  | 377.18 | -60 | 292 | 80    | 5        | 10     | 5.00   | 0.39     |
|            |         |          |        |     |     |       | 22       | 27     | 5.00   | 0.86     |
| KBRC26-198 | 545922  | 1290016  | 376.38 | -60 | 292 | 150   | 7        | 12     | 5.00   | 1.48     |
|            |         |          |        |     |     |       | 26       | 28     | 2.00   | 5.70     |
|            |         |          |        |     |     |       | 32       | 38     | 6.00   | 0.83     |
|            |         |          |        |     |     |       | 59       | 66     | 7.00   | 1.65     |
|            |         |          |        |     |     |       | 69       | 74     | 5.00   | 1.18     |

| Hole ID    | Easting | Northing | RL     | Dip | Azi | Depth | From (m) | To (m) | Length | Au (g/t) |
|------------|---------|----------|--------|-----|-----|-------|----------|--------|--------|----------|
|            |         |          |        |     |     |       | 79       | 82     | 3.00   | 4.02     |
|            |         |          |        |     |     |       | 89       | 101    | 12.00  | 0.62     |
|            |         |          |        |     |     |       | 124      | 139    | 15.00  | 1.62     |
|            |         |          |        |     |     | *     | 142      | 150    | 8.00   | 0.48     |
| KBRC26-199 | 545950  | 1290223  | 380.74 | -60 | 292 | 80    | 39       | 40     | 1.00   | 2.84     |
|            |         |          |        |     |     |       | 76       | 77     | 1.00   | 1.00     |
| KBRC26-200 | 545980  | 1289999  | 384.86 | -58 | 292 | 200   | 4        | 5      | 1.00   | 0.74     |
|            |         |          |        |     |     |       | 62       | 66     | 4.00   | 0.56     |
|            |         |          |        |     |     |       | 80       | 95     | 15.00  | 1.13     |
|            |         |          |        |     |     |       | 98       | 101    | 3.00   | 1.04     |
|            |         |          |        |     |     |       | 109      | 112    | 3.00   | 0.57     |
|            |         |          |        |     |     |       | 118      | 120    | 2.00   | 2.38     |
|            |         |          |        |     |     |       | 123      | 143    | 20.00  | 1.98     |
|            |         |          |        |     |     | incl  | 136      | 138    | 2.00   | 12.40    |
|            |         |          |        |     |     |       | 161      | 163    | 2.00   | 1.33     |
|            |         |          |        |     |     |       | 171      | 179    | 8.00   | 3.54     |
|            |         |          |        |     |     | incl  | 171      | 172    | 1.00   | 20.53    |
| KBRC26-201 | 546117  | 1290157  | 379.7  | -60 | 292 | 210   | 174      | 175    | 1.00   | 2.66     |
|            |         |          |        |     |     |       | 188      | 208    | 20.00  | 1.07     |
| KBRC26-202 | 546008  | 1289995  | 384.2  | -60 | 292 | 225   | 87       | 95     | 8.00   | 0.32     |
|            |         |          |        |     |     |       | 97       | 98     | 1.00   | 2.04     |
|            |         |          |        |     |     |       | 102      | 106    | 4.00   | 0.45     |
|            |         |          |        |     |     |       | 138      | 146    | 8.00   | 1.48     |
|            |         |          |        |     |     |       | 161      | 180    | 19.00  | 1.69     |
|            |         |          |        |     |     |       | 219      | 223    | 4.00   | 0.90     |
| KBRC26-203 | 546042  | 1290082  | 389    | -60 | 292 | 230   | 6        | 8      | 2.00   | 1.71     |
|            |         |          |        |     |     |       | 16       | 19     | 3.00   | 1.64     |
|            |         |          |        |     |     |       | 105      | 109    | 4.00   | 0.56     |
|            |         |          |        |     |     |       | 126      | 144    | 18.00  | 0.95     |
|            |         |          |        |     |     |       | 171      | 173    | 2.00   | 0.86     |
|            |         |          |        |     |     |       | 177      | 185    | 8.00   | 1.00     |
|            |         |          |        |     |     | incl  | 179      | 181    | 2.00   | 3.05     |
|            |         |          |        |     |     |       | 189      | 197    | 8.00   | 0.84     |
|            |         |          |        |     |     |       | 208      | 211    | 3.00   | 0.87     |
| KBRC26-204 | 545893  | 1290089  | 370    | -60 | 292 | 120   | 17       | 27     | 10.00  | 1.96     |
|            |         |          |        |     |     |       | 42       | 48     | 6.00   | 0.70     |
|            |         |          |        |     |     |       | 68       | 75     | 7.00   | 1.54     |
| KBRC26-205 | 545945  | 1290122  | 377    | -60 | 292 | 150   | 14       | 15     | 1.00   | 1.05     |
|            |         |          |        |     |     |       | 37       | 39     | 2.00   | 0.68     |
|            |         |          |        |     |     |       | 65       | 67     | 2.00   | 0.73     |
|            |         |          |        |     |     |       | 85       | 98     | 13.00  | 1.52     |
|            |         |          |        |     |     |       | 105      | 111    | 6.00   | 0.43     |

\* denotes sample at end of hole

NSI – No Significant Intersection

RP - Results Pending

SF – Analysis by Screen Fire Assay

## Appendix 2. The following tables are provided to ensure compliance with JORC Code requirements for the reporting of Exploration Results from the Kobada Project

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria                     | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Sampling techniques</i>   | <ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul> | <p>Drilling samples collected using reverse circulation (RC) percussion drilling and diamond core drilling (HQ sized).</p> <p>For RC drilling the entire sample is collected , homogenised and split to achieve a sample of approximately 2kg which is submitted for analysis.</p> <p>For diamond core drilling samples were geologically logged, measured for average length, photographed, and placed into numbered core trays. Core was then split for sampling using a saw with sample intervals usually 1m in length but adjusted for lithological contacts and other geological features.</p> <p>Analysis is carried out in an independent commercial laboratory using fire assay.</p> |
| <i>Drilling techniques</i>   | <ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>Reverse Circulation drilling using 127mm face sampling hammer.</p> <p>Diamond core drilling using HQ sized core, with holes commenced using PQ core.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <i>Drill sample recovery</i> | <ul style="list-style-type: none"> <li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>Diamond core samples are measured to determine recovery. No recovery issues have been observed.</p> <p>RC samples are weighed to quantify recovery. Recovery is also noted in the sampling sheet.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| Criteria                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Logging                                        | <ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>                                                                                                                                                                                                                                                                                             | <p>Geological logging of drilling is completed to an acceptable standard for use in Mineral Resource estimation.</p> <p>Logging is both qualitative (weathering, colour, lithology, alteration) and quantitative (% veining, sulphides)</p> <p>All drilling reported (100%) has been logged.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul> | <p>Drill core was split (sawn) at the Toubani core logging and cutting facility located at the project camp in Kobada, with half core samples intervals submitted to SGS Labs preparation facilities in Bamako, Mali. Sampling intervals are based on geological boundaries to aid representivity.</p> <p>All RC samples are split using a riffle splitter with one split (approximately 1 to 2 kg) collected for laboratory testing and the remaining amount after splitting is retained in the bulk bag for future reference. All samples were sampled dry.</p> <p>Sample moisture is noted in the sampling sheet.</p> <p>Appropriate sampling procedures are used in both RC and DD to ensure representivity.</p> <p>It is believed that the sample size is in line with standard practice and is appropriate to the grain size of the material being sampled.</p>                                                                                                                                                               |
| Quality of assay data and laboratory tests     | <ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>                                                                             | <p>Samples were submitted to the SANAS and ISO/IEC 17025 accredited SGS Laboratory in Bamako. Samples were tested by fire assay with an AAS finish. Samples &lt; 3.0 kg were dried in trays, crushed to a nominal 2 mm using a jaw crusher, and then &lt; 1.5 kg were split using a Jones-type riffle splitter. Reject sample was retained in the original bag and stored. The sample was pulverised in an LM2 pulveriser to a nominal 85 % passing 75 µm. An approximately 200 g subsample was taken for assay, with the pulverised residue retained in a plastic bag. All the preparation equipment was flushed with barren material prior to the commencement of the job. A 50 g subsample was fused with a litharge-based flux, cupelled, and the prill is dissolved in aqua regia, and gold is determined by flame AAS (Detection Limit 0.01 ppm).</p> <p>Every 10th sample is a CRM, blank or duplicate. It is believed that acceptable levels of accuracy and precision have been achieved based on the control samples.</p> |
| Verification of sampling and assaying          | <ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <p>Significant intersections have been estimated by consultants to the company and cross checked.</p> <p>Twinned holes are not being used in the current programme which aims to test for mineralisation away from previously drilled areas.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Criteria                                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <p>All data is entered into logging templates using codes on site and validated in appropriate software.</p> <p>No adjustment to assay data has been carried out.</p>                                                                                                                                                                                                                                                                                                                                          |
| <i>Location of data points</i>                                 | <ul style="list-style-type: none"> <li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li>• <i>Specification of the grid system used.</i></li> <li>• <i>Quality and adequacy of topographic control.</i></li> </ul>                                                                                     | <p>The drillhole collars have been located with a Garmin handheld GPS with a <math>\pm 5</math> m accuracy</p> <p>Co-ordinates presented are in UTM format using the WGS84 datum (zone 29N)</p> <p>A UAV topographic survey was conducted in 2024 over the main mineralised body to assist with the updated topography for the geological modelling and to improve the accuracy of artisanal mining depletions. This survey is deemed of sufficient quality to utilise in the Mineral Resource estimation.</p> |
| <i>Data spacing and distribution</i>                           | <ul style="list-style-type: none"> <li>• <i>Data spacing for reporting of Exploration Results.</i></li> <li>• <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li>• <i>Whether sample compositing has been applied.</i></li> </ul>                        | <p>Drillholes are being drilled at spacings between 40 and 80m on section, with sections 40 – 160 metres apart. Diamond drillholes have been targeted in specific locations to test extensions to mineralisation or for project purposes.</p> <p>Certain drillholes are intended to provide an initial test for mineralisation and may not be sufficiently close spaced for inclusion in a Mineral Resource estimation.</p>                                                                                    |
| <i>Orientation of data in relation to geological structure</i> | <ul style="list-style-type: none"> <li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul> | <p>Drilling orientation is planned perpendicular to the regional structural trend (NNE).</p> <p>No sampling bias is expected.</p>                                                                                                                                                                                                                                                                                                                                                                              |
| <i>Sample security</i>                                         | <i>The measures taken to ensure sample security.</i>                                                                                                                                                                                                                                                                                                                                                                                               | <p>Industry best practice has been applied to the drilling sampling processes carried out. Drilled samples were transported in a manner to prevent loss or cross-contamination. All samples were stored in a secure storage facility pending dispatch to laboratory in Bamako. In line with protocol, two people were used to transport the samples directly to the laboratory. Once at the laboratory, the samples were subject to the standard security measures of the laboratory.</p>                      |
| <i>Audits or reviews</i>                                       | <ul style="list-style-type: none"> <li>• <i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>                                                                                                                                                                                                                                                                                                                   | No audits have been completed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Section 2 Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections.)

| Criteria                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul> | <p>African Gold Group Mali SARL, a wholly-owned subsidiary of TRE, holds a mining permit No. PE 15/22 encompassing an area of 135.7 km<sup>2</sup> for the Kobada project area valid to 30 July 2045. Two adjacent exploration permits are also held, namely Kobada-Est (No. PR 18/957 over 77 km<sup>2</sup> valid to 15 August 2024 for three years) and Faraba (for which renewal was granted under Arrêté No. 2021-3226/MMP-SG effective 6 April 2021 for a further three years).</p> <p>An environmental permit No. 2021-0045 MEADD-SG was issued on 18 October 2021 relating to the oxides project. An ESIA amendment is underway development and mining of the sulphides portion of the Project.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Exploration done by other parties       | <ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <p>Bureau de Recherches Géologiques et Minières conducted historical exploration in 1982 to 1988, which respectively identified and delineated the Kobada Shear Zone through geochemistry surveys and latter diamond drilling. La Source undertook RC drilling in 1996, followed in 2002 and 2004 respectively by RC and air core drilling by Cominor. IAMGold completed diamond and RC drilling in 2009.</p> <p>Previous exploration by Toubani Resources is detailed in the Company's prospectus dated 12 September 2022 and released on ASX on 25 November 2022</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Geology                                 | <ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                  | <p>The Project is located in the Bagoe Formation on the north-central edge of the Birimian rock units that form part of the Leo Rise in the southern part of the West African Craton. The Project is situated on the western flank of the Bougouni Basin, composed primarily of sedimentary rocks with minor tholeiitic volcano-sedimentary intercalations.</p> <p>The Kobada gold deposit is a quartz-carbonate veined mesothermal orogenic gold deposit hosted within a greenstone belt. Gold is present in the laterite, saprolite, unaltered rock as sulphides, and in the quartz veins. Placer-style deposits occur and have largely been exploited by artisanal miners.</p> <p>Mineralisation extends for a minimum strike of 4 km and is associated with narrow, irregular, high-angle quartz veins and with disseminated sulphides in the wall rock and vein selvages. Mineralisation occurs as free gold, whereas in sulphides mineralisation includes the occurrence of arsenopyrite, pyrite and rarely chalcopyrite. Arsenopyrite is localised near vein selvages and as fine-grained disseminated patches within the host rock. Pyrite occurs in finely disseminated patches within the host rocks, generally as traces up to 3 % by volume with up to 10 % locally in the wall rock at centimetre-scale intervals adjacent to the quartz veins.</p> |

| Criteria                                                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Drill hole Information</i>                                           | <ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul> | Refer Appendix 1.                                                                                                                                                                                                                                           |
| <i>Data aggregation methods</i>                                         | <ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>                                                                                                                                                                                           | <p>Averaging is weighted based on length, with all samples 1m in downhole length.</p> <p>All results &gt; 0.3g/t are reported in Appendix 1 with high grade intervals (&gt; 1g/t) reported separately.</p> <p>No metal equivalent results are reported.</p> |
| <i>Relationship between mineralisation widths and intercept lengths</i> | <ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>                                                                                                                                                                                                                                                                                                                                                                       | <p>Downhole lengths are presented in Appendix 1. True widths have not been calculated.</p> <p>Drillholes are designed to intersect the mineralised shear zones as close to perpendicular as is possible.</p>                                                |
| <i>Diagrams</i>                                                         | <ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Refer to figures within this report.</li> </ul>                                                                                                                                                                      |
| <i>Balanced reporting</i>                                               | <ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | All meaningful information has been included in the body of the text and all results are presented in Appendix 1.                                                                                                                                           |
| <i>Other substantive exploration data</i>                               | <ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment;</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | All material data and information has been detailed in previous ASX announcements.                                                                                                                                                                          |

| Criteria            | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                           | Commentary                                                                                                                    |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
|                     | <i>metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>                                                                                                                                                                                                                                                         |                                                                                                                               |
| <i>Further work</i> | <ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul> | As detailed in the text – drilling is ongoing at the project and further drilling will be planned to follow up these results. |